



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>





E. BIBL. RADCL.

~~5. 145. S. 7.~~

C

f

25

3-1-1 1000

CR 2.61

1



2004

1

2004

1

1

1

1

1

1

HERMANNI BOERHAAVE
 LIBELLUS
 DE
 MATERIE MEDICA
 ET
 REMEDIORUM FORMULIS;
 QUAE SERVIUNT
 APHORISMIS
 DE
 COGNOSCENDIS ET CURAN-
 DIS MORBIS.



LUGDUNI BATAVORUM,
 Apud ISAACUM SEVERINUM, 1719.

AUCTOR *nulla hujus Libelli
agnoscit exempla, nisi quæ sunt
edita apud Bibliopolam, quæ
suum ipse nomen hic subscripsit.*

J. B. Severinus

J

AUDITORIBUS SUIS

S.

H. BOERHAAVE



go, postquam animum
Medicinæ ex Auctoritatē
Procerum Academico-
rum docendæ applicui,
id imprimis credidi mei
esse muneris, candidē ut Vobis ex-
ponerem simpliciterque illa, quæ,
veris experimentorum successuum-
que eventis, firma in arte cognos-
cuntur.

Sanē, eō quidem propositō, per-
scrutabar relicta nobis hodie ex iis,
quæ sapienti industriâ explorata sibi
fatisque spectata tradidēre Veteres.
Illa verō, ubi composui rebus, quas
Me-

P R Æ F A T I O.

Medicinam faciendô deprehendebam, inveni observatæ sollicitê naturæ vestigia ubique pressa: neque adeô certius quid sperari posse, neque aliunde colligi meliora.

Ferebat interim animus & illa utcunque perlustrare, quæ, dominante per Europam barbarie, Arabes, Priscorum nacti monumenta, Eorum inventis addiderunt, quæque in Latinum versâ sermonem nostræ intelligentiæ patebant. Sed dolui, Gentem solertissimam, licet subnixa esset tam utilibus adminiculis ejus subtilitas, parum boni, mali plurimum, Medicæ attulisse disciplinæ!

Neque perfunctoriê deinde excussi Recentiorum placita, pulcherrimâ profectô commendata specie, sive Physices excultæ fructus, sive spectaveris artium liberalium Medicinæ

P R Æ F A T I O.

promovendæ adhibitarum effectus. Gaudebat utique his intentus animus! interea tamen, licentiâ fingendi, assumendi audaciâ, festinâ nimis, & ambitiosâ ad consummandam Medicinam properatione, Primorum verô Auctorum contemptu, neglectu, vel ignoratione, ipsa quidem scientia Medica damni plus, quam emolumenti, omni hoc molimine accepissè videbatur: materiem certè, unde instrui feliciter queat illa, liberalissimè aggestam à nostris ut gratamur arti, ita deploramus ejus fata, quod tumultuariâ opum collectione obruta verius, quam adjuta, fiet.

Institutô itaque hęc rerum examine, quid, quæso, rationi consentaneum magis, quam ut conjicerentur in adversaria, quæcunque in omnibus hisce adeo sana, ut pe-

P R Æ F A T I O,

ritus nemo de fide horum ambigat? hac itaque perfuncto operâ prius dein conandum fuit, ut ex sparsis his conficeretur corpusculum quoddam ad leges disciplinæ concinnatum: in quod & ipse intueri possem sedulô, quoties in artis exercitatione versarer, simulque eô referre, si quid novi forte aut insoliti apparet; postremô ut hâc agendi ratione veri quid & digesti animo impressum meo vestros in usus fideliter effundere liceret.

His demum causis natum vidistis *Libellum*, quô ausus fui scripta aggravare Medica, *de cognoscendis & curandis Morbis*. Cujus profectô toties me puduit, quoties defectus ejus mihi nimis notos ipsi putare aggredior, Veterumve componere operibus. Hôc scilicet me metiens pede impar deprehendor, qui

P R Æ F A T I O.

qui legitimè Auctoris boni titulum ambire sustineam. Neque tamen abesse poteram ab audaciâ evulgandi hocce *Aphorismos*, nisi deesse voluisssem muneri, quod mihi dederat publica Auctoritas, cui obsequia debeo.

Opus igitur aggressus quum cogitarem semper, sola ut esset cura mederi, atque cavere quam religiosissimè, ne quid irreperet, quod periculoso semper hâc in arte errori causam præberet, necessarium duxi in totò opusculò nullum commemorare Medicamentum.

Nec injuriâ: namque id inprimis arbitrabar nocere, dum, auditò remedii nomine & morbi, exercendæ se pares arti jactant Empirici impune in hominum perniciem grassantes, donec ferò solè tandem cada-

P R Æ F A T I O.

verum experimento sapiunt.

Quum interim Discipulis deberem exempla, præscripseram ideò in privatos Horum usus pauca *de Materie Medicâ*, hujusque ordinandæ legibus, tantum ut servirent lis, Qui intento me animo audiverant differentem in scholis domesticis de occasione, quâ solâ utilia evaderent.

Estis verò idonei Vos testes, quantâ circumspectione utar, quam sæpe toediosâ ferè ad fastidium usque minutiarum consideratione odiosus sum, priusquam Vobis titulò *Medicamenti* vel minimum quid laudare auserim: pulchrè gnarus, nihil dari, quod ubique bonum; contrâ verò id, quod hâc rerum facie salutare fuerat, mutatâ conditione perniciosum sæpe deprehendi.

Nefas itaque putavi *Medicamentum* nomine hæc ipsa evulgare, sed
cum

P R Æ F A T I O.

cum admonitione severâ modò describenda dare His, Qui operam mihi sedulò dederant pro tenuitate meâ idoneas cautelas inculcare conanti. Sed, quod dolea, longè aliter evenit: me quippè nec consulto, nec volente, in usus publicos extundenda curavit hæc Londini Vir eruditus, altè nimis de vili hoc opusculo, ejusque Auctore, sentiens & scribens; neque tamen ita res gesta, quin errores simul bene multi, & noxii, in edendò contigerint.

Coactus ita recensui, correxi; amplificavi, nonnulla: unde describendi labore levati iis utamini. Audacter interim & moneo fideliter; morbi historiam fideliter edocti, scrutati *Materia Medica* noxios æquè ac effectus salubres, ita demum auxilii utilis bonitatem affectetis as-

* *

se-

P R Æ F A T I O.

sequi: cæteris nocebit magis qui
proderit, quidquid hoc opellæ
Cui, ut emaculatus prodiret,
tam impendit, Vestrosque in usus
dicem adscripsit Eruditissimus V
SAMUEL Du RY, Medicinæ I
etor, atque Excultor, laudati
mus. Valete! scripsi Lugd. F
17419.

ERRATA ET ADDENDA

Ante usum hujus Libelli calamo e-
mendanda & supplenda.

Pag. Lin.

3. 2. *Cinnam.* lege *Cinnam.* ut & pag. 11.
lin. 9.

24. 20. *Anferina* ~~adde~~ *Bellirica* drach.
j. ad iv.

4. 20. *Opsonior.* lege *Obsonior.*

5. 19. *Lapathi* ~~unc.~~ ij. lege *drach.* ij.

20. *post* horæ, *adde.* *ij.* exhibe.

6. 7. *Flor. Grand.* ~~drach.~~ *β.* lege *drach.* j.

7. 16. pro *gr.* j. ad iv. lege. *gr.* j. ad vj.

8. 13. *post* crudi, *adde.* vel.

13. *ut.* *Horag.* lege *Boraginis.* sic. pag. 16.
lin. 24.

14. 7. *Me.* lege *Mel Mercur.*

15. *pro.* *exter-* lege *externo.*

15. 21. *post* cum *℥viiij.* *adde.* *aquæ.*

18. 15. *adde.* & *Aloëtica.*

19. 2. *gr.* xxv. lege. *gutt.* xxv.

11. *Beccab.* lege. *Becab.*

26. 15. *volatile* lege *volatiles.*

42. 20. *post* *Opopanax.* *adde.* *ann.*

50. 6. pro *N.* i. lege *N.* 5.

60. 16. lege *Syrupi Flor. Rhœad.* *unc.* iij.

81. 13. 14. 15. *præponendum.* *R.*

89. 9. *post* lin. 9. *adde.* *Rad. Ononidis.* *unc.*
ij.

140. 16. *Sæct.* 855, *adde.* *N.* 2.

* * *

Pag.

ERRATA ET ADDENDA.

Pag. Lin.

164. 1. 944. potius lege 942.

168. 9. pro **xxxx.** lege. **xxx.**

182. 4. *Conf. Absinth. unc.* jß. lege *unc.*

186. ult. capitaa. lege capitata.

209. 15. *Rhamni-Castanea.* lege *Rhamni-C
thartici.*

215. 7. Vide §. *bic addend.* 75. N. 5. in
Stimulantia.

217. 20. inter & 21. adde. **SECT. 1302.**

218. ult. Vid. §. 35. *bic adde* N. 3.

221. 12. **SECT. 1336:** lege 1338.

234. 7. post *nigri.* adde *ana.*

NB. Ubiunque reperies *Glycyrrhiz.* leg
Glycyrrhiz.

IN CURATIONE MOR- BORUM FIBRÆ DE- BILIS ET LAXÆ.

SECT. XXVIII. No. 1.

M *Ateriem, in quâ elementa apta
constituenda fibræ forti, continent.*

Lac foeminæ sanæ, ætate in-
tegrâ, motu salubri exercitatæ,
victu laudabili utentis, si suctu
hauritur, aut calidum bibitur ilicô, non mu-
tatum igne. hoc reliqua superat, si, post co-
ctionem in Nutrice peractam, potatur. Pro-
ximum est asininum. dein caprinum. ac bu-
bulum. *usus definitur iisdem legibus.*

Ovi recentis albumen adhuc tepens dilu-
tum in lactis & aquæ aequâ portione, sine
ullo igne adhibito. Jura carniû optima huic
proposito, quæ parantur ex carne à pingue-
dine accuratè repurgatâ, animalis sani, ju-
nioris, exercitati, contusâ, minutim scissâ,
in machinâ Papinianâ elixâ, frigefactâ dein
in hac ipsâ machinâ, iterum ab omni super-
stante pingui & fœcibus depuratâ.

Si olla hæc deficit, ahenum substitui qui-

A

dem

dem potest, sed subtilius exhalando perit unde patet causa ferociae animalium, quæ ex raptu aliorum, quæ viva devorant, aluntur.

Ex gallinaceo genere paratum præfertur cæteris, vitulinum dein, postea ovillum bubulum denique, probantur: quæ ex permixtis fiunt, meraciora habentur reliquis.

Decoctum Panis.

℞. Panis tritici cum furfuribus ritè fermentati, bis cocti. unc. viij.

Aq. putealis purissim. lbij.

Coque in vase figulino clauso per spatium 1. horæ, addendo semper, quantum coctione exhalat, aquæ, dein cola per setaceum.

Gelatina Panis fit,

Si decoctum præcedens exhalat ad ignem donec ejus pauxillum in lapide frigido fusus coëat.

Cremor Panis erit,

Si frigesactum decoctum spissitudinem cremoris induit.

Si hujus *Gelatinae* pauxillum lacti, jusculo, vino, cerevisiæ, aut aquæ miscetur, fiunt varia levis nutrimenti genera.

(3)

Si sumitur Decocti descripti lbj.

Succi Citri. unc. ß.

Aq. still. Cinam. drach. ij.

Vini Rhenani. unc. iv.

Sacchari q. s. ad gratum saporem,
habetur decoctum panis gratissimum, saluber-
rimum. *Cujus dosis unc. j. omni horâ calidè*
sumenda.

Rursum, si eidem *vitelli ovorum* miscean-
tur, fit aliud, sed viribus idem, edulii ge-
nus. *Cujus parcior, ceterum idem, usus.*

Vina Florentina austera, item Gallica ru-
bra acerba, ut & Græca nigrescentia adstrin-
genti sapore prædita, commendantur: quia
& uberrimâ spirituum copiâ, & roborantē
fibras virtute, præstant.

SECT. 28. N. 4.

Acido-austera Vegetabilia.

Acaciæ fructus, succus, flos, cortex. dos.

succi inspissari a gran. iv. ad drach. j.

Acaciæ germanicæ, seu pruni sylvestris,

succus inspissatus. gran. vi. ad drach. iß.

Acetosæ species, succus.

Anserina.

Berberis fructus, succus.

Bistortæ radix.

Capparis fructus, cortex, radix.

Corni fructus immaturi, folia.
 Cupressi fructus, folia.
 Cynosbatus flores, fructus, spongia.
 Cydonia mala, & pyra, & horum mivæ.
 Filicis radix.
 Fragaria.
 Fraxini cortex.
 Granatorum flos, poma, cortex.
 Hypericum torum.
 Hypocistidis succus inspissatus. *drach. j. ad v.*
 Lappathi folia, flos, semen, radix.
 Mespilorum fructus immaturi.
 Myrobalani omnes. *gran. v. ad drach. ij.*
 Myrti folia.
 Nymphææ maj. folia. flores.
 Omphacium.
 Pimpinella.
 Portulaca.
 Pruna sylvestria.
 Pyra austera.
 Quercus folia. glandes.
 Quinquefolium.
 Rhabarbarum. *drach. ℥. ad drach. ij.*
 Rhus opsoniorum folia. grana.
 Rosarum flores.
 Sanguisorba.
 Sedum majus.
 Sorbi fructus.
 Tamarindorum fructus. *unc. j. ad unc. ij.*
 pulpa ritè pressa, & purgata. *unc. ℥. ad*
unc. ij.

(9)

Tamarisci cortex.

Terra falso dicta catechu.

Tormentillæ radix.

Ex quibus infusa, decocta, extracta, pilulæ, vina medicata, formæ variæ, facile parantur. v. gr.

Infusum.

Rx. Anserinæ. m. j.

Pimpinellæ. m. ss.

Tormentillæ rad. unc. ss.

Concisissa infundantur cum ℥jss. aquæ fervidæ spatîo i. horæ.

Dosis unc. j. omni triboria interdum.

Decoctum.

Rx. Fol. Oxylapathi. m. j.

Flor. Rosar. rubr. unc. iv.

Cort. Tamarisci. unc. ij.

Rad. Acetosæ. unc. iv.

Sem. contusorum Lapatbi. unc. ij.

Coque cum aquâ ferratâ spatîo $\frac{1}{4}$ horæ.

Capiat unc. j. ter quater in die.

Fel.

Rx. Acetosæ. m. ij.

Rad. Bistortæ. unc. ss.

Flor. Granator. drach. ij.

A 3

Cum

Cum aq. decoct. spatio $\frac{1}{2}$ horæ. \mathfrak{ss} i. admisce.

Syrup. myrtini. unc. i.

Ufus idem.

Conditum.

\mathfrak{R} . *Mivæ Cydoneorum unc. i.*

Conserv. Rosar. rubr. unc. β .

Flor. Granat. drach. β .

Syrup. Myrtini q. s. F. Conditum.

Dos. drach. j. ter vel quater, de die.

Extractum.

\mathfrak{R} . *Acetosæ. m. viii.*

Lepathi borrensis. m. iv.

Quinquesolii. m. vii.

Minutim scissa, bene pura, in aquæ q. s. cocta, fortiter pressa per prælum, in vase amplo exhalent in spissitatem extracti. a gran. x. ad drach. ij. vel adde huic extracto.

Radic. bistortæ siccæ q. s. ad massam idoneam formandis pilulis.

Dos. gran. iv. ad xv.

Vinum medicatum.

\mathfrak{R} . *Sem. contus. Acetosæ major. drach. vi.*

Flor. Granator. drach. v.

Rad. Cappar. unc. ij.

Cortic. Fraxini. drach. x.

Fol. Pimpinellæ. m. ij.

Con-

(7)

Conscissa & contusa infunde ad vini Rubri
gravish dicti vel pontacq. ℥iij.
Capiat unc. j. ter quater in die.

R̄. Cortic. Radic. Capparid.

Tamarisc. ana unc j.

Flor. Hyperici cum skipit. unc. ij.

F. S. A. vinum medicatum cum vini austeri rubri ℥iij.

Acido-Austera Fossilia.

Acida in terrenis absorpta, quæ eo potentiora, quò ponderosius acidum plus terræ absorbit.

Martis in vino Rhenano soluti. drach. j. ad
drach. iv.

———— aceto Vini soluti Gutt. x. ad xxx.

———— oleo vitrioli soluti gr. i. ad iv.

Rubrica fabrilis.

Vitriolum album, nativum. gr. i. ad iv.

———— stanni. gr. i. ad vi.

Alumin. Romani. gr. i. ad xxx.

Ex his infinitæ fiunt formulæ.

Pulvis.

R̄. Alumin. gr. x.

Rhei Barbar. gr. v.

Cort. Granat. gr. iij.

M. F. P. pro una dosi.

Pilule.

℞. *Vitriol. Martis calcinati ad albed. drach. ſs.*

Gallar. Quercin. gr. x.

Rad. Tormentillæ. drach. j.

Succi Hypocistidos. q. ſ. ut fiant Pil. ſingula gr. ii.

Capiat Ager unam ter quater de die.

IN MORBIS FIBRÆ RIGIDÆ
ET ELASTICÆ.

SECT. 35. N. 1.

℞. *Decocta Panis dilutiora. vid. 28. N. 1.*

℞. *Succi maturorum fructuum horæorum
crudi, cum aquâ diluente parum cocti,
& ſaccharo mitificati.*

Aurant. malorum fuccus.

Baccarum ſambuci fuccus.

Ceraſorum dulcium omnia genera.

Citria poma bene matura, dulcia.

Cucumeres mites.

Cucurbitæ mites.

Ficus.

Fraga.

Granata Poma matura.

Jujubæ.

Limonia dulcia.

Ma-

Mala Armeniaca.

Melones.

Mora.

Perfica mala.

Poma acido-dulcia.

Pruna dulcia.

Ribesia rubra, alba, nigra.

Rubi Idæi fructus.

Ex quibus coctione, assatione, &c. multa

Edulia præparari possunt. c. g.

R. Pomorum maturorum decorticat. unc. x.

Cum aquâ decoct. spatio unius horæ, conterere & per setaceum cola, tunc hujus
unc. xxiv. adde.

Nacis myristicæ contritæ. drach. j.

Panis biscocti contriti. unc. j.

Vini Rhenani. unc. ij.

Sacchari. q. s.

Olera Mollissima, & Farinosa mollia.

Olera, vel his similia.

Atriplex.

Battatas.

Beta.

Borrago.

Brassica rubra.

Bulbocastana.

Chærophyllum.

Cichorea omnia.

Cinara.
Cucumeres.
Dens Leonis.
Endiviæ.
Lactuæ omnes fere.
Pastinacæ.
Portulacæ.
Rapa.
Sisari radix.
Scorzonæræ radix.
Spinachia.
Tragopogoni radix.
Valeriana pratensis.

Farinosa.

Amygdalæ dulces.
Avena.
Fagopyrum *vel*
Fruentum faracenicum.
Hordeum.
Mays.
Miliun.
Oryza.
Panicum.
Pistachia.
Triticum.
Secale.
Spelta.

(11)

Ex his fiunt Decoct. Cremor. Puls. ut de
Pane. 28. N. 1.

Ex iisdem fiunt crudis emulsa.

R_o. *Avenæ excorticat. unc. iij.*

Amygdal. dulc. unc. j.

Cum aq. decoct. Hord. F. Emulsio, cujus
unc. xxiv. admisce

Syrup. Violar. unc. β.

Aq. stillas. Cissamom. drach. iv.

• *Capiat unc. j. omni hora diei.*

Decoctum.

R_o. *Fol. recent. Borragin.*

Lactuca.

Valerianellæ arvensis. ana

m. jβ.

Rad. Recent. Contusar. Scorzonera. unc. iv.

Sem. Contus. Hordei. unc. ij.

Cum aq. decoct. spatio $\frac{1}{4}$ horæ $\frac{1}{4}$ iv. ad-
misce.

Syrup. Albeæ.

Violar. ana unc. j.

Bibat unc. ij. omni hora.

SECT. 35. N. 3.

*Aquosa, subfarinosa, suboleosa,
mollia, emollientia.*

A. Aq. decoct. cum farinosis. N. 1. hujus §.

B. ————— Emollientibus. N. 1.
hujus §.

Abutilon.

Alceæ rad. fol. flor. sem.

Alchimilla.

Alfine.

Altheæ flor. fol. rad.

Bellis.

Bonus Henricus.

Branca urfina.

Consolida major.

minor.

media.

Cynoglossa.

Hyoſcyami fol.

Liliorum albor. bulbi.

Linaria.

Linum.

Lotus hæmorrhoidalis, & Lotus odora.

Malvæ, Bismalvæ fol. flor. rad.

Melilot. flor. fol.

Mercurialis.

Parietaria.
Populi folia.
 gemmae.
Prunella.
Pulmonaria.
Sambuci fol. flor.
Scabiosa.
Sigillum Salom.
Solanum.
Telephium.
Trifolium bituminosum.
Verbascum.
Violaria.
Vulneraria rustica.
C. Butyrum recens. Cremor lactis.
Pinguedo volucrum. Anat. Anser. Capon.
Medulla Bovis.
Olea lenia ex farinosis blandis :
Ol. amygdal. amarar.
 dulc.
 Lini..
 Mucaginum.
 Olivar.
 Palmæ.
 Papaveris albi.
 Solani.
 Trifolii odorati.
 Violarum.
Syrapi Similes.
Syrupus Althææ Fernelii.
 Boraginis.

(14)

Syrupus Capillorum veneris:

Jujubinus.

Papaveris albi.

Erratici.

Symphyti Fernelii.

Violaceus simplex.

Me .Mercurialis.

Unguenta talia.

Unguentum Althææ Compositum:

Aureum.

Basilicon.

Populeum.

Ex his Balnea , Vapores , Fetus , Litus ,
Decocta , Potus , Clysmata. &c. fiunt. Cy-
noglossa verò & Hyoscyamus tantum exter-
profunt usu.

CONTRA MORBOS VISCE- RUM FORTIUM ET RIGIDORUM.

SECT. 54. N. 2.

Copia minuitur misso sanguine.

Densitas minuitur 1. per aquam tepidam
& serum lactis; 2. per minuentia copiam;
3. per minuentia pressiorem.

Pressio minuitur, 1. minutâ copiâ, 2. mi-
nutâ densitate. 3. minuto motu.

SECT.

S E C T. 54. N. 3.

Quies corporis & animi huc spectat.

S E C T. 54. N. 4

Humectantia sunt, quæ multa aqua cum saponaceo vel farinoso admixto constant e.g.

• Aq. decoct. cum farinosis, 35. N. 1.

β ————— emollientibus 35. N. 1.

γ ————— fructibus horæis 35.

N. 1.

δ ————— oleribus 35. N. 1.

ε ————— carne recent. insulsa, vel cum ossibus & cornubus.

ζ Aq. decoct. cum piscibus fluviatilibus, vel marinis cancris, ostreis, astacis, viperis, &c.

*Jus carniū humectans, leniens,
emolliens, resolvens.*

℞. *Carnis vitulinæ macilentæ bene contusæ.*

℥ij.

Hordei mundati. unc. ij.

Cum ℥viiij. decoctis, spatio iij. horarum, vase ritè clauso, sub finem adde

Lactucæ recentissimæ sativæ ℥ss.

Aguinæ dictæ. unc. iv.

Ra-

Radic. Scorzonera. unc. vj.

Tum ebulliant rursum spatio $\frac{1}{2}$ horæ, addendo semper tantum aquæ, ut à coctione supersint juris ℥vj.

Jus Cancrorum fluviatilium.

R. Cancror. fluviatil. vivor. ℥iij.

Coque spatio horæ, cum aq. ℥xij, tum exentos contunde unâ cum testis, atque coque in priori jure proprio adhuc per horas iv, addendo semper tantum aquæ, ut à coctione ℥viiij circiter supersint, tum jus fortiter exprime, atque ei infunde

Flor. Borragin. unc. iß.

Buglossi. unc. j.

Radic. Tragopogoni unc. iiij,

Sisari unc. ij.

Dein ebulliant simul spatio $\frac{1}{2}$ horæ.

Sumatur de utrovis horum ad unc. iß. omni biborio.

Decoctum Humectans.

R. Sem. Papaveris alb. contus. unc. j.

Avena integræ. drach. iv.

Cicer. rub. contusar. drach. xij.

Flor. Boragin.

Alibæ ana drach vij.

Rad. Scorzonæ unc. ij.

Glycyrrhizæ drach. ij.

Fol.

Fol. Malvæ.

Parietariæ. ana mß.

cum Aq. decoct. spatio $\frac{1}{4}$ horæ; pint ij. admisce.

Rob. Ribesiorum.

Sambuci. ana unc. j.

Capiat unc. ij. omni hora diei.

Lenientia

Sunt, quæ duritiem, i.e. rigiditatem, tollunt. vid. §. 35.

Emollientia.

Fere eadem ac lenientia.

Diluentia

Sunt hæc quidem primaria.

1. Aq. pura ad teporem sani corporis calida, balneo, fotu, vapore, clysmate, potu, applicata.

2. Serum lactis recens similiter usurpatum.

Resolventia

Sunt, quæ id, quod prius fluidum, dein concretum, fuerat, iterum in fluidum reducunt.

C

i. Di-

1. Diluentia.

2. Salina ex sale marino, gemmæ, ammoniaco, borace, alcalicis vola vel fixis. Acidâ ritè fermentata &c. co fita ex his Sal Polychrestus, Tartarus risatus, Tart. purgans Sennerti, panacæ plicata Ducis Holsatiæ, nîtrum stibi sal vîperarum saturatus Tachenii, &c

3. Saponacea, sales volatiles spiri aromatici, oleosi.

4. Sapo Chemicorum ex ol. destill alcali fixo. Domesticus ex ol. expre alcali fixo.

5. Mellita.

6. Succî horæi maturi.

7. Remediâ mechanica, frictiones, Hæc iterum tot diversis modis app possunt. v. g.

Formâ Misturæ.

R_o. Aq. stillatit. Rutæ. unc. xij.

Borac. Venet. drach. ij.

Sal. volat. oleos. drach. iij.

Mellis puriss. unc. liij.

M.

Capiat unc. j. omni hora diei.

In Guttis.

R_o. Elix. pp. cum sale tartar. preparat.

Sal. Vol. Oleos.

Sol. purgant. Sennerti, ana unc. ℞.
Capiat gr. xxv. quater de die ex vino.

Pilular. formæ.

℞. Sapon. venet.
Boracis.
Aloes puræ. ana drach. ij.
M. F. Pil. singulæ gr. iij.
Capiat. unam quater de die.

Speciē Decocti.

℞. Herbar. recentis Saponariæ m. iij.
Beccabungæ m. ij.
Fumariæ m. j.
Rad. recent. graminis.
Cichorei. ana unc. ij.
cum aq. decoct. vase clauso spatio $\frac{1}{2}$ horæ
per pannum expressi, per quietem depurati,
decocti pint. iij. admisce.
Rob. Sambuci.
Oxymel. simplicis ana unc. ij.
Capiat ij. unc. omni boro calidas.

In Pulvere.

℞. Spermat. Ceti.
Boracis ana drach. ij.
M. F. Pulv. divid. in dos. viij.
Capiat j. omni bihorio ex pauxillo vini.

C 2

Ab-

Abstergentia

Sunt, quæ glutinosa fluida, vel semi corrupta solida, depellunt a locis, quibus suâ tenacitate adhæserunt, suntque

1. Diluentia.
2. Resolventia.
3. Maxime saponacea, lixiviosa, fixa, & mellita cum aceto.

AD MORBOS SPONTANEOS EX ACIDO.

S E C T. 66. N. I.

Jura ex avibus, piscibus, & quadrupedibus. Ipsæ horum carnes imprimis assæ. Gelatinæ ex jure inspissato. Vinum cum sale paucò alcalino.

R^x. *Sal. absinthii. drach. ij.*
Vini gallici albi unc. xxiv.

M.

Bibatur unc. j. omni triborio.

Vegetabilia antacida.

Abfinthium.
 Alliaria.
 Allia.
 Anethum.
 Anthora.
 Angelica.
 Anisum.
 Apium Celeri.
 Aristolochia longa.
 rotunda.
 Armoracia.
 Arum.
 Asclepias.
 Asparagus.
 Asphodelus albus.
 Basilicum.
 Brassica.
 Calamus Aromat.
 Calamentha.
 Card. bened.
 Carduus Mariæ.
 Carum.
 Caryophyllata.
 Caryophylli aromatici.
 Cochlearia.
 Cepæ.
 Centaur. min.
 Dauci.

Eruca.
 Eryngium.
 Erysimum.
 Eupatorium.
 Galanga major.
 minor.
 Helenium.
 Lepidium.
 Majorana.
 Marrubium.
 Matricaria.
 Mezerion.
 Napus.
 Nasturtium.
 Nepeta.
 Origanum.
 Piper.
 Porrum.
 Pyrethrum.
 Raphani.
 Ruta.
 Saponaria.
 Satyrion.
 Serpillum.
 Sabina.
 Satureia.
 Sedum acre vermic.
 Sinapi.
 Squilla.
 Thymus.
 Thlaspi.

Victorialis.

Urtica.

Zedoaria.

Zingiber.

SECT. 66. N. 2.

Tales sunt aves & aviculæ, quæ pascuntur insectis, imprimis & pisciculis, ut Anas, Anser, Passer, Fringilla, Alauda, Turdus, Perdix rostrata, Larus, Coturnix. Harum omnium ova.

SECT. 66. N. 3.

Roborantia

Sunt, quæ fibris, vasis, membranis, visceribus. vim elasticam addunt: 28. N. 1. 4. Item spirituosâ fermentata, cerevisia generosa, vina, hydromel, sp. vini.

Sacr.

S E C T. 66. N. 5.

Absorbentia acidi;

Quibus immixta acida vim acrem amittunt ita, ut nec ut acida, nec ut acria, agere porro queant: dum interea nullam ipsa acrimoniam habent, quâ corpori noceant; inde aliis sæpe præferri solent. Uno hoc damnosa, si, inerti pituitæ mista, mole nocent & pondere.

Sunt ossa sicca piscium; mandibulæ Lucii &c.

Lapis, Chelys, Testa Cancrorum, Astacorum.

Ostreodermata, Conchæ Mytulorum, &c.

Corallia; Perlæ; Mater Perlarum; &c.

Creta; Bolus; Osteocolla; Marga.

Lapis hæmatitis. *gram. xv.*

Limatura stanni *gr. viij.*

Limatura ferri *gr. xij.*

Diluentia Acidi.

Aqua & Aquosa. 54. N. 4.

Obtundentia Acidi;

Quæ molli suo lentore inviscant acria acidia ita, ut acies eorum hebetata amittat noxiam; dum simul defendunt membranas, ne offendantur a spiculis acidis; itaque & effecta horum jam impressa tollunt. Solum obsunt quandoque iis, quibus laxa nimis corporis compages ultrâ labefactaretur.

1. *Oleosa.*

Amygdalæ dulces & amaræ.

Pistachiæ.

Nuces avellanæ, Juglandes, Cocos.

Sem. papaver. alb.

Ol. expressa ex his, tum Olivarum, &c.

2. *Gelatinosa*, ex Jusculis inspissatis carniū & piscium.

3. *Aromata oleosa, leniora, ratione olei.* vid. §. 66. N. 1.

Tum præparata ex his infinita.

Immutantia acidi;

Quæ cum acidis mista statim cum hisce effervescent, itaque motum cient, stimulant, agitantque, fibras; postea verò ipsis cum acidis unita constituunt novam salis speciem, in quâ vis stimulans, diaphoretica, diuretica, resolvens, adhuc superest. Male cedunt tantum his, quibus nimius motus adest infestus.

D

Sa-

Sales alcalini fixi, ex quocunque combusti-
vegetante parati. *gr. vj.*

———— Volatiles ex destillatione ani-
malium, stirpium putrefactorum, aut &
plantarum Antacidarum recentium, pa-
rati. vid. §. 66. N. 1. *gr. x.*

Saponacei fixi, sapo venetus &c. *drach. j.*

———— Volatiles. *drach. β.*

Qui triplices imprimis.

1. Spiritus volatiles, oleosi salini sangui-
nis, urinæ, cornu cervi, ferici. &c.

2. Offa Helmontiana ex alcohole vini
purissimo & sp. salis ammoniaci fortissimo
mistis, & destillando unitis.

3. Sales volatile alcalini fortissimi cum
oleis aromatatum saepe sublimati, atque ita
uniti. c. g.

℞. Sal. C. C. purissimi, sicci, *unc. j.*

Olei stillatit. Cortic. Citrei. *drach. j.*

Sublima aliquoties ex phiala altâ.

Tum præparata ex hisce.

CONTRA MORBOS A GLU- TINOSO SPONTANEO.

SECT. 75. N. 1.

Atemara, quibus cibi potusque conditi
commodè possunt, sunt primaria:

Cinnamomum.

Ma-

Macis.
Nux myristica.
Cort. Aurantiorum.
Thymus.
Origanum.
Caryophyl. Arom.
Zinziber.
Piper.
Galanga min.
Cortex Citri.
Anisum.
Coriandrum.
Serpillum.
Cardamomum.

*Hæc pani, vino, cerevisiæ, fermentandis misce
profunt.*

S E C T. 75. N. 2.

Vid. 66. N. 1. 2.

S E C T. 75. N. 3.

Vid. 28. & 47.

S E C T. 75. N. 5.

Diluentia, resolventia, vid. 54. N. 4.

Stimulantia.

Quæ mole, densitate, figurâ, mobilitate, fibrillis vasculorum impacta, vim contractilem augent. Primariâ sunt,

1. *Acida Salina.*

Nativa.

Succi Citri.

Aurantii.

Uvarum.

Horæi acidi.

Sales ex succis vegetantibus pressis solâ parati morâ.

Fermentata

Vinum Rhenanum.

Mosellanum.

Acetum vini.

cerevisiæ.

Sp. Aceti.

Tartarus.

Crem. Tart.

Lac acescens.

Serum lactis acidum.

Ignē producta.

Sp. salis Marini.

Gemmæ.

Nitri.

Vitrioli.

Sulphuris per Campanam.

2. *Alcalina Salina.*

Fixa.

Omnia ex cineribus Plantarum, ut,

Sal. Absinthii.

Card. bened.

Tartari.

Cineres Clavell. gr. vj.

Volatilia.

Omnia ex distillatis vel putrefactis animalibus, ut,

Sal. & sp. C. C.

Humani sanguinis.

Offium.

Sal. Ammoniaci.

3. *Salina composita.*

Sal. Marin.
Gemmæ.
Ammoniac. Nat.
———— Artificial.
Nitri.
Borax.
Tart. Tartarificatus.
—— regeneratus.

4. *Olea acris aromatica vel ambusta.*

Olea stillatit. Absinthii.
Cortic. Citrei.
—— Aurantiorum.
Cassie lignee.
Chamæmeli.
Cinnamomi.
Caryophyll. Arom.
Hyssop.
Ligni Guajac.
—— Juniperi.
—— Sassafras.
Macis.
Majoranæ.
Menthæ.
Nucis Myristicæ.
Origani cretic.
Pulegii.

Olea stillatit. Rhodii Ligni.
Rorismarini. Ruta.
Sabinæ. Salviæ. Spicæ.
Sem. Anisi, Anethi, Cari,
Fœniculi.
Succini. Tanaceti. Terebinth.

Olea pressa.

Amygdalarum amararum.
Laurinum.
Macis.
Nucis myristicæ.

Olea nativæ.

Balsamus Hieruchuntanus.
Tolutanus.
Palmæ.
Peru.
Copaibæ.
Meccæ.
Terebinth.

Olea ambusta acris per retortam destillata.

Ol. ambust. Sanguinis.
Offium.
Cornuum.
Ovorum.
Urinæ.
Lignorum.
De Lateribus, &c.

5. *Spiritus inflammabiles fermentati.*

Farinæ & Succorum horæorum.

6. *Plantæ acres aromat. dictæ, quæ s.*
N. 2. oleoque N. 4. abundant.

FOLIA Abrotani.
Absinthii.
Agerati.
Anethi.
Anisi.
Aristolochiæ.
Ari.
Betonicæ.
Calaminthæ.
Cardiacæ.
Chamædryos.
Chamæpityos.
Chelidon. maj.
Cochleariæ.
Dictamni.
Hepaticæ nobilis.
Erysimi.
Eupator. cannab.
Foeniculi.
Hederæ terrest.
—— Arbor.
Hyssopi.
Lauri.

FOLIA Levistici.
 Majoranæ.
 Marrubij.
 Matricariæ.
 Melissæ.
 Menthæ.
 Nasturtii.
 Nepetæ.
 Nicotianæ.
 Origani.
 Piperitidis.
 Persicariæ acris.
 Porri.
 Pulegii.
 Rorismarin.
 Rutæ.
 Sabinæ.
 Salviæ.
 Saturciæ.
 Scordii.
 Serpilli.
 Soldanellæ.
 Thymi.
 Tanacetæ.
 Thlaspi.
 Veronica.
 Urticæ.

Stimulantia Aromat.

*Flores barbarum, quarum folia non
recensita sunt, imprimis.*

FLORES Agerati.

Aurantior.

Calthæ.

Caryophyl. hortensis.

Centaur. minor.

Chamæmethi,

Citri.

Croci.

Eupatorii.

Lilior. convall.

Lupuli.

Meliloti.

Mari Syriaci.

Salviæ.

Scabiosæ.

Schoenanthi.

Spicæ.

Stœchad. Arab.

Tanaceti.

Tiliae.

Stimulantia Aromatica. Radices.

RADICES Acori.

Allii.

R.

RADICES Angelicæ.
 Anthora.
 Aristoloch.
 Armoraciæ.
 Carlinæ.
 Caryoph. Mont.
 Ceparum.
 Chelidôn maj.
 Contrayervæ.
 Costi hortens.
 — Oriental.
 Curcumæ.
 Cyclaminis.
 Cyperi.
 Doronici.
 • Fraxinellæ.
 Fumar. bulb.
 Galangæ.
 Gentian.
 Helenii.
 Imperator.
 Iridis.
 Levistici.
 Mei.
 Ninzing.
 Ononidis.
 Petasitidis.
 Petroselin.
 Peucedani.
 Pæoniæ.
 Porri.

RADICES Ptarmicæ..

Pyrethri.
Raphani.
Rubicæ.
Rusci.
Satyrionis.
Scrophular.
Seseli.
Squillæ.
Valerian.
Victorialis.
Vincetoxici.
Zedoar.
Zingiber.

Stimulantia Aromatica Semina.

SEMINA Anethi.

Anisi.
Apii.
Aquilegiæ.
Cari.
Celeri.
Coriandri.
Cumini.
Dauci.
Erucæ.
Erysimi.
Fœnigræci.
Levisticæ.
Napi.

SEMINA Nasturtii.
 Nigellæ.
 Pastinacæ.
 Petroselinii.
 Porri.
 Raphani.
 Santonici.
 Sefelios.
 Sinapi.
 Thlaspi.
 Anacardii.
 Cardamom.
 Bardanæ.
 Chermes.
 Cubebæ.
 Juniperi.
 Lauri.
 Nux myristic.
 Nucl. perficorum.

Cortices.

Guaiaci.
 Sassafras.
 Juniperi.
 Aurantiorum.
 Citreorum.
 Limoniorum.
 Cinnamomi.

Stimulantia Aromat. Succ.

Afa foetida.
Ammoniac Gum.
Anime.
Bdellium.
Benzoin.
Elemi Gum.
Galbanum.
Lacca.
Labdanum.
Mastiche.
Sagapen.
Juniperi.
Tacamahaca.
Ambra grisea.
—— Liquida.
Aloe.
Myrrha.
Styrax.
Tus.

*7. Insecta, Aselli, Formicae, Vermes
majales, Cantbarides.*

Partes Animalium.

Castoreum, Zibethum, Moschus, Urina,
Stercora avium parum bibentium.

8. *Stimulantia Composita.*

Sunt Decocta, Extracta, Conservæ, Con-
ita, Tincturæ, Spiritus, Aquæ, Sales vo-
utiles, oleosi, spirituosi, Pilulæ, Pulverei.

Decoctum contra glutinosa.

℞. *Fol. Aristoloch. rotund.*

Chamaedryos.

Ruta. ana m. j.

Flor. Calthæ.

Eupator. ana unc. ℥.

Rad. Angelic.

Imperator. ana drach. vj.

Sem. Celeri.

Raphan. hortens. ana drach. iv.

Cort. Sassafras. unc. j.

Magellanic. drach. ij.

Cum aq. infundantur fere fervida spatio ij.
horar. dein decoct. vase clauso, spatio $\frac{1}{2}$
horæ unc. XLVI. exhibe.

Capiat unc. j. omni horâ calidè.

Extractum contra Glutinosa.

℞. *Fol. recent. Absinthii.*

Eupator. Cannab.

Marrub. albi.

Tanacet. ana q. s.

Conscissis minutim, contritis dein, per
prælum succum exprime; hunc leni igne de-
pura per secessum facis, dein exhala ad
spissitudinem mellis crassi, cui adde.

Sa.

(40)

Salis Absinthii Tacherniani ʒ.

Dof. drach. ʒ. bis de die, vacuo stomacho, ex
Vin. Gall.

Similia Extracta sunt ex Decoctis inspissatis,
& per prælum pressis.

Conserva.

R. Summitt. recent. Ruta,
Tanacet. ana unc. j.

Flor. recent. Mari syriac.

Rorismar.

Lavand. ana drach. iv.

Rad. recent. Helenii,

Vincetox. ana unc. j.

Semin. Raphan.

Nasturtii. ana drach. iv.

Contusis admisce S. A.

Sacchar. alb. unc. iv.

Cappas drach. j. quater de die, vacuo stom-
acho, ex Vino Gallico albo, vel Hispanico,
Malvatico, Canariensi &c.

Conditum.

R. Zingiber. condit.

Rad. Helen. condit.

Cortic. Magell. ana unc. j.

Syrup. Mentb. q. s.

Ut F. Conditum.

Capiat drach. ʒ. sexies de die.

Tinctura.

R. Rad. Gentian.

Antbora. ana unc. j.

Rad.

(41)

Flor. Centaur. min. unc. j.

Croci. drach. j.

Bacc. Lauri.

Juniperi.

Sem. Erucæ.

Sinapi. ana unc. iß.

Cum sp. vini in phiala alta vitrea decoct. spatio xij. horar. $\frac{1}{2}$ ij. ferva.

Dosis drach. ij. ter de die, vacuo stomacho, ex unc. j. Hydromell.

Spiritus.

R₃. Flor. Lavend.

Tanacet.

Aurant.

Rorismar. ana unc. j.

Rad. Angelic.

Helenii,

Imperat.

Levistic. ana unc. jß.

Fol. Calaminth.

Cocblear.

Matricar. ana m. j.

Sem. Cari,

Celeri,

Erucæ,

Nasturt. ana unc. j.

Cort. Junip.

Sassafras,

Cinnam. ana. unc. jß.

F

Cum

(42)

Cum Sp. vini destill. ad dimidium, ut habentur libr. iij. bis cohobando ex vesicâ.
Capiat drach. ij. ex vino vel hydromel. ter de a

Aqua.

Si loco Sp. V. *Aqua* sumatur in prædenti, habetur *aqua Aromatica.*

Dos. unc. jß. ter de die.

Sal Volatile oleos.

Rc. Sp. præcedent. ℥ij.

Ciner. clavel. unc. iij.

Sal. ammon. unc. jß.

Destil ex retort. ad ℥ij. in hoc dissolve

Ol. stillat. Cort. Cistri. gut. vj.

Lavend. gut. xx.

Majoran. gut. vj.

Dos. gut. lx, ter, quater, de die, ex Hy-
mellis vel vini unc. j.

Pilulæ.

Rc. Gum. Ammoniac.

Opopanac. drach. j.

Bulbi ari recentis. drach. ij.

Sapon. Venet. drach. j.

Ol. stillat. Tanaceti. gutt. x.

M. F. Pilulæ Singl. gr. iij. deaurandæ

Capiat i. omni triborio de die.

I

Pulvis.

℞. Ol. destill. Menthæ.

Majoran.

Tanacet. ana. gutt. vj.

Sacchari albi siccissimi. unc. j.

F. S. A. Elæðfaccharum, cui admisce

Rad. Zingib. alb.

Cori. magellan. ana drach. ij.

Capiat drach. ℞. ter de die ex vino.

• Vinum Medicatum

*Fiat ut Spiritus hac sect. descriptus, vel ut
Tinctura, decoquendo cum vino, loco sp. vini.*

Dos. unc. ij. ter, quater, de die.

Cerevisia Medicata.

*Eadem ingredientia Spiritus eadem copiâ
infundantur in $\frac{1}{4}$ tonnæ cerevisiæ adhuc fer-
ventis.*

Pro potu assiduo adbibetur.

Biliofa.

*Fel animalium quadrupedum, & fel pis-
cium, Lupi imprimis & Anguillæ. v. gr.*

℞. *Fell. tauri.*

Lupi piscis. ana drach. iv.

Leni igne lente exhalent in mellis spissit
nem, tum admisce

Farinæ bulb. Ari recentiss. q. f.

F. Pil. sing. gr. iij. deaurandæ.

*Capiat j. mane, meridiæ, vesperti, una
cibum borâ.*

Huc lapis hystricis, *Pedra de'l porco* diè
referendus; cujus infusio in *Aq. stillatis. C.*
bened. vel & in *vino Rhenano*, facta, *pr*
natur ad *unc. ij.* vel. iij.

Item Helmontianum, ex *bepate* & *felle*
guille leni igne tostis in pulverem, dein
tis ad drach. j. ex Oblati involucro cum
Rhenani unc. iij.

Saponacea.

Vid. §. 54. N. 4. inter *Resolventia.*

SECT. 75. N. 6.

Balneum ad Glutinosa.

℞. *Summitatum Ruta,*

Sabina,

Abfinibii,

Tanacet.

Chamaemel. ana m. iij.

℞

Cum aq. decoct. Pintis xij. admisce

Sapon. Venet. unc. iv.

Sal. sarmentor. unc. j.

Vesicatoria.

℞. *Raphani Rustican. recentis & succulenta,*
contrit. unc. ℞.

Applica ad cutim per horæ dimidium, aut
amdiu, donec inflammationem satis magnam
excitatem, dolor fervidus, & rubor partis tu-
nens, testetur.

℞. *Sinapi cum aceto contriti. drach. iv.*

Applica per horas quatuor.

℞. *Cantharid. sine alis contritar. in pulv. te-*
nuem. drach. ij.

Accuratè misceantur cum drach. vj.

Fermenti panis, pauxillo cum aceto subacti.
Applica spatio xij. horarum, vel donec in
vesicam manifesto epidermis elata sit.

CONTRA MORBOS EX ALCA-
LINO SPONTANEO.

SECT. 76.

Herbe Alcalescentes,

Edules, condimentis fervientes, venenatae.

Abfinthium.

Alliaria.

Allium.

Alysson.

Armoracia.

Arum.

Atriplex olida.

Asparagus.

Barbarea.

Brassicæ.

Bryonia alba.

—— nigra.

Bunium.

Camelina.

Capfica.

Cardiaca.

Cardamine.

Cataputia.

Centaureum minus.

Ch

Chamædrys.
Chelidonium majus.
Chelidonium minus.
Cochlearia.
Cepæ.
Dentillaria.
Digitalis.
Eruca.
Erysimum.
Efula.
Eupatorium Cannabinum.
Gratiola.
Iberis.
Laureola.
Lepidium.
Napus.
Nasturtium aquaticum.
hortense.
Nerium.
Perficaria acris.
Porrum.
Raphani.
Ruta.
Sabina.
Satureia.
Sedum acre min.
Sinapi.
Squilla.
Thlaspi.
Victorialis.

S E C T. 78.

Ruminantia vel non Ruminantia.

Afina, Bos, Capra, Equa, Ovis &c. dant
lac acefcens,

Animalia, quibus victus ex vegetantibus,
gramineis, fructibus horæis, vel cereali-
bus, carnes dant & humores haud ita procli-
ves in putredinem alcalcfcentem: unde &
cibi inde petiti homini calido tutius conce-
dendi. Sunt autem.

Agnus.

Anas cicur vel domesticus cerealibus pa-
ftus.

Anfer cicur vel domesticus.

Aper.

Aries.

Bos.

Capra.

Capella.

Caprillus.

Capo.

Cervus.

Columba.

Coturnix.

Cuniculus.

Gallinæ domesticæ.

Hæ-

Hædus.

Lepus.

Perdix domi faginata.

Phasianus domesticus.

Porcus.

Sturnus.

Turdus.

Turtur.

Vervex.

Vitulus.

Huic clāſſi adſcribere cochleas & limaces
et.

SECT. 79.

Omnes fere Piſces, tam marini, quam
viatiles, five molles, five cruſtacei, five
a habentes; vix ullo excepto.

Alauda.

Anas fluviatilis.

Anſer marinus.

Cygnus.

Gallinago major.
minor.

Merula.

Pardalus.

Paſſer.

Phaſianus ſylveſtris.

Vanellus.

G

Avium

(50)

Avium verò multæ ambiguae animalculis
pascuntur, vel vegetantibus.

S E C T. 88. N. 1.

Vid. 35. N. 1.

S E C T. 88. N. 2.

Vid. 75. N. 1.

Stimulantia Acida Salina.

S E C T. 88. N. 5.

Decoctum leniens acescens.

℞. *Avenæ cum cortic.* unc. ij.

Aq. puræ ℥iij.

Decoct. ad residuum ℥ii, transcolato ad-
misce

Succi Citri recentis. unc. j.

Aq. stillat. Cinnamom. drach. ij.

Syrup. Mororum. unc. j.

Utatur pro cibo & potu.

Ant.

*Aur.***R.** *Avena excorticat.* unc. ij.*Aqua puræ.* ℥iij.Decoctum ad residuum ℥ij. depuratum
stet in tepore per horas xij, vel donec le-
nissimè acefcat, tum adde*Syrup. Violar.* unc. jß.*Vini Rhenani* ℥ß.*Aq. stillat. Cortic. Citrei.* unc. iß.*In usus eisdem.**Emulsio similis.***R.** *Avena excorticat.* unc. iij.Fiat cum aq. q. s. Emulsio, cujus ℥iij. ad-
misce*Nitri puri drach. ß.**Syrup Violar.* unc. j.*Aceti squillit.* drach. ij.

S E C T. 88. N. 6.

R. *Oxymell. Squillit.* unc. iij.*Aceti squillit.* drach. ij.*Myrrhæ in aceto solutæ in tincturam.* drach. j.*Aq. stillit. Cicborei.* unc. vj.

M.

Capiat unc. ß. omni horâ.

G 2

Vel

(52)

Vel.

*R_{co}. Aceti in spissitudinem Mellis per cocti
reducti. unc. β.*

Mellis puri. unc. j.

Syrup. Cichorei. unc. jβ.

Aq. stillat. Fumar. unc. vj.

M.

Usus ut prioris.

Vel.

R_{co}. Rob. Ribesior.

Sambuci. ana unc. ij.

Oxymell. simplic. unc. j.

Sp. sal. commun. gutt. xx.

Aq. decoct. bord. ℥iv.

M.

Utatur pro potu assiduo ad libitum.

(53)

CONTRA MORBOS ORIUNDOS
AB EXCESSU MOTUS CIR-
CULATORII SOLO.

SECT. 105.

Dolorem tollentia.

Vid. §. 202. 228. 229. postea, ubi omnino
de hac re agitur.

CONTRA MORBOS EX DE-
FECTU CIRCULATIONIS,
ET EX PLETHORA.

SECT. 106. L. ζ.

Cibi acres.

Vid. §. 76.

Condimenta Acris Aromatica, §. 75. N. 1.
— Acida, §. 75. N. 5. classe pri-
mā, sub titulo *Acida salina*.

CONTRA OBSTRUCTIONES.

SECT. 135. N. 3.

Sapones *Nativi* ex oleo & alcali, sunt fuci recentes, maturi, preffi, ex herbis omnibus acrimoniâ alcalinâ validis. §. 76. vel admodum aromaticis. §. 75. N. 6.

Sapones arte *Compositi* ex alcali & oleo.

Sapo niger.

Venetus. } *drach.* j. *drach.* ij.

Starkeyanus, five Helmontianus,

gran. iv. *scrup.* j.

Sapones *Fuliginosi volatiles*.

Sp. oleosi, alcalini, ex Aromatibus alkaliscentibus. §. 76. *gutt.* xv.

————— ————— Fuligine, *gutt.* xv.

————— ————— Omni humore, vel

solidâ parte animalium. *gutt.* xvij.

Fuligo ipsa.

SECT. 135. N. 4.

Merc. dulcis. *ad gr.* x.

———— sublimat. corrosivus, *ad gr.* ½ dilutus.

———— præcipitat. ruber. *ad gr.* ij.

———— ————— albus. *ad gr.* iv.

Merc.

(55)

erc. Turbith. *ad gr. ij.*
— Niger. *ad gr. xvj.*

Attrahentia

Sunt, quæ laxant locum, quò adducen-
n, arctant unde deducendum. Vid. §
28. N. 4.

Derivantia.

Quæ liquores pellunt in locum datum;
sunt evacuantia in loco, frictio artifi-
cia in vicinis.

Propellentia.

Sunt stimulantia. §. 75. N. 5.

IN VULNERIBUS.

SECT. 198.

Decocta Vulneraria & Potus.

1. *Attenmans.*

Fol. Daphnoid.

Veronica.

Ruta. ana mjjß.

Rad. Caryophyllat. unc. j.

Flor. Gentian. min. pug. ij.

Decoct. ex aqua hñij. admisce.

Sal.

(56)

Sal. Card. benedict. drach. j.
Syrup. 5. rad. aper. unc. iij.
Bibut unc. iv. quater de die calidas.

2. *Inspissans.*

R. Teleph.
Consolid. maj.
min.

Malvæ.

Parietariæ. ana m. j.
Decoct. ex aq. ℥iij. admisce
Syrup. Altheæ. unc. ij.
Usus ut prioris.

3. *Mitigans.*

R. Sem. contusor. Papav. alb. unc. iij.
Flor. Verbasci. unc. ij.
Fol. Bugulæ. mij.
Rad. Scorzoner. unc. ij.
Glycyrrhizæ. unc. j.
Cum aq. decoct. ℥iij.
Exhibe in asum eundem.

4. *Excitans.*

R. Rad. Imperator.
Vincetox. ana unc. j.
Fol. Rutæ.
Scordii ana mj.
Sem. contusor. Bardan. drach. x.

Sem. contusqr. Cardamom. drach. iv.
Flor. Lavendul.

Centaur. min. ana unc. ij.

Cum aq. decoct. ℥ij.

Exhibe ut prius.

5. *Singulari virtute emendans.*

1. *Glutinosi. vid. Attenuans.*

2. *Acidi.*

3. *Sem. Sinapi. unc. β.*

Rad. Armorac.

Fol. Erysimi.

Fol. Nasturt. ana unc. ij.

Tase clauso leviter decoct. ℥ij. exhibe.

umat unc. ij. quater de die.

4. *Alcali.*

5. *Rad. Oxylapath. unc. ij.*

Fol. Trifol. acetos. mij.

Rad. Acetosell. unc. j.

Flor. Borrag. drach. xij.

Cum aq. decoct. leviter ℥ij.

Exhibe in eundem usum.

6. *Oleos.*

7. *Tamarind. unc. ij.*

Crysell. Tartari. drach. vj.

Rad. Gramin. unc. v.

Cum aq. decoct. ℥. ij. admisce

Rob. Sambuci. unc. ij.

Ufus idem.

8. *Aperiens vid. Attenuans.*

6. Laxans vid. §. 54. N. 4. *decoct. humectans.*
 7. Adstringens. vid. §. 28. N. 4. Titul. *de-*
coct.

SECT. 201.

Emollientia Alvi.

- α. Jura carnis bubulæ recent. pingua.
 β. Olera lenia Juri incocta. §. 35. N. 1.
 γ. Emollientia & humectantia epota & inje-
 cta. §. 35. N. 3. §. 54. N. 4.
 δ. Olea inprimis pressa, recentia, Amygdal.
 dulc. Olivarum.
 Laxantia alvi fere eadem emollientibus.

Ἐκκοπρωτικά.

- α. Fructus maturi, horæi, acido dulces,
 pulposi, succulenti.
 Alkekengi.
 Baccæ Ebuli.
 Sambuci.
 Caricæ.
 Cerasa hortensia quæcunque.
 Chamæmora.
 Chamærubî.
 Fraga.
 Jujubæ.

Mala Armeniaca, Persica, Vulgaria.

Pruna hortensia alba, cærulea,

— Damascena, Gallica, Prignolet-
sia, rubra.

Ribesia alba, nigra, rubra.

Rubi vulgares nigri.

Idæi albi, rubri.

Sebesten.

Tamarindi.

Uvæ vitis omnes species.

— Gruinæ.

— Crispæ.

β. Horum succi recentes & musta.

α. Cassiæ. *unc. ij.*

Mannæ. *unc. ij.*

Tamarindi. *unc. ij.*

Pulpæ Tamarindor. *unc. ij.*

Succi Rosar. pallidar. *unc. j.*

Aloes rosati. *gr. vj.*

Passulæ. *unc. iv.*

Galban. *scrup. β.*

Radic. polypodii Quercini. *unc. iβ.*

Rhabarbari. *scrup. iβ.*

Rhabarbari in infuso. *drach. j.*

Syrup. Althææ Fernellii. *unc. iij.*

— Cichorei cum Rheo. *unc. iβ.*

— Fumariæ. *unc. ij.*

— Ros. solutiv. *unc. iβ.*

— Violar. simpl. *unc. ij.*

Mellis simplicis in aqua dilut. *unc. ij.*

Pilulæ Rufi. *ad gran. vj.*

SECT. 202.

Anodyna sunt,

Quæ causas doloris tollunt, minuunt

1. Diluentia. §. 54. N. 4.
2. Laxantia. §. 35. N. 1.
3. Humectantia. §. 35. N. 4.
4. Acre emendantia. §. 66. 88.
5. Tumores distendentes resolventia. §. N. 4.

Narcotica sunt,

Quæ acumen sensus obtundunt; &

1. *Paregorica mitissima, ut*
Sem. Papaver. alb. contusor. *unc. ij.*
Syrup. capit. Papav. alb. *unc. iß.*
— Diacod. *unc. iß.*
Florum Rhœados. *unc. iij.*
Hinc varia commodè parari, adhiberi
queunt. V. G.

Haustus mitissimus.

- ℞. *Aq. stillatit. flor. Rhœad. unc. iij.*
Fabar. unc. j.

(61)

Aq. stillatit. flor. Pæoniæ.

Sambuci. ana unc. iß.

Tiliæ. unc. j.

Syrup. flor. Rbœados. unc. iß.

M.

Idem paulô magis hypnoticus.

R_o. In præcedenti misturâ loco *Syrupi Rbœados*, tantumdem *Syrup. Diacodii*, vel *Syrup. Capit. Papav. albi*.

Emulsio mitissima.

R_o. *Amygdal. dulc.*

Strobil. pini.

Sem. papav. alb. ana unc. j.

Cum *Aq. stillat. flor. Rbœad. q. f.*

F. S. A. Emulsio, cujus *unc. x.* admisce

Syrup. flor. Rbœad. unc. j.

Eadem paulô plus soporata.

R_o. Loco *Syrupi flor. Rbœad.* eandem dosin *Syrup. Diacodii* vel *capit. Papav. albi*, in præcedenti Emulsione.

2. *Fortiora Narcotica.*

Pilula.

℞. Opii purissimi gr. ij.

F. Pil. iij.

*Detur una pro dosi, repetendo post hora
prior nihil effecit, sic & tertio.*

Pulvis.

℞. Opii puriss. parum siccati. gr. ij.

Corall. rubr.

Sacchar. perlat. ana drach. ℥.

M. F. Pulv. dividat. in dos. iij.

Ufus idem, qui in pilulis modo descri.

Conditum.

℞. Opii in pulverem redacti præcedentis.

dosim unam.

Mivæ Cydoniorum. drach. j.

M. F. Bolus.

Hic usarpari geminarique potest eodem mod

Hauftus in Guttulis.

℞. Opii parum siccati. drach. j.

Spir. vini rectificat. unc. j.

F. Tinctura.

Dos. gutt. xxx. ex.

Aq. stillatit. Melissæ. unc. ij.

Syr. flor. Rhoëados. unc. ℥.

℞. *Opii parum siccati. drach. j.*
Sp. Aceti. unc. j.
Tinctura.
 Dos. *gutt. xxx. ex*
Aq. stillatit. flor. Rhoead. unc. ij.
Syrup. flor. Rhoead. unc. β.
 M.

Mistura calida.

℞. *Tinct. Opii cum Sp. Vini rectif. gutt. LXX.*
Syrup. Papav. albi. drach. vj.
Aq. stillat. cortic. Citri.
Anrantior.
Cinnamom. ana unc. ij.

M.

℞mat. *cochlear. i. omni $\frac{1}{2}$ horâ, donec sopia-*
tur dolor.

Mistura Frigida.

℞. *Tinct. Opii cum Sp. aceti. pp. gutt. LXXX.*
Syrup. Moror. drach. vj.
Aq. stillatit. Borraginis.
Papav. erratic. ana unc. iij.

M.

In eodẽm usus.

Emul.

Emulſio.

℞. *Sem. Papav. alb. contuſ.* *unc.* ij.
 Cum aq. decoct. Hord. F. Emulſio,
unc. x. admiſce
Syrup. Diacod. *unc.* iſſ.
Tinct. Opii cum Sp. Vini. rectif. *ꝯ*
Aq. ſtillat. Cinnamom. *drach.* ij.
cortic. Citri. *drach.* x.
 Capiat *unc.* iſſ, *omni* $\frac{1}{2}$ *horâ,* *donec in*
leniri dolor.

Epithema.

℞. *Tinct. Opii in ſp. Aceti.* *drach.* iij.
Aq. ſtillat. flor. Sambuci.
Rofarum. *ana* *unc.* i
Aceti Sambucini.
Rofacei. *ana* *unc.* ſſ.

M.

Cum pannis applicetur temporibus utrinq.

Juyat hic maximè parti dolenti demu-
 tia ita apponere, ut tollatur cauſa, qui
 ægris ſomnum arcet, qui eſt dolor in
 hac parte. Eô inprimis valent ſequent
 pidè applicata, atque in eodem tepore
 conſervata tamdiu, donec dolor levatus

(65)

Cataplasma.

lor. recent. Papav. bortenſ. m. j.

Hyofcyami nigri. m. ſ.

Albæ. m. iv.

acte recenti decoct. ſub finem admif-

rin. ſem. Lini. unc. j.

ri recent. preſſ. ſem. Lini. unc. ij.

S. A. Cataplaſma.

Fomentum.

cum expreſſum ex decocto prioris Cata-
matidis dilutius parato, lbij.

ce S. A.

ri puri. drach. ſ.

Fomentum.

SECT. 204.

Balsami blandi Vulnerarii ad
vulnera pura.

lini Nativi Copaybæ.

de Gilead.

Liquidambar.

de Mechâ.

I

Bal-

(66)

Balsami Nativi, Opobalsamum.

Palmae.

de Peru.

— Tolu.

— Terebinthinâ.

2. Balsami artificiales simplices.

Olea Rectificat. Ceræ.

Terebinth. crassum.

Lini.

Hyperici.

Rosarum.

Solani.

Trifol. odorat.

Butyrum recens.

3. Balsami artificiales compositi.

R_c. *Flor. Sulph. drach. iiij.*

Ol Lini vel Olivarum. unc. iiij.

Leni igne coq. ad dissolutionem sulph
integram.

R_c. *Gumm. Elemi purissimi minutissime
scissi p. i.*

Leni igne lentè dissolut. admisce

Terebinth. venet. puræ nativæ p. i.

Soluta per linteum trajice; tum admisce

*Medullæ Bovin. coctæ & separatæ à m
branis p. ij.*

Est Balsamus universalis instar *Arcei*.

R_x. *Ligni Santali rubr.* ℥bj.

Aq. communis. ℥iv.

Coq. spatio 2. horarum, cola, inspissa in
extractum spissum, cui admisce

Sang. Dracon. minutissimam in farinam re-
acti. drach. ij.

Hujus aliquantulum misce *balsamo præ-*
scripto, donec habeat gratum rubrum colo-
rem. Erit Bals. ruber.

℞. *Ol. Olivarum.* ℥i℥.

Lign. santali rubr. unc. β.

Coque leniter, donec *Ol. saturate* rubrum,
tum fervidum cola per linteum, in eo
solve ad ignem lenem

Cera Citrina. ℥bj.

Terebintb. opt. ℥i℥.

Est instar Balsami *Lucatelli.*

i ei admisce

Balsam. Peru. unc. j.

erit eo præstantior.

Ufus Omnium : calefact. instilla Vulnere,
perpone plumaceolum balsamo tinctum, deli-
semel singulis 24. horis.

SECT. 205.

Emplastrum defensivum rubrum

℞. Ol. Rosar.

Cere alb. ana unc. vj.

Bol. Armen.

Sang. Dracon. ana unc iß.

Rosar. rubr. pulveris. unc. ß.

M. Agita donec refrigefacta.

Emplastrum defensivum Cæruleum.

de Minio.

SECT. 207.

Digestivum.

℞. Terebinth. Nativ. unc. j.

Vitell. Ovorum. N. 1.

Exactè mistis adde miscendo

Mell. Rosarum, unc. ß.

Abstergens.

℞. Aloës. }
 Myrrhæ. } *minutiff. pulverifat.*
 Fol. Scord. } *ana drach. ij.*
 Sapon. Venet. tenuiffimè rafi. drach. j.
 Accuratè contritis fimul admifce
 Digestivi præced. unc. iij;

*Corrodentia.*1. *Mitiffima.*

Alumen uftum.

Cinis ligni viridis combufti.

Mercurius dulcis.

albus præcipitatus.

Vitriolum album.

2. *Fortiora.*

Mercurius ruber præcipitatus.

Vitrioli colcothar.

Trochifci de minio Vigonis.

3. *Fortiffima.*

Butyrum Antimonii.

Lapis infernalis.

Mercurius fublimateus corrofivus.

Oleum Tartari per deliquium.

Oleum Vitrioli.

Quo fortiora, eò prudentius ufurpanda.

(70)

℞. Aloës.

Myrrh. ana drach. j.

Sal. Tartari. drach. ij.

Aq. comm. unc. ij.

M.

Coq. in Elixir.

Exsiccantia.

℞. Æugin. unc. v.

Aluminis crudi. unc. j.

Aceti fortis. unc. vij.

Mellis puri. unc. xiv.

Coq. in Unguentum.

Alumen leviter calcinatum.

Aqua Calcis vivæ.

Lapis Hæmatitis.

Mastiche.

Sanguis draconis.

Sarcocolla.

SECT. 209.

Carnem generantia, Sarcotica dit

Balsami Vulnerarii. §. 204.

℞. *Cera citrin.*

Picis nigr.

Resin. vulg. ana ℥ss.

Ol. Lini. ℥ij.

M.

Est Basilicon, seu Tetrapharmacum.

℞. *Cera citrina. unc. vj.*

Oleiflorum Hyperic. infusione parati. ℥ijss.
lenissimo igne fufis adde

Resina Pini sicca, contrita.

Colophonia vulgaris electa. ana unc. iß.

Ibi simul fluunt, remota ab igne, per lin-
teum trajectis admisce

Peregrinibina venusta pura. unc. ij.

laculo mota, ubi densari incipiunt, insperge

Mastiches electa.

Olibani puri. ana unc j.

Croci tenuissimè contrita. drach. j.

Est Unguentum Aureum.

SECT. 212.

Emplastra tenacia.

℞. *Emplast. Diapalma q. s.*

Ol. Olivæ. parum.

Solve.

℞.

R. Picis ungaris. q. s.
Extensa ad lintenum applicentur.

SECT. 217.

Cicatrifans, Epuloticum dictum.

Unguentum deficcativum rubrum.

Diapompholyg.

Calcis.

Nutritum.

Album Rhafis.

Emplastrum album coctum.

de Lapide Calaminari, seu gr
seum.

— Minio rubrum.

Sparadrapum Gualtheri.

Colophonia ex Terebinth. cocta in farinam
redacta.

Tus.

Olibanum.

Mastiche.

CON

UTRA HÆMORRHAGIAM.

SECT. 218.

Corrosiva.

Album.

Infernalis.

n Vitrioli.

Adstringentia.

æ vasa contrahunt.

sol.

erebinth.

is Cydoneorum recens immaturorum.

is Draconis.

tus Lupi.

is Martis.

æ cruorem coagulant.

sol.

Nitri.

Sulphuris.

lum calcinatum.

ar. Saturni.

torum cortex.

— Flores.

Hæmatitis.

K

CON.

(74)

CONTRA DOLORES.

SECT. 228. & 229.

Vid. 202.

CONTRA CONVULSIONES.

SECT. 234. N. 2.

Vid. 66. 88.

SECT. 234. N. 4.

Tale est jus carniū recentium.

SECT. 235.

Antispasmodica.

1. Laxantia.
2. Diluentia.
3. Resolventia.
4. Absorbentia.

Lapis Cancrorum.

Margarita.

Ebur.

Cornu Cervi.

Sanguis Hirci.

Dens Apri.

Ungula Alcis, &c. §. 66. N. 5.

5. Opiata. §. 202.

S E C T. 236.

Diluitur cruor coagulatus extravasatus,
nis, vel fimilibus.

R_o. *Mell. commun. unc. ij.*

Sapon l'enet. drach. ij.

Sal. Marin. drach. iv.

Aq. Pluviae. unc. xij.

M.

R_o. *Sal. Ammoniac.*

Nitri. ana drach. iij.

Urinae recent. sani. unc. xij.

Mell. commun. unc. ij.

M.

R_o. *Alots in aqua solutæ, à fœcibus resinosis ritè
depuratæ, iterum leniter inspissatæ.*

drach. iv.

Ammoniaci salis. drach. ij.

K 2

Bo-

Beracis. drach. ij.

Mellis puri. unc. ij.

Aq. pluvie. unc. ix.

Vini gallici, albi. unc. ij.

M.

Horum tepefactorum prudens injectio
nis dein in loco cum sanguine ibi stagni
conquassatio, diluit, resolvit, à putre
præservat, egressum parat: unde fun
horum usus, ubi cruor extra vasa elap
in magnis cavitatibus stagnat, cõit.

IN CAPITIS VULNERIBUS

SECT. 247.

Ad Contusa digerenda

Valent, quæ attenuant, diluunt, i
tredine servant.

1. *Imponatur Unguent. hoc plumaçeolis e
tum.*

R. Terebintb. unc. ij.

Vitelli ovor. N. 1.

Exacte mistis admisce

Unguent. Basilici. unc. ij.

Aloës puræ. drach. iv.

2. *Huic superponatur Emplastrum hoc*

R. Gummi. Galban. depurati, & dei

Ovi vitello jubaçti. unc. iv.

Ceræ citrinæ. unc. ij.

(77)

Ol. Hyperici. drach. iij.

M.

3. *Tandem huic apparatusi superadde hoc Fementum pannis laneis calidis exceptum, expressum, quantum ferri potest calidissime applicatum.*

R_o. Fol. recent. Rutæ.

Scord. ana mij.

Flor. Centaur. min.

Sambuci.

Rosarum. ana unc. iij.

Cum aq. decoct. & express. unc. xxx. admisce

Sp. Vin. unc. v.

Sapon. Venet. drach. ij.

SECT. 252. N. 2.

R_o. Sp. Vini semel rectificat. unc. j.

Aq. stillat. Rosar. unc. ß.

Mastiche pulverisat. drach. iij.

In Phialâ altâ coctum serva usui.

SECT. 279.

Purgatio hic conducens,

Aquam purgans, nec acriter tamen irritans.

K 3

R_o.

(78)

℞. *Scammon. Syriac. puri. gr. xiv.*
 Sp. Reginae Hungarie. drach. ij.
In mortario vitreo S. A. tritis, & à fœc
paratis admisce.
 Syrup. Rosar. solus. cum Senna. drac
 F. Haustus.

℞. *Radic. Jalapp. pulv. drach. j.*
 Sacchari puri. drach. ij.
In mortario vitreo diu tritis admisce se
& divisim
 Aq. pluvie. unc. iij.
F. Emulsio S. A. cui dein affunde
 Syrup. Rhei. unc. β.
 F. Haustus.

SECT. 281. N. 2.

Attenuans, diluens, aquosum, hic bon

℞. *Lign. Santal. alb. unc. β.*
 Citrini. unc. j.
 Sassafras. unc. β.
 Folia Rutæ. m. β.
 Agrimoni. m. j.
 Flor. Stoechad. Arab.
 Lavendul. ana drach. ij.
 Rad. Fœniculi.
 Petroselin.
 Rusci. ana unc. j.

C

(79)

Cum aq. decoct vase clauso spatio $\frac{1}{4}$ horæ
§iv. exhibe.

Samat. unc. ij. omni semihorio, sorbendo.

S E C T. 281. N. 3.

Vid. 247. N. 2. 3.

S E C T. 295.

De his Remediis singulatim in Historia
horum morborum.

**CONTRA VULNERA
THORACIS.**

S E C T. 303. N. 3.

Vid. 236.

**CONTRA VULNERA
ABDOMINIS.**

S E C T. 315.

Fomentum idoneum htc.

R. Intestina pura Animalis junioris. q. s.
Coq. in aq. q. s. spatio $\frac{1}{4}$ horæ ; dein adde
Flor.

Flor. Chamamel.

Lavend.

Centaur. ana m. ℥.

Fol. Mentb. m℥.

Stent deinde in infusione, per $\frac{1}{6}$ horæ.
*Tum Decoctum inserviat pro Fomentô cum
nis applicandô.*

Extemporaneum.

Sit Lac recens tepidum.

SECT. 319.

Fotus.

Vid. 315.

SECT. 320.

Clyfma.

℞. Mell. commun. unc. iij.

Sal. maris. drach. j.

Aq. decoct. Hord. unc. vij.

M. F. Clyfster.

*Mane, & vesperi, primis tribus à vul
infectu diebus, injiciendus.*

*Dieta sit ex solo jure carniû, cum pa
lo salis.*

AD CONTUSA.

SECT. 334.

Purgatio fortis nec inflammans.

R_x. *Agarici. drach. ijß.*
Sal. polychrest. scrup. j.
M. F. P.

R_x. *Ebuli, vel Sambuci, corticis mediæ, recent. unc. j.*
Conterendo cum aq. pluv. deinde parum coquendo, tandem exprimendo.
F. Haustus. *unc. iv.*

R_x. *Falapp. pp. ut Sect. 279.*
Falappæ radic. pulv. drach. iß.
Mechoacan. rad. pulv. drach. ij.
Soldanellæ recentis fol. unc. j.

R_x. *Agavic. drach. ij.*
Fol. Sennæ. drach. iiij.
Rad. Mechoacan. drach. j.
Tamarind. unc. ij.

Conscissa & contusa macera in aq. pluv. spatio $\frac{1}{2}$ horæ, dein ebulliant, leniter, spatio $\frac{1}{4}$ horæ, tum Decocti percolati *unc. ix.* admisce

L Sal.

Sal. prunel. drach. β.
Syrup. Ros. solut. cum Senna. drach.
Capiat unc. j. omni semiborâ, donec par-
satis fortiter.

Minori formâ idem efficere.

Rç. Scammon. Syriac. gr. xiiij.
Stib. diaphoret. gr. xx.
Syrup. Rosar. solut. cum Sennâ. drac.
Exactè contritis admiscee
Aq. stillat. Cichorei. unc. β.
F. Haustus.

Fomentum ad Contusa.

Rç. Rad. Bryon. alb. unc. ij.
Aristoloch. rotund. unc. j.
Fol. Rutæ recent.
Sabine. ana m. j.
Flor. Tanacet.
Chamamel.
Matricar. ana unc. j.
Cepar. recent. unc. vj.

Cum aquâ, vase clauso, in gradu c
ferè ebullientis digere per horæ dimic
dein uno momento ebulliant; tum suc
pannum fortiter expressi *unc. xxv.* adn

Farin. Lini. unc. β.

Ebulliant denuo parum: tum toti De
frigefacto admisce

Sp. vini Theriacal. unc. ij.
Sal. Ammon. unc. j.
Applicetur pannis Linceis.

Cataplasma ad Contusa.

R. Ingredientia eadem,
Præpara in Cataplasma; sub finem admisce
Farin. Lini. q. s.
Galban. in vitello ovi soluti. unc. j.
Ol. Chamamel. unc. iß.

Emplastrum ad eadem.

R. Rad. Bryon. in farinam redact. unc. ij.
Flor. Sulphur. unc. j.
Mercur. nigr. drach. iij.
Galbani puri & S. A. soluti. unc. iv.
Emplastr. de Melilos. unc. ix.
Ol. Chamamel. q. s.
Ut F. Emplastrum.

Bona hic

Emplastra de Galbano. seu Ceratum Matri-
cale. vel Antidotar. correctius Gandavense.

———— *Baccis Lauri Mesue.*
 ———— *Betonica.*
 ———— *Cuminò.*
 ———— *Cephalicum.*
 ———— *Diachyl. cum gummi.*

L 2

Em-

Emplastrum Diaphoreticum.

———— — Ischiadicum.

———— — de Meliloto.

———— — Mucilaginis.

———— — Oxycroceum.

———— — de Ranis.

———— — cum Mercurio.

Resolventia interna.

Vid. in §. 54. N. 4.

Sudorifera sunt,

1. Diluentia calida epota; §. 54. N. 4.
2. Resolventia interna; §. 54. N. 4.
3. Stimulantia; §. 75. N. 5.
4. Laxantia; §. 35. N. 3.
5. Calor externus humidus ad cutim deteminatus.

Diuretica sunt.

1. Diluentia frigida & tepida epota; §. 5. N. 4.
2. Resolventia interna; §. 54. N. 4.
3. Stimulantia: inprimis Salina, Saponacea §. 75. N. 5.
4. Laxantia; §. 35. N. 3. inprimis Fotu Clyfinate, renibus applicata.
5. Calor renibus, hypogastrio, perinaeo, & pl

(85)

plicatus , frigore verò reliquo corpori simul dato , paulò magis solitò.

SECT. 336.

Vid. 88. N. 1. & 35. N. 1.

IN INFLAMMATIONE.

SECT. 396. N. 2.

Purgatio Antiphlogistica.

Cremor Tartari. *drach. vj.*

Cryſtall. Tart. *drach. vi*

ſſe Tartarus. *drach. vj.*

ſal. polychreſt. *ſcrup. v.*

Pulp. Tamarind. *unc. iij.*

Tamarindi. *unc. iv.*

Rob Sambuc. *unc. iv.*

Rhabarbari. *drach. iſſ.*

R̃. *Rhei electi. drach. j.*

Sal polychreſt. ſcrup. iſſ.

Syrup. Cichor. cum Rho. unc. j.

ſ. A. accuratè contrita ſimul dilue in

Aq. ſtillatit. flor. Sambuc. unc. ij.

Cinnamom. drach. ij.

F. Hauſtus.

L 3

R̃.

℞. *Tamarind. elect. pulp. unc. ij.*
Crystall. Tartar. minutim pulveris. drach.
 M.

*Capiat omni ¼ horæ drach. j. donec commu-
 purgetur.*

℞. *Fol. Sennæ. sine stipit. elect. drach. ij.*
Agarici optim. drach. j.
Tamarind. elect. unc. ij.

*Cum aq still. ꝑ. Samb. vase clauso decoqu
 spatio 1 horæ, tum Decocti per pannu
 expressi unc. v. admisce*

Nitri puri. drach. j.

Syrup. Rosar. solut. cum Senna. drach. v.
 F. Haustus.

℞. *Fol. Sennæ. drach. iij.*
Tamarind. unc. ij.
Agarici. drach. iij.

*Cum aq. decoct. spatio ¼ horæ, pint. i. ad
 misce*

Syrup. Cichor. cum Rheo. unc. j.

Capiat unc. j. omni semi horâ, donec purgetur

Reliqua vid. §. 334.

SECT. 396. N. 4.

Epispastica

Constant Attrahentibus ad locum: §. 135.
N. 4.
Derivantibus eo: §. 135. N. 4.
Propellentibus ab illo: §. 135. N.
4. & §. 75. N. 5.

Vesicantia.

Vid. §. 75. N. 6.

SECT. 396. N. 5.

*Medicamentum diluens & refrigerans
simul, in hoc casu.*

R_o. Rad. Acetosæ. unc. ij.
Gramin.
Scorzoner. ana unc. iij.
Fol. Becabung.
Acetosellæ.
Agrimon. ana mj.
Cum aq. decoct. spatio $\frac{1}{2}$ horæ, adde
Flor. Borragin.

Ba-

*Bugloss.**Rosar.**Violar. ana pug. j.**Stent in digestionē, valē clauso, spaī
horæ, tum depurati, pint. iij. admisce**Nitri puri. drach. ij.**Rob Samb. unc. iij.**Capiat unc. iij. omni horâ diei.**℞. Aq. still. flor. Sambuci. unc. xv.**Rob Sambuci. unc. ij.**Nitri puri. drach. j.**M.**Capiat unc. j. omni hora.**℞. Semin. contus. Bardan. drach. iv.**Petroselini. drach. vj.**Cichorei. unc. j.**Cum Aq. stillat. Petroselini.**F. Emulsio cujus unc. xij. admisce**Nitri puri. drach. j.**Syrup. 5. radic. aperient. unc. j.**Capiat unc. j. omni hora.**℞. Stibii diaphoret. non ablut. drach. j.**Lapid. Prunell. drach. ʒ.**Rad. Zedoar. scrup. j.**M. F. P. dividendus in vj. dof.**Capiat unam omni triborio ex Ptsanâ.*

SECT. 398. N. 1.

*Liquidum tenue Aromaticum calidè
potandum.*

℞. *Ligni Santali albi.*

citrini.

rubr. ana unc. j.

Rad. Carlinæ. unc. j.

Petroselinì

Fœniculi. ana unc. iij.

Sum aq. decoct. spatio $\frac{1}{2}$ horæ, adde

Ligni Sassafras rasi. unc. ij.

Fol. Betonic.

Rusæ.

Scabiosæ.

Tussilaginis. ana m. j.

Stent in digestionè fervidâ spatio $\frac{1}{2}$ horæ,
clauso vase, tum puri liquoris $\frac{1}{2}$ v. exhibe.

Corbeat omni horâ unc. ij. fervidas.

SECT. 389. N. 1. 2. 3.

Vid. §. 107. ad 144.

M

AD

AD ABSCESSUS.

SECT. 403. N 1. 2.

Maturantia in Pus.

1. Gumm. Aromatica simplicia.

Ammoniacum.

Bdellium.

Elemni.

Galbanum.

Opopanax.

Sagapenum.

2. Emollientia, laxantia, humecta

§. 54. N. 4.

Formule.

R_o. *Farin. Secales. unc. iv.*

Aceti. drach. ij.

Gumm. Galban. in vitellò ovi solut.

Cum aq. decoct. in Cataplasma, ad
finem

Ol. Lil. alb. unc. j.

F. Cataplasma.

R_o. *Fol. Acetos. recent. m. iv.*

Butyri insulsi. unc. j.

gnem leniter decoctis parum adde
ermenti panis. unc. ij.

umm. Sagapen. in vitellō ovi solut.
drach. iv.

. S. A. Cataplasma.

Tellis ad spissitudinem paulo majorem cocti.

unc. iv.

eparum sub cineribus assatar. unc. iij.

icum pinguium. unc. iv.

pauillo aq. S. A. decoct. in Cataplas-

ma adde

arin. Lini. unc. iß.

. Cataplasma.

vena excorticat. unc. j.

arin. Lini recentis. unc. ij.

ulbor. Lil. albor. unc. iij.

lor. Albeæ. unc. j.

lacte recenti decoctis S. A. adde

asyri insulsi. unc. ij.

. Cataplasma.

SECT. 403. N. 3.

lus Decocti §. 398. N. 1. huic proposito
um excitat sufficientem.

S E C T. 409.

℞. *Fermenti panis acris.* unc. ij.
Sapon. venet. rasi. drach. ij.
Mellis. unc. ℥.
Ol. Chamemel. infus. drach. ij.
 M. F. S. A. Cataplasma.

Profunt & præscripta §. 403. N. 1. 2.

S E C T. 412.

℞. *Cinerum clavellat.* unc. iv.
Calcis vive Leodiensis. unc. vj.

Contusa misce; dein in loco humido
 quiescant: filtra, inspissa; fusa, ad ignem
 lidum in crucibulo, effunde in lapill
 cautè, in vase sicco bene obturato at
 vandos.

*Horum pauxillum abrasum, plumaceolò
 ceptum, applicetur spatio duarum horarum
 dein applica, deterfò priori, Butyrum.*

*Butyri Antimonii pauxillum imponatur
 ci protuberantis apostematis.*

*Aut teneatur Lapis infernalis eidem a
 aliquamdiu applicatus.*

IN FISTULIS CURANDIS.

S E C T. 415.

Digestiva liquefacta.

R_o. *Terebinth. nativ. unc. ij.*
Vitell. Ovorum. unc. j.
 S. A subactis, admisce
Mellis commun. unc. ij.
Sp. vini commun. drach. iv.
Aq. commun. unc. ix.
Calefactum & probe mistum injice.

Vel.

R_o. *Balsami Arcei.*
Vitell. Ovorum. ana unc. j.
 Mistra dilue in
Sp. Vin. commun. unc. viij.
Usus, ut prioris.

Deterfiva.

R_x. *Mellis Rosar. unc. ij.*
Elixir. propr. cum sale Tartari pp. unc. ℥.
Lixivii barbi-tonsor. unc. viij.

M.

M 3

Vel.

Vel.

R. Rad. Aristoloch. major. unc. ij.

Fol. sic. Scordii. unc. j.

Baccar. Junip. contus. unc. j.

Cum sp. vini debili decoct. in phialâ
spatio 1. horæ, *unc. xx.* admisce

Sapon. venet. unc. j.

Ufus, ut prioris.

Ubi pura Fistula, hanc consolidat seq

Injectum.

R. Ol. infusi Hyperici. unc. iv.

Aloës.

Myrrbæ.

Olibani. ana drach. ij.

Coquendo leniter, mista subige cum

Vitelli ovorum. unc. ij.

Dein, calefacta parum, in Fistulam pu
inijce.

Si

Si frigidâ laborat Gangrænâ , temperies
matica vel acida.

℞. *Sal. vol. oleos.* drach. iij.
Elixir. propr. cum sale Tartari pp. ℥.
Aq. stillat. vitæ Matthioli. unc. iij.
Corticis Citrei. unc. vj.
Syrup. 5. rad. aperient.
Artemisia Fernellii. ana ℥.
Confect. Alkermes completæ. drach.
 M.

In usum eundem.

SECT. 434. N. 2.

In Temperie Acida; §. 66. N. 1. 2.
 ———— Alcalina; §. 88. N. 5.

SECT. 434. N. 3.

In casu alcalescente calido.

℞. *Vini Rhenani.* ℔bj.
Cinnamom.
Caryophyllorum.
Fol. Maceris.
Nucis myristicæ. ana drach. ij.
 Coq. in phialâ altâ vitreâ, in arenâ.
Hoc Decocto imbue panem tostum.

In casu acido, frigido.

℞. *Sal. vol. oleos.* unc. β.
Sp. cortic. Citrei. unc. ij.

Sp. Lavendulae

Menthae. ana unc. j.

Tberiacal. unc. ij.

M.

et hoc tostum panem imbue.

S E C T. 435. N. 2.

Fomentum ad Gangrænam.

fol. recent. Ruta. m. iv.

Malva. m. ij.

Alliaria. m. j.

Marin. Lini. unc. j.

aq. decoct. vase clauso, ℥iv. admisce

apon. venet. drach. ij.

. Fomentum.

is pannis applicandum.

fructi Sambuci. unc. ij.

q. flor. Sambuci. unc. x.

olis Ammoniac. drach. ij.

resini albi gallici. unc. vj.

M. pro Fomento.

Cataplasma.

fr. Sambuci.

Meliloti.

Altheæ.

Chamæmel.

Calend. ana unc. iij.

N

Cum

(98)

Cum aq. decoct. in Cataplasma adde
nem.

Farinae Lini. unc. j.

Ol. Lini. unc. iſſ.

SECT. 438.

Condimentis talibus materiem pra

Sal Ammoniacus.

Borax.

Gemmæ.

Nitri.

Maris.

Regeneratus residuus à destil

Sp. sal. Ammon.

Acetum.

Calendulæ.

Destillatum.

Dracunculi hortensis.

Lavendulæ.

Rosaceum.

Rutaceum.

Sambucinum.

Scilliticum.

Theriacale.

Sp. Nitri.

Salis.

Sulphuris per Cam-
panam.

Vitrioli.

Vina Rhenana inprimis.

} simplex
cum
Alco.
dulcis

Aromata hic fere propria.

Abrotonum.
Absinthium.
Alliaria.
Angelica.
Balsamita.
Carduus Benedictus.
Centaurium minus.
Chamædrys.
Dictamnus Creticus.
Geranium Robertianum.
Lavandula.
Majorana.
Marrubium album.
Myrtus.
Origanum.
Polium.
Pulegium.
Rosmarinus.
Ruta.
Sabina.
Salvia.
Scordium.
Tanacetum.
Thuya.

(100)

℞. *Fol. Rutæ.*

Scordii.

Absinthii. ana unc. iv.

Menthæ. unc. j.

Cum *Aq. & Aceti. ana q. f. decoct*
clauso, ꝑiv. admisce

Sal. Gemmæ. drach. iv.

Sp. vini theriac. unc. ij.

F. Fomentum,

℞. *Eadem.*

Coq. in Cataplasma: sub finem adde

Sal. Ammon. drach. iv.

Farin. Lini. unc. ij

Ol. infusi Rutæ. unc. iß.

F. Cataplasma, tempore usus irroran

Sp. vini theriac. vel Sp. vini camp
tillô.

SECT. 448.

Liquor talis.

℞. *Aceti Dracunculi hortens. unc. vj.*

Rosac. unc. ij.

Sp. vini theriacal. unc. iv.

Sal. marini. unc. j.

Aq. decoct. Scordii. unc. xij.

M.

(101)

*Escharæ Gangrænosaë emolliendæ
optima hæc.*

℞. *Fol. Scord.* m. ij.

Malvæ. m. j.

Fl. Lavend.

Altheæ. ana unc. j.

℥um *Aceto decoct.* in Cataplasma, admisce

Farin. Lini. unc. iij.

Ol. Lini. unc. j.

Sal. Ammon. drach. j.

℞nguentum Aureum.

Basilicon.

SECT. 450.

Cataplasma tale.

℞. *Fol. rec. Abrotan. mar.*

Absinth. pontici.

Rutæ hortens.

Scordii.

Alliariæ.

Eupator. cannab.

Marrub. alb.

Nicotianæ. ana m. ℞.

Hyoscyami. m. j.

Flor. Calthæ terrestr.

Centaur. min.

Meliloti.

N 3

Ma

Matricaria.

Tanacet. ana unc. ij.

Alibea.

Papav. errat. ana unc. j.

Cum aq. decoct. vase clauso, spau
ræ, admisce.

Farin. Lini. unc. iv.

Ol. infus. Rusæ. unc. ij.

Aceti theriac.

Sp. vini theriac. ana unc. j.

Sal. Ammon. drach. j.

SECT. 456.

Rx. Aq. stillat. Theriac. unc. j.

Prophylact. Sylvii. dr.

Vitæ Matthiol. unc.

Rutæ. unc. ix.

Syrup. Artemis. Fernelii.

Radic. 5. aperient. ana u

Elixir. propr. cum sale Tartari pp. i

M.

Capiat cochleare j. omn & horæ : supe
unc. unam vel alteram sequentis

Rx. Aq. decoct. Hordei. pint. ij.

Vini Gallici. pint. j.

Zingiber. pulveris. drach. ij.

Syrup. Botrys. unc. iij.

M.

AD SPHACELUM

SECT. 462.

Acre Lixivium.

alc. viv. ex saxis exustis. p. 1.

tege

nerum clavellat. p. iij.

ico subterraneo liquefacta, filtrataque
va.

ꝑ ipsa Calx viva tenuiter in pollinem a-
inspergi poterit.

l & pulcherrimæ separationes fiunt, si

æ mortuæ applicatu putrefacientis re-

mollitæ, in tabum solutæ, diffuentes

l parte recedunt; dum interea vivæ par-

tu vivificò animantur. Vid 435. N. 2.

SECT. 469. N. 5.

l. stillat. Cinnamom. gutt. ij.

Caryophyll. gutt. j.

Cort. Citrei. gutt. ij.

ucchari puri. drach. ij.

A. Elæosaccharum, cui admisce

Co-

Corall. rubr. drach. j.

Laud. puri. gr. ij.

M. F. Pulv. divid. in ij. dof.

*Capiat unam horâ unâ ante actionem; & si
nihil sopivit, alteram $\frac{1}{4}$ horæ ante eandem.*

SECT. 471. N. 5.

℞. Sang. Draconis. drach. j.

Sarcocoll. drach. ij.

Lapid. Hematit. drach. ℥.

Bol. Armen. drach. viij.

M. F. Pulv. tenuissimus.

*℞. Farin. volatil. in molendinis, vel pistrinis,
collectæ. unc. iv.*

*Colcothar. Vitrioli, fortiter exusti & edal-
corati. drach. ℥.*

M. exactè.

*℞. Fungi Lycoperdi dicti bene maturi, atque
siccissimi, collectum pulverem, cum vat-
neri insperge, mox aperti interiorem su-
perficiem applica.*

IN COMBUSTIONE.

SECT. 480.

Fotus.

ceti Lithargyrii. unc. ij.
ini gallici. unc. xij.
q. stillatit. flor. Sambuc. unc. xiv.
M.

lor. Sambuci.
Meliloti.
Altheæ. ana unc. j.
aq. decoct. & expressis, tñjß, admisce
n. vini Theriac. unc. ij.
ceti Sambuc. unc. j.
al. maris drach. j.
is calidis applicetur.

Cataplasma.

öl. Malv.
Bis-malv. ana m. ij.
lor. Melilot. unc. ij.
aq. decoct. sub finem admisce
arin. Lini. q s.
p. vini Theriac. unc. j.
öl. Lini. unc. ß.
F. Cataplasma.

O

AD

(106)

AD SCIRRHUM.

SECT. 490. N. I.

Fotus ad Scirrhum.

R_o. Flor. Albeæ.

Chamæmel.

Melilot.

Sambuc. ana m. j.

Gentaur. min. m. ss.

Fel. Absinth.

Marrub. alb.

Rutæ.

Sabinæ. ana m. j.

Rad. Bryon. alb. unc. iv.

Angelic. sativ. unc. j.

Cum aq. decoct. vase clauso, & per pannum express. $\frac{1}{2}$ iv. admisce

Sp. vini Theriac. unc. iv.

Applicetur pannis laneis ad cutim nudam, superappponendo extrinsecus supra pannos vesicam Snillam expansam, atque panxillo olei prius inunctam.

Cataplasma.

Ex iisdem coque cum f. q. Aq. Cataplasma,
a, sub finem addendo
Gumm. Galbani in vitell. ovi subacti. unc. iij.
Farin. Lini. unc. ij.
Ol. Lini. unc. iij.

Emplastrum ad Scirrhum.

Gumm. Ammon.
Galban.
Sagapen.
Opopanac. ana unc. ij.
ni igne in testâ soluta depura, tum admisce accuratè
Vitell. Ovorum benè concussor. N. iv.
Cera citrina. unc. ij.
Farin. rad. Bryon. alb. unc. iij.
Ol. infus. Ruta. q. f.
: F. S. A. Emplastrum.

SECT. 490. N. 4.

Hus esto ex Lacte recenti, Lacte ebutyratione, & Sero lactis.
Jure carnum quarumcunque recentium
le quadrupedibus & volatilibus.

O 2

Ex

Ex Frumentaceis, Avenâ, Hordeô,
Phalaride, Secali, Triticô, Zeâ.

Ex Oleribus, §. 35. N. 1.

Ex Fructibus mitibus, maturis, &
acido-dulcibus, inprimis coctis.

Ex Hordeatis, Panatellis &c.

Potus esto Decoctum ex Rad. Chinæ,
parillæ, Lignorum Santalorum
&c.

Anodyna.

R₃. *Semin. Papaver. alb. contus. unc.*

Rad. Fœnicul. unc. iv.

Flor. Papav. errat. drach. vj.

Fol. Malvæ m. j.

Cum aq. decoct. vase clauso, spatio
ræ, pint. ij. admisce

Syrup. Papav. alb. unc. ijß.

Bibat subinde unc. iij. vel iv.

R₃. *Spermat. Ceti.*

Corall. rubr.

Stibii diaphoret. non abluti. anq dr.

Laudani pari. gr. ij.

M. F. Pulv. tenuissim. dividendus in
æquales :

Quarum unam capiat mane & vespere,
te dolore.

Hæc pro internis.

Externè Fomentum.

R_x. *Flor. Hyoscyami.*

Meliloti.

Papaver. rhœad.

Sambuci. ana pug. j.

Cum aq. decoct. vase clauso, pint. iß. admisce

Aceti Sambuci.

Rosac. ana unc. ij.

Sp. Vin. rectific. drach. iv.

Unguentum ad Litum.

R_x. *Aceti Lithargyrii. unc. j.*

Ol. express. semin. Hyoscyami.

Papav. alb.

Rosar. infusj. ana drach. ij.

F. S. A. Nutritum, cui sub finem admisce

Opii puri gr. vj.

Emplastrum.

Emplastrum de Minio.

Unguentum Diapompholygos.

R_x. *Succi recent. expressi & puri*

Fol. Hyoscyami.

Papaver. hortens.

Phellandrii. ana unc. iv.

O 3

Leni

(110)

Leni igne coque, inspissa, sub finem admisce

Ceræ albæ. unc. viij.

Ol. infus. Rosar. unc. j.

F. S. A. Emplastrum.

Vel.

℞. Sacchar. Saturni.

Cerussæ.

Amalgam Mercur. & Saturn. ana drach. ij.

Ceræ albæ. unc. iv.

Ol. infus. Rosar. drach. iij.

M. F. Emplastrum.

IN CANCRO.

SECT. 507. N. 1.

Vid. *Emplastrum.* §. 490. N. 4.

SECT. 507. N. 2.

℞. Resin. Jalapp. gr. vj.

Diagrydii. gr. vij.

Sibii diaphoret. non ablut. gr. xxiv.

M. F. Pulv.

℞.

(III)

ercus. dalc. gr. xv.

agryd. gr. xij.

. F. Pulv.

semel in septimanâ.

SECT. 507. N: 3.

ta ex Bardanâ.

Chinâ.

Foeniculô.

Petrofelinô.

Sarsaparillâ.

Scorzonerâ.

Vel.

stimon. diaphoret. non ablat. gr. viij.

erm. Ceti. drach. j.

[. F. Pulv. divid. in ij. dof.

: unam mane & vesperi.

SECT. 509.

Fomenta & Litus.

q. stillat. Papaver. Rhæad.

Rosar.

Sambuci. ana unc. ij.

Sag.

IN MORBIS OSSIUM.

SECT. 529. N. 1.

R. Ligni Guajaci virid. ponderos. rasi.

Sal. Tartari. drach. ℥.

Cum aq. comm. ℥vj. spatio xxiv.
digestum in diplomate, decoque
2: horar. sub finem admiscendo

Sp. vin. rectific. unc. iv.

Ebulliant iterum parumper, tum

Super residuo decocti novæ aq. ℥
fufæ ebulliant, per iv. horas.

*Prioris decocti unc. iv. sumat, quæ
die, vacuò stomacho: mane horâ septimâ
horâ undecimâ iterum quartâ pomeri.*

IN CURATIONE FEBRIUM
IN GENERE.

SECT. 599.

Vid. 28. N. 1. 4.

SECT. 603.

Fomentum tale.

R. Semin. Pomer. Cotoneor. N. vj:

Cum aq. stillat. flor. Rosar.

Sambuc. ana unc. iij.

F. S. A. Emulsio, cujus puro liquori ad-
misce

Sp. Vin. rectific. unc. ℥.

Tinct. Opii. drach. j.

Unguentum Aureum.

Basilicum.

Diapompholyg.

Nutritum.

Populeum.

Rosarum.

SECT. 605. N. 1.

Ptisanae.

Decoctum laxans.

SECT. 605. N. 2.

℞. *Aq. decoct. Hord. unc. xlv.*

Nitri puri. drach. j.

Vini Rhenani. unc. vj.

Rob Ribesior.

Sambuci. ana unc. ij.

M.

Capiat omni ½ hora. unc. j. vel ij.

℞. *Aq. stillat. Cichorei.*

Fumar.

Meliss. ana unc. iij

Sp. Salis comm. drach. j.

Syrup. Moror. unc. ij.

Nitri puri. drach. ℥.

M.

Capiat. cochlear. j. omni semiberio.

℞. *Crystall. Tartari. drach. ij.*

Nitri puri. drach. ℥.

M. F. Pulv.

(115)

et scrup. ꝑ. omni triboriô ex Pitisanâ.
aliqua vide in Cap. de Putredine Alkali-
& de Excessu circulationis.

SECT. 605. N. 3.

terb. rec. Majoran.

Menth. crisp.

Origani.

Rorismar. ana m. ij.

lor. Chamamel. roman.

Rosar. rubr.

Tanacet.

Lavand. ana m. j.

Mari Syriaci. m. ꝑ.

ad Irid. Florent.

Angelic. sativ.

Imperat. ana unc. ij.

asur. lign. Sassafr. unc. ij.

min. contus. Celeri. unc. ij.

cissorum F. Pulv.

endus in loco ubi ager est.

SECT. 605. N. 10.

Vomitoria lenia.

℞. Aq. decoct. Hord. levis. unc. xxxvj
Oxymell. squillit. unc. iij.
Tart. vitriolat. non acidi. drach. ij.
M.

Capiat unc. ij. omni semiboriis.

Vel.

℞. Rob Samb. unc. iij.
Aceti squillit. unc. j.
Aq. stillat. Meliss. unc. vj.
M.

Capiat unc. ℥. omni semiboriis.

℞. Tartar. Emetici. gr. v.
Pro una dosi.

℞. Vini Emetici. unc. j℥.
Pro una dosi.

℞. Rad. Ipecacuanh. alb. scrup. j.
F. Pulvis.
Pro una dosi.

(117)

l. Ipecacuanb. pulveris. scrup. iv.
ini albi unc. iij.
in phialâ altâper hor. quatuor,
am exhibe pro unâ dosi.

Vel.

recent. Asari conscis. N. v.
iq. fervidâ infusis spatio $\frac{1}{2}$ horæ absque
litione,
i expressum exhibe pro unâ dosi.

SECT. 610.

Clyfma refrigerans.

ri puri. drach. ij.
ll. Rosar. unc. j.
i Lactis recent. unc. xij.
M.

Vel.

ri comm. unc. j.
ri nativi. drach. iij.
up. Rosar. solativ. cum Sennâ. unc. ij.
decoct. Herd. unc. ix.
M.

(118)

Vel.

℞. *Laſ. Elnygrati.* unc. x.
Syrup. Roſ. pallid. unc. ij.
M.

Vel.

℞. *Decoſi comm. emollient.* unc. xj.
Nitri pari. drach. iij.
Mell. Mercurial. unc. jſſ.
M.

SECT. 611.

Medicamenta in Languore Febrili.

℞. *Oxymell. ſquillit.* unc. iij.
Sp. vite Matthiol. drach. iij.
Aq. ſillat. Menthae. unc. iv.
Cinnam. unc. j.
M.

Capiat unc. j. omni hora.

℞. *Diaſcord. Sylvi.* ſcrup. jſſ.
Tiberiac. Androm. drach. jſſ.
Syrup. 5. radic. aperient. unc. ij.
Aq. ſillat. Cardus bened. unc. vj.
M.

In eundem uſum.

℞.

infect. Alkerm. drach. j.

ingib. condit. drach. vj.

ad. Contrajerv.

Serpentar. virgin. ana drach. j.

scrap. 3. radic. aperiant. q. s.

Conditum.

drach. ʒ. omni quadriboriō.

alv. Comitissæ Kent. scrap. ʒʒ.

omni quadriboriō.

ingib. alb.

ortic. Winteran.

ad. Zedoar.

Contrajerv.

Serpent. virgin. ana drach. j.

rochisci de Viperis. drach. ij.

Pulv. tenuis divid. in doses scrap. ʒ.

et unam omni quadriboriō.

al. Card. bened. drach. ʒ.

C. C. alb. drach. j.

call. rubr. scrap. ij.

l. stillat. Cinnam.

Cortic. Citrei. ana gutt. iij.

Pulv. divid. in x. dos.

dem usus.

SECT. 614.

Amara lactescentia frigida.

Chondrilla.

Cichorea.

Hieracia.

Intubi.

Lactuca.

Scorzonera.

Sonchi.

Taraxaca.

Tragopogona.

IN FRIGORE FEBRILI.

SECT. 625.

Potus in Frigore Febris sumendus.

℞. *Aq. decoct. Hord. unc. xxx.*

Nitri puri. drach. ij.

Oxymell. simpl. unc. iij.

Aq. stillat. Caryophyll. arom. unc. ij.

M.

*Capiat unc. ij. omni $\frac{1}{4}$ hora, calidè valde sũ-
bendas.*

℞.

℞. *Quatuor. Sem. frigid. maj.*
min. ana drach. ij.
 ℥um aq. F. Emulsio, cujus ℥iij. admisce
Aq. stillatit. Fœniculi. unc. iv.
Sal. Prunell. scrup. ij.
Syrup. 3. Rad. aper. unc. ij.
Violarum. unc. ℥.
 ℞us idem.

℞. *Aq. stillatit. Borragin. ℥ij.*
flor. Rosar. unc. j.
Sambuc. unc. viij.
Cinnam. unc. j℥.
Sp. vitæ Matth. unc. ℥.
Syrup. Artemis. Fernel. unc. ij.
 M.
 ℞us ut supra.

decoctum Coffe.

—— Ligni Sassafras.

—— Santali.

& similia hic valent, imprimis si pauxil-
 lum Aromatis circa finem addis.

℞. *Ligni Santali albi.*

citrin.

rubr. ana unc. j.

Cum aq. decoct. spatio $\frac{1}{4}$ horæ, tum adde

Radic. Fœnic. unc. iv.

Rasur. Sassafr. unc. ij.

Glycyrrhizæ. unc. ℥.

Q

Ebul-

℞. *Electuar. Diaprun. Sylvi.* drach. jß.
Fol. Senn. pulv. scrup. j.
M. F. Bolus.

Electuarium Diaprun. seu Cholagogum Syl-
vij. unc. ß.

Confectio Hamēch. drach. iv.

Hiera picra Galeni. drach. jß.

Electuarium lenitivum. unc. j.

———— *Succi Rosarum. unc. ß.*

Sudorifera in Febris.

Sunt semper diluentia & aperientia.

℞. *Rad. Apii. unc. ß.*

Bardan.

China. ana unc. j.

Cicbor.

Gramin.

Napor.

Petroselin.

Rapar.

Rosci. ana unc. ß.

Sarsaparill. unc. j.

Scorzon. unc. ß.

Fol. Acetof.

Cicbor.

Endiv.

Taraxaci. ana m. j.

Flor. Sambuc. unc. ij.

Sem.

v. contus. Apii.

Petroselin. ana unc. j.

aq. decoct. pint. iij. exhibe.

*et unc. iij. calidas omni quadrante horæ ,
et leviter sudet.*

hac Formulâ infinitæ aliæ concinnari
t.

Diuretica.

*gala ex Lactis recent. p. j. Aquæ p. iij.
lactis.*

utyratum.

ma Betulæ.

maturi rec. horæi, aquâ diluti.

trum.

n antimoniatum.

lychrestum.

*ta præcedentia sudorifera cum regi-
ad diuresin.*

Abstersiva.

: eadem.

℞. *Electuar. Diaprun. Sylvii.* drach. jß.
Fol. Senn. pulv. scrup. j.
 M. F. Bolus.

Electuarium Diaprun. seu Cholagogum Syl-
vij. unc. ß.

Confectio Hamēch. drach. iv.

Hiera picra Galeni. drach. jß.

Electuarium lenitivum. unc. j.

———— *Succi Rosarum. unc. ß.*

Sudorifera in Febris.

Sunt semper diluentia & aperientia.

℞. *Rad. Apii. unc. ß.*

Bardan.

China. ana unc. j.

Cichor.

Gramin.

Napor.

Petroselin.

Rapar.

Rusci. ana unc. ß.

Sarsaparill. unc. j.

Scorzon. unc. ß.

Fol. Acetos.

Cichor.

Endiv.

Taraxaci. ana m. j.

Flor. Sambuc. unc. ij.

Sem.

Sem. contus. Apii.

Petroselin. ana unc. j.

Cum aq. decoct. pint. iij. exhibe.

*Hauriat unc. iij. calidas omni quadrante horæ ,
donec leviter sudet.*

Ex hac Formulâ infinitæ aliæ concinnari
possunt.

Diuretica.

Hydrogala ex *Lactis recent. p. j. Aquæ p. iij.*
Serum lactis.

Lac ebutyrarum.

Lachryma Betulæ.

Succi maturi rec. horæj, aquâ diluti.

Sal Nitrum.

Nitrum antimoniatum.

Sal Polychrestum.

Decocta præcedentia sudorifera *cum regi-
mine ad diuresin.*

Abstersiva.

Sunt eadem.

IN SITI FEBRILI.

S E C T. 640.

*Potus commodissimus in Febris.**℞. Aq. Hord. comm. simpl. unc. XL.**Rob Ribesior. unc. iv.**Sp. Salis tot guttas, quot sufficiunt ad gra-*
*tuam acorem.**Aq. stillat. Cinnam. unc. j.**M.**Pro Potu assiduō.*

	<i>Ribesiorum.</i>	} <i>℞. omnes singulis, unc. iv.</i>
	<i>Pomorum Cydonior.</i>	
	<i>Cerasorum nigr.</i>	
	<i>Berberis.</i>	
<i>℞. Gelatinæ,</i>	<i>Mororum.</i>	
<i>Rob,</i>	<i>Baccarum Rubi Idæi.</i>	
<i>Syrupi,</i>	<i>Pomorum Granator.</i>	
	<i>Limonior.</i>	
	<i>Citrionum.</i>	
	<i>Aurantior.</i>	
	<i>Chinenfium.</i>	

*Præpara ut prius; v. g.**℞. Gelatinæ Cydonior. unc. j.**Diamori Nicolai. unc. ij.**Syrup. Acetos. Citrei. unc. j.**Aq.*

(127)

Aq. stillatit. Borræg.

Meliſſe. ana unc. iv.

Simplicis. unc. xxiv.

Vini Rhenani. unc. iij.

M.

hydrogala.

erum lactis.

ac eburatum.

erevisia tenuissima.

otus Coffe.

ini p. i. Aq. puræ p. xij. succi Citri parum.

SECT. 641.

o. *Pomorum elect. rec. Citri, expurgatis seminibus, N. ij.*

um cortice confissa, abjecta alba, fungosaque, carne, contusaque immitte

Aq. decocti Hordei simpl. unc. xxxij.

Idde Syrup. Mororum. unc. jß.

Vini Rhenani. unc. viij.

Panis tost. unc. ij.

n vase fictili clauso ferventur,

ro Potu assidu.

Vel.

o. Syrup. de Limon. unc. iij.

Sp. Vini puri. unc. jß.

Vini Rhenani. unc. iv.

Aq. comm. puræ. unc. xiv.

M.

AD

AD NAUSEAM FEBRILEM.

SECT. 644.

Potus ad Primum.

Vid. §. 640. 641.

Potus ad Secundum & Medicamina.

Vid. §. 634.

Ad Quintam speciem.

R_o. Mivæ Cydonior. unc. iv.

Syrup. Limon. unc. ij.

Aq. still. vitæ Matthioli. unc. j.

Cinnam. drach. vj.

Cort. Citrei. unc. vj.

Tinct. Opii. gutt. LX.

M. accuratè.

Capiat unc. j. donec Nausea sedetur.

R_o. Aq. stillatit. Menthe fortis. q. s.

Bibat unc. j. omni $\frac{1}{4}$ horæ frigidam.

R_o. Mivæ Cydonior. q. s.

Assumat drach. j. omni semiborâ.

R_o.

℞. *Succi recentis Citrei.* unc. β.

Vini Rhenani. unc. j.

Bene mistis adde

Salis Absinthii. drach. j.

In ipso actū effervescentiā potentur.

℞. *Taleolas tenues Citrei, saccharō respersas, impositas linguae ore detineat.*

In omnibus interim juvant fere Epithemata, Fomenta, Cerata, Stomachica, inprimis ubi inflammatio abest.

℞. *Pulv. Aromatit. Rosac.*

Diagalang.

Diarrhod. abb. ana unc. j.

M.

In suta sindoni applica epigastrio.

℞. *Cerati Stomachici Galeni.* q. s.

It extensum ad alutam F. Emplastr. stomach.

valet quāvis adhærescit.

℞. *Aq. Vitæ Mattbiol.* unc. j.

Sp. Rad. Angelic.

Carmin. Sylv.

Menthae. ana unc. ij.

Taleola panis triticei tostī, bene irrorata his, applicetur calidē epigastrio, superapplicetur vesica Suilla oleō humectata, & dein supra hanc ligatura. renovetur post xij. horas.

IN DEBILITATE FEBRILI.

— S E C T. 667.

*Jus ex carne Bubulâ,
Vitulinaâ,
Ovillâ,
Gallinaceâ. ana.*

Decocta in Aq. resperge *panso sale & succo
Citri.*

Lac recens.

Decocta §. 28. N. 1.

IN FEBRI INTERMITTENTE.

S E C T. 758.

Medicamenta hic referenda.

*Sales herbarum Tacheniani omnes, quorum
præcipui ex Abûnthiâ,
Carduâ bened.
Stipitibus Fabarum.* } parantur.

Nitrum.

— Stibiatur, &

Sti-

tibum diaphoreticum non ablutum.

al Ammoniacus.

Prunellæ.

Polychrestus.

Tartarus regeneratus.

Tartarisatus.

al Tartari cum Ol. Terebinth. in saponaceam massam redactus.

erbæ omnes Aromaticæ in omnibus suis partibus. Vid. totum §. 75. N. 5. §. 54. N. 4. maximè ad titulum *Resolventium*.

SECT. 759.

Vomitorium.

. Tart. Emetic. gr. v.

F. Pulv.

ad dosi sumendus.

. Tart. Emetic. gr. v.

Micæ Panis q. s.

t F. Pil. N. v.

ad dosi.

. Vini Emetici. unc. ij.

Oxymell. scillit. drach. vj.

M. F. Haustus.

(132)

℞. *Tart. Emetici.* gr. v.
Gelatina Ribesior. unc. β.
Ol. Cinnam. gutt. j.
M. F. Bolus.

Purgans.

Pulvis.

℞. *Pulv. Cornachin.* scrup. ij.
Pro una dosi.

Potus.

℞. *Pil. Coch. maj.* scrup. ij.
Syrup. Rosar. solut. unc. β.
Aq. stillat. flor. Sambuci. unc. ij.
F. Haustus.

Pilule.

℞. *Aloës lota.* gr. xij.
Myrrha. gr. x.
Opopanax. gr. v.
Sal. Gemmae. gr. v.
M. F. Pil. N. ix.

SECT. 761.

Sudoriferum Antipyreticon rarò fallens.

- ℞. *Sal. Polycbrest. drach. ij.*
Syrup. 5. rad. aperient. unc. ij.
Opii puri. gr. ij.
Aq. stillat. ferment. Card. bened.
Absinthii.
Rutæ.
Majoranæ.
Menthæ. ana unc. j.
Extract. Absinthii. unc. ij.

M.

Capiat Cochleare j. omni quadrante horæ : superbibendo unc. iv. sequi. Decocti post singula quæque.

- ℞. *Rad. Imperat. drach. vj.*
Ligni Sassafr.
Santal. rubr. ana unc. ij.
Fol. Virgæ-aureæ. m. ij.
Flor. Centaur. min. unc. ʒ.
Semin. contus. Dauci Cretici. drach. vj.
infusa vase arctè clauso per horas ij. absque ebullitione, sed fere fervida, dein parum ebulliant, tum Decocti pint ij. exhibe.

SECT. 763.

Vid. 634. 640.

SECT. 767.

R. Cortic. Peruviani boni. *unc. j.*
F. Pulv. dividend. in xij. doses; exhibe.
Capiat omni biboriō unam ex vinō.

R. Cortic. Peruviani. *unc. iij.*
Aq. comm. unc. xij.
Infusa, spatio duarum horarum, dein per
horam ebulliant: tum adde
Vini Gallici. unc. iv.
Ebulliant rursus parum in vase altō; dein
Decoctum purum exhibe.
Capiat unc. jß. utrius biboriō.

R. Cortic. Peruviani. *unc. iij.*
Vase clausō spatiō 2: horar. in Aq. comm.
decoctæ, *unc. xvj.* exhibe,
Capiat ut precedens.

R. *Decoctum preced.*
Exhala ad mellis spissitudinem,
Sumat divisum in iv. doses.

(135)

Sum præced.

Syrupi 5. rad. aperient. unc. j.
pus ;
xtracti.

Sum præced.

pulv. Glycyrrh. q. f.
l. gr. iv.
omnes spatîo augeantur.

S E C T. 768.

rpionum.

stoei.

iccar. Juniperi.

mphoræ de Radicibus Cinnamomi.

vinum.

ebintb.

o. Sulphur. terebintb. ana unc. ʒ.
pro Linimentô descriptô.

gin. totius latifol. unc. x.

ormentill. rec. unc. ij.

n Aq. pint. ij. exhibe.

. iij. omni hilaris.

n. rap. drach. j.

myristic. drach. ij.

Boli Armen. gr. xij.

F. Pulv.

ante paroxysmum hæmorrhoidis.

Epi.

Epithemata.

R. Uvar. Corinthiac.

Summit. Laspuli.

Sal. marin. ana unc. ij.

Contusa in Pulverem,

Pulsuum locis applica ad Arterias.

R. Summit. Ruta virid. unc. ij.

Semin. Sinapi. drach. ij.

Contusa exhibe ad Epicarpia.

IN ANGINA AQUOSA.

SECT. 796.

Vid. ad { N. 1. §. 54. N. 4.
N. 2. §. 201.

IN ANGINA SCIRRHOZA.

SECT. 797.

R. Ol. Tartari per deliquium.

*Penicillò ex linteò carptò, ad calammum aptatò,
per cannulam applicatò, eò humectatò, loci
sensim erodatur.*

*Id fortius paratur cum Calce vivâ, sed plus
discriminis habet applicatio.*

IN

IN ANGINA INFLAM-
MATORIA.

S E C T. 809. N. 2.

℞. *Diagryd.* gr. xvij.
 . cum Aq. Emulſio, cujus *unc. ℥.* admiſce
Syrup. Sennæ. unc. j℥.
 F. Hauſtus.

℞. *Fol. Senn. unc. j.*
 Decoct cum aq. *unc. viij.* admiſce
Nutri. unc. j.
Syrup. Senn. unc. j.
 F. Clyſma.

S E C T. 809. N. 5.

℞ *Aceti Samb.*
Rofar.
Calendul. ana unc. j.
Aq. ſtill. Samb. unc. vj.
 M.
Vapor calidus hauriatur infundibuli ope in fauces.

SECT. 810.

℞. *Lentis palustr.* unc. vj.
Fol. *Nymphaeae rec.* unc. v.
 Papaver. bortenf. unc. viij.
 Bismalvae. unc. vj.
 Flor. Sambuc.
 Melilot. apia unc. iv.
Cum aq. decoct. sub finem adde
 Nid. Hirundin. N. ij.
 Semin. Lini. q. s.
 Ol. Lilior. alb. unc. iij.
 F. Cataplasma.

Decoctum esto pro *Fomentō.*

SECT. 811.

℞. *Decoct. a Cataplasma. preced.* unc. xij.
 Aceti Samb. unc. ij.
 Syrup. Altheae. unc. ij.
 Nitri puri. drach. ij.
 M.

℞. *Ficuum pinguium.* N. xxij.
 Fol. Altheae. unc. ij.

Decoctis diu, unc. xxx. expressis *utatur.*

SECT.

(139)

SECT. 813.

Clysmata Nutrientia.

℞. Jus Carnium. ad unc. x.

Sal. Nitri. gr. x.

Sp. salis. gutt. vj.

M.

Adjiciatur octavâ quâque horâ, postquam primô Clysmate purgante elota alvus fuit.

IN PERIPNEUMONIA VERA.

SECT. 850.

℞. Aq. decoct. Hord. unc. XL.

Nitri. drach. ij.

Oxymell. unc. iv.

M.

bibat unc. ij. calidas omni quadrante horæ.

SECT. 851.

℞. Fol. Parietar.

Agrimôn.

Taraxac. ana. m. j.

S 2

Sc

(140)

Semin. contus. Papav. alb.

Fœniculi. ana unc. j.

Glycyrrhizæ. unc. jss.

Cum aq. decoct. unc. L. exhibe.

Uſus ac præcedentis.

SECT. 853.

R. Rad. Gramin. .

Rufci.

Petrofelini.

Fœniculi. ana unc. ij.

Imperator. drach. ij.

Semin. contus. Bardanæ.

Petrofelini. ana unc. j.

Cum aq. decoct. unc. XL. exhibe.

In eundem uſum.

SECT. 855.

Viſcus.

Olera.

Farinosa.

Piſa.

Fructus horæi maturi.

} Vid. §. 35. N. 1.

SECT.

SECT. 855. N. 3.

Sunt vapores §. 809. N. 5.

SECT. 855. N. 4.

℞. *Aceti scillit. drach. vj.*
Oxymell. scillit. unc. iij.
Sal. Polychrest. drach. j.
Aq. decoct. Hord. unc. viij.
Stillat. Hyssopi. unc. iv.
M.

Bibat unc. j. omni horâ dimidiatâ.

℞. *Potus Coffe. ℥ij.*
Mellis. unc. ij.
Aceti Sambuc. unc. β.
M.

Sorbeat fervida quantum juvat.

SECT. 858.

Aperientia Detersiva ad Ulcus aper-
tum Pulmonis.

FOLIA *Adianthi vulgaris.*
—— *albi. f. Rute murariz.*
—— *nigri.*

FOLIA Adianthi aurei.
 Agrimoniae.
 Alchimillae.
 Becabungae.
 Betonicae.
 Bellidis pratensis.
 Borraginis.
 Botryos.
 Bugulae.
 Ceterach.
 Chamædryos.
 Chamæpityos.
 Cichorei.
 Dentis Leonis.
 Endiviae.
 Erysimi.
 Foeniculi.
 Fumariae.
 Hederae terrestris.
 Hepaticæ nobilis.
 ————— terrestris.
 Hippofelini.
 Hyperici.
 Hyssopi.
 Isatidis.
 Lactucæ.
 Linguae Cervinae.
 Marrubii albi.
 Morfus diaboli.
 Nummulariae.
 Onopidis.

FOLIA Primulæ veris.

Prunellæ.

Pulmonariæ maculatæ.

Saponariæ.

Scabiosæ.

Scordii.

Sigilli Salomonis.

Sophiæ Chirurg.

Tuffilaginis.

Valerianæ hortensis

———— sylvestris.

Verbenæ.

Veronicæ.

Vincæ pervincæ.

Virgæ aureæ.

GUMMI Ammoniacum.

Galbanum.

Opopanax.

Sarcocolla.

Mastiche.

Myrrha.

Olibanum.

Terebinthina.

o. Fol. recent. Agrimon.

Virgæ aureæ.

Betonicæ.

Valerian. hortensj. ana m. j.

Marrubii alb. m. ʒ

Rad. ʒ. aperient. ana unc. j.

Flor.

Flor. Centaur. min.

Agrimon.

Hyperici. ana m. j.

Cum aq. decoct. pint. iv. exhibe.

Bibat unc. ij. omni bihoriô diei.

Aliud.

R. Rad. Bardan.

Chine.

Sarsaparill. ana unc. iij.

Cum aq. decoct. spatiô semihoræ, adde

Ligni Sassafr. unc. iij.

Ubi iterum parum ebullierint, admisi

Decoct. ℥iij.

Syrup. 5. rad. aperient. unc. ij.

Ufus ut prius.

R. Myrrb. lucid. elect. drach. ij.

Cum *Vitelli ovi rac. scrup. j.*

In mortariô vitreô diu contritis simul,
misce

Turis elect. scrup. ij.

F. Pil. sing. gr. iij.

Capiat unam vel alteram ante usum Dei

R. Myrrb. elect. drach. ij.

Spermat. Ceti. drach. j.

*M. F. Pulv. dividend. in xij. dol
quales.*

Capiat unam mane & vespri cum Dei

Myrrhæ.

Olibani. ana drach. j.

Mellis albi. unc. ij.

M. S. A.

vat drach. j. omni horâ.

Lenia Opiata vespertina.

Pilul. de Cynogloss. scrup. j.

F. Pil. N. vj.

iat unam vel alteram vesperi ante somnum.

Pilul. de Styrace, simili dosi:

undem usum.

Opii lamellatim tenuiter scissi & lentè ex-
ficcati. gr. j.

Corall. rubr. gr. xij.

Olibani. gr. vj.

M. F. Pulv. tenuis.

eri, ut prius, assumendus.

Syrup. Diacodii. unc. ß.

Aq. Vitæ Matthiol. drach. j.

stillat. Hyssopi. unc. j.

M. F. Haustus.

eri sumendus.

Opii. gr. j.

Pilul. 2.

iat unam vesperi.

℞. *Opii.* gr. j.
 Syrup. Capill. Veneris. drach. iv.
 Aq. stillat. flor. Papav. rhœad. unc. j.
 M. F. Haustus.

Vapores Emollientes.

℞. *Fol. Malvæ,*
 Bismalvæ.
 Mercurial.
 Parietar. ana m. ij.
 Farin. semin. Lini. unc. ij.
Cum aq. decoct.
Vaporem excipe cum aëre adducendū.

S E C T. 859.

Vid. *Decoctum secundum* §. 858.

℞. *Chærophyll. recentis expressi succi.*
 Lactis dulc. ana unc. iv.
 Syrup. Hyssop. unc. j.
 M.

Bibat unc. j. omni biboriō.

S'ECT. 861.

℞. *Lychnid. Saponar. maj.* m. ij.
Endiv. recent. m. iv.
Fol. Cichor. sylvestr. m. iij.
 Cum aq. decoct. & express. pint. iij. exhibe.
 Bibat omni bihoriô unc. ij.

S E C T. 866.

Vapor.

Vid. 858.

℞. *Oxymell. simpl.* unc. iij.
Syrup. 5. radic. aperient. unc. ij.
Decocti Hedexæ terrestr. unc. x.
Nitri puri. drach. j.

M.

Bibat unc. j. omni horâ.

℞. *Laudani puri.* gr. ij.
Flor. Sulph.
Spermat. Ceti.
Sibii diaphoretici non abluti. ana drach. j.
 M. F. Pulv. tenuis, divid. in xij.
 partes æquales.

apiat unam omni trihorio cum unciâ unâ, vel
 alterâ, misuræ præcedentis.

T 2

℞.

(148)

℞. *Flor. Sulph. drach. ij.*

Olibani. scrup. j.

Spermat. Ceti. drach. ℥.

Sib. diaphor. non abluti. drach. j.

M. F. P. divid. in xij. doses.

*Sumat unam omni horâ cum unc. j. mistura
prioris.*

℞. *Olei Amygdalar. dulc. recens press. unc. j℥.*

Syrup. Violar.

Mell. Virgin.

Vitell. Ovi recentis. ana unc. ℥.

M. accuratè.

Lingat unc. ℥. omni horâ, donec sputa redeunt.

PERIPNEUMONIA NOTHA.

SECT. 873. N. 2.

Clyfma hîc esto hocce.

℞. *Mell. unc. iij.*

Nitri. drach. j.

Vitell. Qvor. N. i.

Aq. decoct. Hordei. unc. viij.

F. S. A. Clyfma.

SECT.

SECT. 873. N.4.

R. Radic. Foenicul. unc. ij.

Germ. unc. iv.

Fol. Parietar.

Agrimon. ana m. jß.

Sem. contus. Papaver. alb. unc. j.

Glycyrrhizæ. unc. jß.

Cum aqua decoct. spatia $\frac{1}{4}$ horæ Pint. ijß.
exhibe.

Capiat unc. ij. omni biboriô.

IN PLEURITIDE.

SECT. 887.

Vid. *Decoet.* § 873. N. 4. §. 861. 859.

С Е К Т. 890. N. 2.

Fomentum.

Rx. Fol. Matvæ.

Bismalva.

Parietar. ana m. ij.

Papaver. bortensf.

Hyoscyami. ana m. j.

T 3

Fl.

Flor. Sambuci.

Chamamel.

Melilot. ana unc. iij.

Cum *lacte dulci* decoct. est Fomentum.

Hinc Balnea & Tepefactoria intelliguntur,

Linimenta ad inungenda latera.

R_x. *Sacchari Saturni. drach. iv.*

Aceti. drach. vj.

Ol. Rosac. infus. unc. j.

M. F. Nutritum.

R_x. *Unguenti Popul. unc. ij.*

R_x. *Emplastr. Diapomphol. q. f.*

Extende ad alutam.

S E C T. 890. N. 3.

R_x *Fol. Tussilaginis.*

Malvæ. ana. m. ij.

Flor. Papaver. errat.

Alibæ. ana m. ss.

Rad. Petroselin.

Sarsaparill. ana unc. iij.

Sem. Lini contus. drach. iv.

Lactuce.

Card. Mariæ. ana unc. j.

Cum aq. decoct. Pintas iij. exhibe.

Bibat unc. ij. omni. horâ.

R_x.

(151)

n. 4. frigid. maj.

min. ana drach. iiij.

Papaver. alb. unc. ij.

Aq. decoct. Hordei F. S. A. Emulsio,

1s unc. xiv. admisce

tri puri. drach. jß.

rup. Capill. Veneris. unc. j.

unc. i. omni borâ, vel ℥ omni $\frac{1}{4}$ boræ.

q. stillatit. flor. Rboeados.

Sambuc. ana unc. viij.

Borraginis. unc. v.

apid. Cancror. drach. ij.

Prunellæ. drach. j.

rup. flor. Rboead.

Papav. alb. ana unc. j.

M.

uncias ij. omni semiborâ.

SECT. 903.

ol. Scordii.

Alliariæ.

Marrub. alb. ana unc. ij.

aq. decoct. pint. ij. admisce

xymell. scillit. unc. viij.

itri. drach. iiij.

ceti Theriacal. unc. j.

unc. ij. omni $\frac{1}{4}$ boræ calidissimas.

IN

(152)

IN HEPATITIDE ET ICTERO
MULTIPLICI.

SECT. 922.

Vide de Reso-
lutione §. { 54. N. 4.
75. N. 5.
88. N. 5. 6.
135.

SECT. 924.

Vide §. { 54. N. 4.
88. N. 5. 6.

SECT.

(161)

SECT. 927.

Stipticum hic necessarium:

1. *Lenius.*

Alumin. rap. drach. j.

Aq. stillat. Plantag. unc. i.

M. solve.

undis ingestis applicetur cavo Narinum.

2. *Fortius.*

Sacchar. Saturn. drach. j.

Aq. stillat. Rosar. unc. j.

M.

sd. Usus.

3. *Fortissimum.*

Nitriol. commun. drach. j.

Aq. stillat. Rosar. drach. vj.

M.

les in usus.

SECT. 928.

Vid. 54. N. 4.

V

SECT.

S E C T. 930.

Remedia hlc ferè propria.

Acetosa hortensis.

pratensis.

rotundifolia.

Acetofella.

Atriplex sylvestris.

Bonus Henricus.

Chondrilla.

Cichoreum agreste.

Sativum.

Dens Leonis.

Endivia.

Fumaria.

Hieracium.

Lactuca.

Oxylapathum.

Portulaca.

Syrupus Borraginis. *unc. ij.*

Cichorei cum Rhab. *unc. i*

Fumariæ. *unc. ij.*

5. Rad. aperient. *unc. ij.*

℞. *Tamarind.* unc. j.

Prunor. acido-dulc. unc. ij.

Uvar. passular. sine gigartis.

Corinthiacar. ana unc. ij.

Flor. Taraxac.

Cichores sylvestris. ana unc. j.

Rad. Scorzoner. unc. iv.

Cum aq. decoct. spatio $\frac{1}{2}$ horæ ℥. ij. admisce

Sal. Polychrest. drach. j.

Syrup. Cichor. cum Rheo. unc. j℥.

Bibat unc. j. omni semihoriō, donec leniatur
stus, cum regimine.

℞. *Syrup. Cichor. cum Rheo.* unc. j℥.

Sal. prunell. drach. j.

Aq. stillat. Cichorei.

Fumar. ana unc. ij.

M.

Tapiat cochleare j. omni semihoriō, in eosden
usus.

SECT. 944.

Æstivò tempore.

℞. *Baccar. matur. Mori.*

Ribesior.

Sambuci.

Cerasor.

Berberis. ana unc. iv

Contusis expressum succum decoque, tum
unc. j. hujus succi admisce

Vitell. Ovorum. N. j.

Succi Citrei. drach. j.

Vini Rhenani. unc. j.

Panis tostì tenuissimè contriti. q. f.

Sacchari. q. f.

F. Haustus.

Hyemali tempore.

℞. *Rob. ex iisdem. unc. j.*

Elaeosacch. de Nuce Myrist. gr. v.

Aq. stillat. cortic. Citrei. unc. ij.

Vini Rhen. unc. j.

Vitell. Ovorum. N. j.

Sacchar. q. f.

Hæc cum pauxillò *Panis tostì* infusa, expressa
exhibe.

(165)

Ad idem.

elect. rec. & caulium Lactuca.
Endivia.
Taraxac.
Portulac. ana
unc. vj.
Acetosa. unc. iij.

ita, lota, iterum excussa aqua, cum
carnium & paucillò Butyri, Salis &
Myristica, leniter, vase clauso, co-
medat.

VENTRICULI INFLAM- MATIONEM.

SECT. 954.

Potus Leniens &c.

. rec. Trifol. Acetosa. unc. iij.
Meloa. m. jß.
ena integra. unc. j.
serò lactis rec. decoct. unc. xij. adde
ell. Ovorum. N. ij,
b Ribesior. unc. j.

(166)

Clyfma.

R. Fol. recent. Endiv.

Cichor.

Fumar.

Malva.

Bismalva. ana m. j.

Cum fero lactis decoct. & express. aut.

Adhibe pro Clysmate bis vel ter de die.

AD INTESTINORUM IN- FLAMMATIONEM.

SECT. 966.

Vitrus.

R. Rad. Scorzoner.

Tragopog.

Sisari.

Petroselin.

Cichor. ana unc. ij.

Cum Jure Carnis S. A. decoct. ad unc. III.

Jusculo admisce

Vitell. Ovarum. N. ij.

Salis. q. s.

Dr.

(167)

Decoctum.

Rad. Valerian. hortens. unc. ij.

Fol. Levistici. m. ii.

Flor. Hyperici. m. j.

Agrim. unc. ij.

m aq. decoct. ℥ij. exhibe.

bat unc. ij. omni hora.

eodem etiam fit Glysma.

AD APHTHAS.

SECT. 990. N. 1.

Potus.

Amygd. dulc. excortic. contus. unc. ij.

Pistachior. unc. j.

Semin. 4. frigid. maj. } contus. ana drach. ij.
min.

Avenæ excortic. drach. iij.

*in aq. vase clauso decoque spatio 1 horæ,
tum adde*

Rad. excortic. Glycyrrhiz. unc. j.

ulliant denuo parum, tum decocti accurate contriti. ℥ij. exhibe.

et bibat, fauces eo colluat & os.

Vel.

Vel.

℞. Rad. Pastinacæ tenuifol. rubr.

Sisari.

Chinæ.

Sarsaparillæ.

Raparum. ana unc. iv.

Hord. integri. unc. j.

Minutim contusa cum aq. decoct. & fortiter
express. *unc. xxxx. admisce.*

Syrup. Alibæ. unc. j.

In usus eisdem.

℞. Bulb. Rapar. cum cortice. q. s.

Tyroceſti, vel radulâ, ex bractea ferratâ,
radantur : tum exprimatur succus, qui e-
bulliens leniter deſpumetur ; hujus *unc. xvj.*
admisce

Vitell. Ovorum. N. ij.

Syrup. Violar. drach. iv.

Bibat unc. ℥. omni ſemiborâ.

Cibi optimi.

Vid. §. 35. N. 1. 3.

SECT.

SECT. 990. N. 2.

Fol. Malvæ.

Branc. Urfin.

Altheæ.

Parietar.

Verbasc.

Mercurial.

Alchimill. ana unc. ij.

Rad. Altheæ. unc. j.

Bulbor. Rapar. unc. x.

aq. decoct. & express. unc. xxxvj.

misce

Titell. Overum. N. iv.

Tell. Rosar. unc. ij.

*ollutorium semper in Ore, & Gargarisma
iduum.*

*ex fæce residuâ Cataplasma, externè sa-
nus applicandum.*

us, ex iisdem.

SECT. 990. N. 3.

℞. Syrup. Papav. alb. unc. ij.
Cremor. lact. dulc. unc. ij.
Vitell. Ovorum. N. ij.
Aq. stillat. Rosar. unc. ij.
M.

Hujus pauxillum ore assidue contineat.

Vel.

℞. Gelatina CC. aut.
Carnis, benè spissæ, in frusta
conscissæ parum, q. s.
*Assidue imponatur linguae, ut solata ibi et
miat: & sic lentè deglutiatur.*

Hæc leniunt excoriata.

Vel.

℞. Decoct. Fol. res. Agrimon. unc. vij.
Mell. Rosar. unc. j.
M.

In eodém usus.

Hoc laxata roborat.

SECT.

SECT. 990. N. 4.

id. Oxylapath. unc. j.
rtic. Peruvian. drach. vj.
Tamarisc. drach. vj.
l. Agrimon. m. j.
aq. decoct. ℥ijß. admisce
ap. Kermes. unc. j.
unc. ß. omni borá.

testinorum laxata vascula roborat.

SECT. 990. N. 5.

ei. drach. jß.
robalan. citrin. sine nucleis. unc. jß.
iq. decoct. & express. unc. iij. admisce
ap. Cichor. cum Rheo. drach. xij
F. Haustus.

IN NEPHRITIDE.

SECT. 997. N. 2.

R. Fol. recent. Chærophyll.

Becabung.

Parietar. ana m. ii.

Rad. Acetosell.

Cicbor.

Bardan. ana unc. ij.

Cicer. rubr. unc. jß.

Semin. contus. Papav. alb.

Card. Mariæ. ana drach. vj.

Cum aq. decoct. spatiò $\frac{1}{2}$ horæ, ℥iij. exhibe.

Capiat unc. ij. omni $\frac{1}{4}$ horæ.

R. Rad. Gramin. unc. vj.

Semin. contus. Melonum. unc. jß.

Glycirrhiz. unc. j.

Cum aq. decoct. ℥iij. exhibe

In usus eisdem.

(173)

С Б С Т. 1000.

Remedia hinc propria.

Agrimonia.
Alcea.
Alchimilla.
Althea.
Becabunga.
Bellis minor.
Bugula.
Chærophyllum.
Daucus Sylvestris.
Dens Leonis.
Fœniculum.
Glycirrhiza.
Fraga.
Gramen.
Herniaria.
Lactuca.
Lingua Cervina.
Mercurialis.
Nummularia.
Nymphæa.

Ononis.
Parietaria.
Perficaria.
Scabiosa.
Virga aurea.
Urtica.

Syrup. Altheæ Fernelii.
Capillor. Veneris.
Cichorei cum Rheo.
Papav. alb.
—— Erratici.
Violaceus.

Sal Ammoniacus.
Gemmæ.
Marinus.

(175)

IN APOPLEXIA.

SECT. 1025.

Tollutoria & Gargarismata, in hoc casu.

℞. Rad. Imperator.

Pyrethri.

Galang. ana unc. j.

Fol. recent. Origani.

Ruia.

Thymi. ana m. j.

Flor. Lavand.

Matricar. ana unc. j.

Cort. Magellan. drach. vj.

Sum aq. decoct. vase clauso ꝑij. admisce

Sp. Sal. Ammon. drach. iij.

Masticatoria salivam moventia.

℞. Mastich.

Cera alb.

Zingib. ana unc. j.

F. S. A. parvi Pastilli.

Apophlegmatifantia fiunt ex iisdem.

SECT.

SECT. 1026.

Vomitoria.

℞. *Vini Emetici.* unc. ijß.
 Oxymell. scillit. unc. j.
 M. F. Haustus.

℞. *Cremor. Tartari Emet.* gr. vij.
 F. una dosis.

℞. *Succi ex Raphan. rustic. express.* unc. j.
 Oxymell. scillit. unc. ij.
 M. F. Haustus.

℞. *Mercurii Vite.* gr. ij.

Purgans.

℞. *Diagrya.* gr. x.
 Resin. Jalapp. gr. x.
 Sp. Vini rectific. drach. ij.
Accuratè tritis, & solutis, admisce
 Syrup. Rosar. solutiv. cum Senn. drach. vj.
 F. Haustus.

SECT. 1028.

Vapor Stimulans Nares.

℞. Castor.

Sal. Ammon. ana drach. ij.

M.

utiat sepe.

eti acerrimi.

℞. Castor. ana drach. ij.

M.

utius.

stillat. Rorismar.

Tanacet.

Lavand.

Ruta.

Abfinth. ana gutt. iv.

Infusi Castor. drach. j.

ment. Nervini. unc. j.

vol oleos. drach. j.

M. F. S. A. Balsamus,

fitu sub naribus, & circa tempora;
utiat.

(178)

Acre Clyfma.

℞. Pulp. Colocynth. drach. β.
Fol. Tabaci. drach. jβ.
Aq. nuc x. incoctis, admisce
Salis Gemm. drach. ij.
F. Clyfma.

SECT. 1030. N. 2.

Inprimis verò ex Sennâ & Tamarindis.
Vid. §. 396. N. 2.

SECT. 1030. N. 3.

Vide §. 954. 966.

IN PARALYSI.

SECT. 1068.

Vid. . 75. N. 5. §. 54 N. 4.

Seci

SECT. 1069.

R_o. Mastiches.

Olibani.

Succini. ana unc. β.

M. F. Pulv.

*Hujus drach. j. super prunam sparse fumus
excipiatur pannō sicco, calido, ex lanâ. Quô
dein fortiter fricentur partes.*

R_o. Sp. Lavandulae. unc. iij.

Sal. Ammon. drach. ij.

Tinctur. Castorei. drach. iv.

Aq. stillatit. Lavandulae. unc. vj.

M.

Perfricentur hæc cum misturâ partes.

R_o. Emplastr. de Cumin.

Melilot.

Galbani purati. ana unc. j.

Olei Castorei. unc. β.

M. F. Emplastrum ad alutam.

Parti affecta, prius fricata, apponatur.

(180)

R. Olei infus. *Abfinth.*
Anethi.
Chamamel.
Nepeta.
Ruta.
Trifol. odorat.
Castorei.
Crocini.
Irisi.
Lambricor. terrestr.
Nardini.
Terra. ana drach. j.
Unguent. *Agrippa.*
Arthanite.
Martiat.
Nervin. ana drach. vj.
M. F. Linimentum.

Emplastra acria,

De Cuminò.
Galbanò.
Melilotò &c.

IN MANIA,

SECT. 1126.

o. Cortic. Peruvian. drach. ij.
Magellan. drach. ij.
Conserv. Anthos. unc. j.
Syrup. Kermes. q. s.
t F. Conditum.
apiat drach. ℥, omni triboriq̄ de die.

Vel.

o. Diascord. Sylvii. drach. j.
Ekeofacchar. ex Ol. Citri. drach. ij.
Rad. Helenii condit. unc. j.
Syrup. 5. rad. aperient. q. s.
t F. Conditum.
us idem.

Vel.

o. Rad. Zingib. condit. unc. iij.
Corusc. Arant. condit. unc. ij.
Nucis Myrist. drach. iv.
Syrup. Artemis. Fernel. q. s.
t F. Conditum.
apiat ut prins.

Y 3

Vel.

Vel.

℞. Theriac. Androm.

Diateffar. Mesuae. ana unc. j.

Conserv. Absinth. unc. j℥.

Rad. Angelic. drach. ij.

Syrup. Tunicæ. q. s.

F. Conditum.

Sumat drach. j. quater interdū.

℞. Cortic. Peruvian.

Magellan.

Citrei.

Arantior.

Chinæ.

Cinnam. ana unc. j.

Summit. Serpill.

Thymi.

Mari Syriac. ana unc. ℥.

Fl. stœchad. Arab.

Lavand.

Tanacet. ana unc. j.

Ligni Agalloch.

Sassafr. ana drach. vj.

Cum Vini Hispan. ℥vj.

F. S. A. Vinum medicat.

Capiat unc. ij. quater de die, vacuô stomachi.

(183)

IN RABIE CANINA.

SECT. II44.

Clyfma.

℞. Nitri. drach. ij.
Aceti Sambuc. unc. j.
Mell. Rosar. unc. j.
Aq. decoct. Hordei. unc. x.
M. F. Clyfma.

℞. Sal. marin. drach. ij.
Aceti flor. Calend. drach. vj.
Mell. commun. unc. j.
Aq. stillat. Rusc. unc. x.
F. Clyfter.

AD

((184))

AD SCORBUTUM.

SECT. 1160. L. α.

Purgans.

℞. Tartar. Vitriol. non acid.

Cristall. Tartar.

Sal. Polychrest. ana drach. ℞.

M. F. Puly.

Mane hauriendus ex Serò lactis: superbibas dein

Seri. unc. xij.

Aliud.

℞. Sal. Polychrest. drach. ij.

Pil. Coch. maj. ferap. j.

Syrup. Rosar. solut. cum fenn. drach. vj.

Aq. stillat. Cichor. unc. ij.

M. F. Haustus.

℞. Elixir. propr. cum sale Tart. pp. drach. ij.

Syrup. Rosar. solut. cum fenn. drach. vj.

Aq. still. Fumar. unc. ij.

M. F. Haustus.

℞. Pil. Coch. Maj. drach. j.

F. Pil. N. XXI.

*Capiat duas vesperi ante somnum, mane 5.
ante jentaculum.*

SECT.

SECT. 1160. L. β.

*Attenuantia digerentia.*Tinctura falis Tartar. Helmontiana. *drach. j.**Ex Vini unc. ij.*————— Harveiana. *drach. iv.**Ex Vini unc. iij.*————— Martis Ludovici. *drach. j.**Ex Vini unc. j.*Tartarus Vitriolatus. } *Singula sumi*
Crystalli & Cremor Tartari. } *possunt ad*
Vitriolum Martis } *drach. β.*

Sal. Polychrestus.

Sales Tacheniani ex Vegetabil. *drach. i.**Ex Vini unc. iij.*Elixir propr. cum Sp. Aceti pp. *drach. ij.*Sale Tartar. pp. *drach. ij.*Aquis aromat. pp. *drach. iij.*Sales volat. oleofi Aromatici. *drach. j.*Sapo Venetus. *drach. iv.*Starkeianus. *scrup. β.*Oxymel. simplex. *unc. iv.*Scilliticum simplex. *unc. iij.*compositum. *unc. ij.*

Conserva Acetosæ.

Lujulæ.

Poma Aurantia.
Chinenſia.
Citrea.
Limonia.
Granata.

S E C T. 1160. L. γ.

Specifica Antifcorbutica lenior

Abrotanum mas.
 foemina.
Abſinthium latifolium.
 tenuifolium.
Acetoſæ omnes ſpecies.
Acetoſellæ omnes ſpecies.
Ageratum.
Agrimonia.
Anagallis mas.
 foemina.
Artemiſia.
Balfamita.
Bardana.
Becabunga.
Botrys.
Brassica rubra, capitata.

Bunium.
Buxus.
Chærophylum.
Chamædrys.
Chamæpitys.
Cichorea.
Crambe.
Cuminoides.
Endivia.
Eupatorium Cannabinum.
Fœniculum.
Fumaria.
Galegæ ambæ species.
Hedera terrestris.
Lapatha.
Levisticum.
Majorana.
Melissa.
Mentha.
Nasturtium aquaticum.
 hortense.
Nummularia.
Rheum-barbarum.
Salvia.
Scabiosa.
Scordium.
Sophia.
Veronica.
Urtica.

(188)

Poma aromatica odorata.

Aurantia.
Citrea.
Granata.
Limonia.

Fructus Berberis.
Cerasa matura quæcunque.
Fraga.
Grossulariæ.
Mori.
Poma acido dulcia.
—— Armeniaca.
—— Perfica.
Pruna matura quæcunque.

Fructus Rubi vulgaris cæfii.
———— ——— rubri.
———— — Idæi.
—— Sambuci.
—— Tamarindi.
—— Vitis Idææ.

(189)

SECT. 1161.

Scorbutica acriora.

Acriviola.
Allia.
Alliaria.
Arum.
Armoracia.
Absinthium.
Cepæ.
Chelidon. majus.
Cochlearia.
Enula.
Erysimum.
Eruca.
Gentiana.
Gratiola.
Ifatis.
Piperitis *vel* Lepidium.
Porrum.
Parmica draco.
Raphanus hortensis.
—— rusticanus.
Ruta.
Sabina.
Santonium.

Saponaria.

Sedum minus vermiculare acre.

Sinapi.

Trifolium aquaticum.

Succus expressus.

R_o. *Rapban. rustican. radulâ rasi. unc. ii*

Fol. rec. Cochlear.

Nummular.

Urticæ. ana m. iv.

Succum S. A. exprime & Saccharo misce

Capiat drach. ij. quater vel sexies de die.

Spiritus.

R_o. *Semin. Sinapi.*

Rapban. hortens.

Eruçæ.

Erysimi.

Nasturt. hortens. ana unc. j.

Fol. Cochlear.

Lepidii.

Rapban. rusticani. ana m. ij.

Conscissis & contusis adde

Sal. marini. unc. ij.

Flor. Cerevisiæ. unc. j.

Sp. Vini q. f. ad excessum duorum digitorum.

Destilla & cohoba ter.

Sal-Volatile.

Precedentibus, loco Sal. marin. & flor. Cerevisiæ, admisce

Sal. Ammon. contusi. unc. iij.

Cinerum clavellat. unc. vij.

Destilla ut ante.

Cerevisia.

℞. Fol. recent. Cochlear.

Erucae.

Erysimi.

Trifol. aquat. ana m. j.

Semin. recent. contusi. Nasturt. hortens.

Raphani hortens.

ana unc. ij.

Flor. Centaur. min. unc. j.

Rad. Raphan. rustic. unc. v.

Conscissa reconde in Cerevisiæ recentis & fervescentis $\frac{1}{2}$ doliò :

Pro potu assiduò.

Vinum.

℞. Bulb. Ari recent. effossi. unc. ℞.

Raphan. rustic. unc. j.

Fol. Cochlear.

Trifol. aquatic. ana m. j.

Semin. Sinapi. unc. ij.

Vini Rhenani. ℥vj.

℞. S. A. Vinum Medicatum.

SECT,

SECT. 1162.

Antiscorbutica modicè adstringentia.

Capparis.

Flos Genistæ.

Fraxinus.

Lapathum, omnēsque ejus species.

Lupulus.

Polypodium quercin.

Rhabarbarum.

Tamariscus.

Antiscorbutica frigidiuscula.

	{	Aurantia.
	{	Citrea.
Poma odorata.	{	Limonia.
	{	Chinensia.
	{	Granata.

Fructus horæi acido dulces.

Acetosa.

Acetofella.

Cichorea.

Endivia.

Lujula.

Lactuca.

Taraxaca.

Hy-

(193)

Hydrogala, æstate.
Serum Lactis.
Lac ebutyratum.

Tartarus & omnia Acida tartarifata.

Calida & Acris.

Vid. §. 1161.

SECT. 1163.

Collutoria Oris.

In Calidis.

R_o. *Myriæ Limonum.*

Mell. rosac. ana unc. ij.

Sp. sal. dulc. drach. ℥.

Aq. stillat. Rutæ. unc. ij.

M.

R_o *Sp. Salis marini. drach. ij.*

Aq. stillatis. Salviæ. unc. viij.

M.

R_o. *Succi Limon. recent. unc. j.*

Salis Ammoniac. drach. j.

Aq. stillatis. Rutæ. unc. vj.

M.

Aa

In

(194)

In Frigidis.

℞. *Sp. Theriacal.*
 Cochlear. ana unc. j.
 Mell.° Antidofat. unt. ij.
 M.

℞. *Sp. Vini Camphorati. unc. ℞.*
 Tinctur. Myrrhe. unc. j.
 Rob Juniperin. unc. ℞.
 Aq. stillatit. Absinth. unc. iv.
 Sal. gemma. drach. j.
 M.

SECT. 1164.

℞. *Fumaria.*
 Acetosa.
 Becabunga.
 Trisol. aquat. ana m. j.
 Seri Lactis.
 Lactis ebutyrati. ana pint. ij.
 F. Decoctum.

℞. *Arctopella*. m. jß.

Betonica.

Cherophylli. ana m. ß.

Tamarindor. ana. jß.

Conscissa infunde cum

Seri lactis æstivi ℥iij.

Spatiò horæ, in calore fere fervidò, absque
ebullitione tamen, dein per linteum ex-
presso admisce.

Syrup. e succò Citri.

Rubi Idei.

Violacei. ana ana. j.

Bibat de alterutrò omni semiboriò interdum an-
ciam unam.

IN PHTHISI PULMONALI.

SECT. 1200. N. 2.

℞. *Conserv. Ros. rubr.* ana. iij.

Bol. Armen. levigat. drach. ij.

Syrup. Myrtin. q. s. ut

F. Conditum.

Capiat drach. j. omni biberiò.

R_o. Fol. teneror. Plantagin. unc. iij.^o

Flor. Papaver. Rhæad. unc. jß.

Semin. Plantag. rec. unc. j.

M. S. A. cum f. q. Sacchari, ut

F. Conserva.

Dosis ut supra.

R_o. Fol. Acetose. m. ij.

In Seri Lactis ℥j. decocti, & expressi,

Unc. j. bibatur omni horâ diei.

R_o. Rad. Tormentill. unc. ij.

Pentaphylloides argentina. m. iij.

Flor. Pentaphylloid. rubr. palustr. unc. j.

Semin. contus. Acetose. unc. ß.

Cortic. Tamarisci. unc. ij.

Cum aq. decoct. spatiò $\frac{1}{2}$ hor. ℥iv. admisce

Syrup. Myrtin. unc. ij.

Bibat unc. ij. omni bishoriò diei.

Balsamica lenissima.

R_o. Amygdal. dulc.

Nucleor. Cocos.

Pistachior.

Semin. Papav. albi. ana unc. iv.

*Accuratè contusis S. A. sine multò igne
exprime Oleum.*

*Hujus Ol. drach. j. bibatur omni bishoriò, vel
quadrihoriò, cum regimine.*

R_o.

erebintb. nativ. unc. ℥.
lycirrhiz. q. s. ut
assa Pil. formandis idonea.
tar ana gr. iv. omni quadriboriâ.

Vel.

erebintb. nativ. unc. ℥.
umm. Tragacanth. pulveris. drach. v.
nyli. q. s. ut
assa, in eisdem usus.

nus Lucatellæ. Capiat drach. ℥. ter
tidie, vacuo ventriculo, superbibendâ un-
ce j. Mulsæ sequentis.

Mulsa Balsamica.

lor. purorum, recentium, Betonica.
Hyperici.
Paralytiar.
ana pug. j.
aq. calidâ fiat Infusio, vase clauso,
id semihorii, tum Infusi puri ℥j℥.
isce
ellis Massiliensis. unc. ij℥.

SECT. 1200. N. 3.

℞. *Aqua pura.* ℥ij.
Lactis recens mulsi. ℥ij.

M.

Hoc solò utatur pro potu, quantum libet.

℞. *Lactis recens mulsi.* ℥ss.
Panis biscocti. unc j.
Sacchari. drach. ij.

Cruda misce.

Sumatur quater quotidie, nec utatur aliò ei

℞. *Lapid. Cancrer.* drach. ij.
Sapon. Veneti. drach. β.
Sacchari perlati. drach. ij.

M. F. Pulv. divid. in xij. dof.

Capiat semper unam ante usum lactis cum p

(199)

SECT. 1209.

℞. *Oxymell. simpl.* unc. iv.
 Tart. Vitriolat. drach. j.
 Syrup. 5. rad. aperient. unc. ij.
 Aq. stillat. fermentatæ Absinthii.
 Card. bened.
 Hyssopi. ana unc. iv.

M.

Bibat unc. iij. omni biboriô.

℞. *Lignor. trium Santalor. ana unc. j.*
 Sassafr. unc. jss.
 Rad. Chinæ.
 Sarsaparill. ana unc. iij.
 Flor. Centaur. min. unc. ss.
Cum aq. decoct. vase clauso S. A. spatio $\frac{1}{2}$
 horæ, adde
 Glycyrrhiz. decoratæ. unc. j.
Ebulliant denuo parum: dein Decocti $\frac{1}{4}$ iv.
exhibe.

℞. *Rad. Caryophyllat. montan. unc. ij.*
 Apii.
 Bardanæ.
 Eryngii.
 Graminis.
 Liquiritiæ.
 Mei Asbamæ.
 Petroselini.
 Pbu.
 Rubiæ tinctor. ana unc. j.

Fol.

Fol. Agrimonie.
Artemisie.
Capill. Veneris.
Chamaedryos.
Chamaepityos.
Hyssopi.
Parietaria.
Scabiosæ.
Tussilaginis.
Urticæ.
Cherophylli. ana m. j.
Semin. Apii.
Hyperici.
Pæonia. ana unc. j.
Flor. Betonica.
Hyperici.
Centaure. min. ana pug. j.

Ex his vel ex quibusdam horum F. D
ctum S. A.

Cajus unc. iij. bibantur omni triboriô.

℞. Myrrhæ tenuissimè contritæ. drach.
Spermat. Ceti. drach. iv.

Accuratè trita permisce

Terebinth. nativ. unc. ℥.

Admisce

Pulveris Olibani q. s. ut

F. Massa formandis Pil. apta.

Capiat gr. iij. omni triboriô.

℞. *Balsam. Peruvian. albi.*

Copayb. albi. ana drach. ij.

Vitell. Ovor. unc. β.

Accuratè subactis adde

Pulv. Glycirrhiæ. q. s. ut

℥. *Massa Pilularis.*

Capiat gr. ij. mane, meridiè, vesperi.

℞. *Masticæs.*

Myrrhæ.

Olibani. ana drach. ij.

℥. *Pulv. subtilis, interim fluat in fictili ad ignem lenissimum.*

Succi Glycirrhiæ, inspissatæ.

Terebinthinæ purissimæ. ana unc. β.

¶ cum admisce pulverem præscriptum sub sinem addendò

Balsami ex Mechâ. drach. j.

℥. *Massa copiosò Glycirrhiæ pulvere respergenda.*

umat quotidie, quater, vacuò ventriculò, massulam granor. vj. superbibendò Unciasvj. sequentis potus.

℞. *Fol. tenerior. Agriman.*
Betonica.
Boeryos.
Hederae terrestr.
Scabiosæ.
Tussilaginis.
Veronicæ. ana unc. ℥.

Glycyrrhizæ. unc. j℥.

F. Infusum, sine ebullitione, in magnò calore, vase accuratè clausò, cum aquæ ℥ij.

S E C T. 1210.

Vid. Omnia præscripta §. 1209.

℞. *Fol. recent. Veronic. maris. m. j℥.*
Parietar.
Rutæ. ana m. j.
Valerian. hortens. m. ℥.
Semin. Papaver. contus. unc. iij.
Rad. Petroselin. unc. vj.
 Cum aq. S. A. decoct. ℥vj. adde
Syrup. Capill. Veneris. unc. ij.
Bibat. unc. iv. omni trihorio.

Vesperis fumat *Pilulam* unam harum ;

℞. *Pilul. Cynogloss.* drach. j.
F. Pil. gr. iv.

*Consolidans Paregoricum, dandum ubi
jam desinit Pus cum levamine.*

℞. *Fol. recent. Borragin.*
 Symphyti min.
 Malvæ. ana m. j.
Flor. Papav. rhœad.
 Verbasci.
 Hyperici. ana unc. j.
Rad. Symphyt. maj. unc. β.
 Altheæ. unc. j.
Semin. contus. Melon.
 Papav. alb. ana unc. j
Cortic. Peruvian. drach. vj.
Cum aq. decoct. ℥jv. exhibe;
Bibat unc. iij. omni quadriboriō.

IN HYDROPE.

SECT. 1233.

℞. Rad. Imperator.

Aristoloch. ntriusque.

Zedoar.

Siler. montan. ana unc. j.

Zingib. drach. vj.

Flor. Centaur. minor. unc. ij.

Rorismar. unc. j.

Gratiol. Germanor. drach. iv.

Baccar. Lauri.

Juniperi. ana unc. j℞

Thymi.

Serpilli.

Mari Syriaci. ana unc. j.

Semin. Absinth.

Tanacet.

Santon. ana unc. j.

M. F. S. A. omnium Pulv. tenuis, tum

℞. Pulv. præscript. unc. vj.

Vini Gallici meri. ℥jv.

F. S. A. Vinum Medicatum.

*Bibat unc. ij. quater de die, vacuô stomacho,
cum regimine.*

Vel

℞. *Pulv. præscript. unc. ij.*
Conserv. Anthos. unc. j.
Syrup. Artemis. Fernelii. q. s. ut
 ℥. Conditum
Dosis drach. β. omni quadriboriō.

Aut

℞. *Pulv. præced. unc. xij.*
Cerevisiæ meracioris ¼ tonnae.
 ℥. *Cerevisia Medicata,*
et usus quotidianus.

Quin

℞. *Pulv. ejusd. drach. iv.*
Vini albi generosi. unc. viij.
 ℥. *S. A. Infusio.*
Bibat unc. j. omni biboriō.

℥. *Elixiria propriet.*

Sales vol. Oleosi.

_____ Aromatici.

Sp. vol. acres Oleosi.

_____ Aromatici.

_____ Cephalici.

_____ Matricales.

_____ Stomachici.

&c. pertinent.

Vide §. 75. N. 5. §. 54. N. 4. §. 135.

Bb 3

SECT.

S E C T. 1234.

R. Ol. stillat. cortic. Citrei.

Aurant.

Cinnam. ana gutt. iij.

Flor. Lavand.

Juniperi. ana gutt. ij.

Cum Sacchari. drach. vj.

F. S. A. Elæofaccharum, quod admisceto
dein

Rob Samb.

Juniperi. ana unc. iij.

Sp. Salis. ¹ drach. j.

Aq. stillat. cortic. Citrei.

Aurant.

Cinnam. ана итс. ij.

Menthae. unc. X.

Capiet unc. j. omni biboriô.

R₂. Succⁱ rec. expressi ex { Fumariæ.
totâ rec. herbâ con- { Cichorei.
scissâ- { Taraxaci. } ana ℥ij.
Acetosa. }

Cremor. Tartari. 16ß.

Leni igne decoque ad $\frac{1}{2}$; dein depurati hujus Decocti *unc.* x. admisce

Rob Sambuci. unc. X.

Capiat unc. ℥. omni biberiô.

R.

(207)

Sp. Nitri dulcis. drach. iv.
Cochlearia. drach. vj.
Syrup. Cichorei cum Rheô.
5. rad. aperient. ana unc. j.
Vini Rhenani. ℥i.
M.
æ unc. j. omni bîhoris.

SECT. 1237. N. 3.

Turbith. mineral. gr. ℥.
Zingib. albi. gr. x.
M. F. Pulv.
æ sumendus alternô die, ex panxillô pulpe
omi testi.

Mercur. præcipit. rubri. gr. j.
Nucis myrist. gr. vj.
M. F. Pulv.
sus eosdem, sumendus in prior.

Mercur. sublim. dulc. gr. vij.
Cortic. Magellan. gr. viij.
M. F. Pulv.
sus eosdem.

R.

(208)

℞. *Tartari emetici.* gr. β.
 Eleosacchari Citrei. gr. vj.
 M. F. Pulv.

Tertiò quòque d. e sumendus.

℞. *Emetici mitissimi, ex Antimon. p.* ij.
 Nitri p. v. detonandò præparati. gr. iv
 F. Pulv.

Omni mane assumendus.

℞. *Limatur. Cupri.* gr. x.
 Sal. vol. oleosi. drach. vj.
 M. F. *Tinctura cærulea.*
Capiat gutt. xij. ter de die, vacuò stomach
 ex Syrup. 5. rad. aperient. unc. β.

SECT. 1243.

Vid. 334.

Sec1

SECT. 1245.

R_o. *Vini Emetici vulg.* unc. ijß.
Unâ dosi.

R_o. *Tartari emetici.* gr. vj
Unâ dosi.

R_o. *Turbith. mineral.* gr. vij.
Unâ dosi.

R_o. *Succi recent. expressi Cortic. medii Samb.*
buci. unc. j.
Syrup. Violar. unc. ß.
Pro unâ dosi.

R_o. *Fol. Soldanellæ marin.* unc. j.
Comedat unâ vice.

R_o. *Elaterii.* gr. iv.
Syrup. de Baccis Rhamni-catharæ. unc. j.
M.
Pro unâ dosi.

S E C T. 1247.

R_o. Resin. Jalapp.

Scammon. ana drach. j.

Fol. Sennæ pulv.

Semin. contus. Carthami. ana drach. iv.

Sp. Vini rectific. ℥ij.

F. S. A. Tinctura, cui puræ admisce.

Syrup. Rosar. solut. cum Senna. unc. vj.

Bibat unc. j. mane.

R_o. Lunc purgativæ Boyleanæ.

Micæ Panis. ana gr. iv.

M. F. Pil. gr. ij.

Capiatur una omni semihoriô, donec incipiat purgatio.

S E C T. 1250.

R_o. Limaturæ Ferri rec. non rubigin. unc. ij.

Cortic. Peruviani.

Magellan. ana unc. ij.

Rad. Rhei exsiccata. unc. ℥.

Vini Rhenani generosissimi. ℥ij.

F. S. A. Vinum Medicatum.

Dos. unc. ij. ter de die, vacuô stomachô.

Sect.

SECT. 1252. N. 2.

℞. Rad. elect. Bryon.

Falapp.

Fol. Ruta.

Absinthii.

Cinara hortens.

Flor. Melilot.

Centaur. min.

Bulb. Ceparum.

Allior. ana unc. ij.

Cum aq. comm q. s. decoct. S. A. in Cataplasma, sub finem admisce

Galbani in vitellâ Ovi s. a subacti. unc. ij.

Farin. Lini. unc. j.

Ol. Lini. drach. iv.

Sal. Ammon. drach. iv.

M.

℞. Sapon. Venet drach. iv.

Sp. Vini theriacal. unc. xij.

M. accuratè pro Fomentò,
cum laneis panhis applicandò.

℞. Sal. marin. de repit. siccissimi, calidi, tenuissime triti. q. s.

Intra lintea consuta applicetur, renovandò simulac maduerit.

R. *Benzoin.*

Olibani.

Sarcocolla.

Resin Guajaci. ana unc. ℥.

Campboræ. drach. ℥.

Masticheſ. unc. j.

Salis Ammoniac. scrup. ij.

M. F. *Pulv. Cujus incenſi vapor excipiantur
undò ſcrotò, deim panni lanei fumò hoc va-
poroſi, calidi, ſuperapplicentur.*

IN PODAGRA.

SECT. 1275. L. α.

Vid. 1233.

SECT. 1275. L. β.

R. *Alcabest Glauheri. unc. j.*

Sumat, omni mane, gutt. ix. ex Jure vitalini.

R. *Ciner. Geniste. unc. j.*

Vini Rhenani. ℥℥℥.

M.

Bibat depurati liquoris unc. ℥. omni mane.

IN

(213)

IN MORBIS VIRGINUM.

SECT. 1291. N. 3.

löc.

lyrrha.

ryonia.

olocynthis.

umm. Ammon.

Bdellium.

Sagapenum.

Opopanax.

Galbanum.

Afa foetida.

lixir proprietatis quodcunque.

SECT. 1291. N. 4.

omnia hic supra N. 3.

Cc 3

Art-

Aristolochia.
Artemisia.
Cardiaca.
Chamæmelum.
Juniperus.
Majorana.
Marum.
Matricaria.
Pulegium.
Ruta.
Sabina.
Salvia.
Sambucus.
Serpillum.
Tanacetum.
Thuya.
Thymus.

Tum §. 75. N. 5. §. 54. N. 4.

SECT. 1291. N. 5.

Emplastra de Cuminò.
Melilotò.
Galbanò.
Baccis Lauri.
Labdanò.

Oxyroceum.

Applicata cavis pedum, umbilico & inguinibus.

Forus, *ex Sapone Venet. & Decoct. herbarum*
N. 4. §. 1291.

Li-

menta ex Unguentō Martiatō.
Nervinō.
Emulatō sine Mer-
cur,
Agrippæ.
De Arthanitâ.

a Aromatica stillatitia. vid. §.
æcipuê verō
um stillatit. Baccar. Juniperi.
Hyssopi.
Macis.
Majoranæ.
Origani Cretici.
Rosmarini.
Sabinæ.
Spicæ.
Tanaceti.
Succini.

a infusa Absinth.
Anethi.
Chamæmeli.
Nepetæ.
Rutæ.
Castorei.
Crocini.
Irii.
Lumbricor. terrestr.

(216)

V G.

R. Unguent. Martiat.

Ne vini. ana unc. j.

Olei stillatit. Baccar. Juniperi. drach. j.

Sabina.

Infusi Ruta.

Castorei. ana unc. ℥.

M. F. Linimentum in hoc casu,

Umbilico, pubi, inguinibus applicandum.

Vapores, ex Decocto N. 4. *Usero excepti.*

SECT. 1291. N. 6.

Vid. 1250.

AD GRAVIDARUM MORBOS.

SECT. 1300.

R. Cortic. elect. depurat. Citrei.

Anrantior.

ana unc. ij.

Cinnam. drach. vj.

Magellan. drach. ij.

Vini Hispan. ℥iij.

F. Vin. Medicatum.

Capiat unc. ij. vesperi stura cabitum.

R.

℞. Sal. vol. oleos. drach. j.
 Tinct. Gumm. Lacc. drach. ij.
 Castor. drach. ℥.

M.

Capiat gutt. xij. in Paroxysmo Hysterico.

℞. Succ. Citrei rec. express. unc. iv.
 Syrup. Kermesin. unc. iv.
 Vini Rhenani. ℥iij.
 Tinct. Cinnam. unc. ij.
 Cortic. Citrei. unc. iij.

M.

Capiat unc. j℥. in languore.

℞. Rob Ribesior.
 Mivæ Cydonior.
 Syrup. Berberis condit.
 Acetos. Citrei. ana unc. ij.
 Sp. Vitæ Matthioli. unc. j.
 Aq. stillat. cortic. Citrei. unc. xij.

M.

Capiat unc. ℥. in languore.

℞. Unguent. Popul.
 Rosac. ana unc. j.
 Nutrit. drach. vj.
 Sacchar. Saturni. scrup. j.
 Ol. infus. Rosar.
 Violar.

Hyperici. ana unc. ℥.

M. F. Linimentum, huic casui aptum.

Dd

SECT.

(218)

SECT. 1307.

R_o. Lapid. Hematit.

Bol. Armen.

Sang. Dracon. ana drach. ʒ.

Syrup. Myrtini. unc. ʒ.

Laud. puri. gr. iij.

Aq. stillat. Plantag. unc. vj.

M.

*Capiat unc. ʒ. omni ¼ hora, donec incē
leniri malum, si medicamentū hujus
superabile sit.*

IN PARTU DIFFICILI

SECT. 1316.

Lintimenta.

Vid. §. 35. §. 1302.

AD PUERPERIOS MORBOS.

SECT. 1324.

℞. *Lapid. Cancr. drach. iij.**Corall. rubr. drach. ij.**Margarit. drach. j.**Laud. puri. gr. iij.**Syrup. Kermēs. drach. vj.**Aq. stillat. cort. Citrei.**Meliss.**Majoran. ana unc. iij.*

M.

*Tapiat unc. ℞. omni $\frac{1}{4}$ horæ, donec sopiatur
dolor; superbibendō unc. ij. sequentis.*℞. *Hord. mund.**Avenæ integræ. ana unc. j.**Sum aq. decoct. spatiō $\frac{1}{2}$ horæ ℥iij. admisce**Vini Rben. ℥j.**Aq. stillat. Cinnam. unc. ij.**Syrup. Kermesin. unc. j℞.*

R_o. Olei stillat. Cinnam. gutt. ij.
Sacchari perlati. drach. j.
F. S. A. Elæosaccharum, cui dein admisce
Margarit. Occid. drach. β.
Matris perlar. drach. j.
Corall. rubr. drach. β.
Laudani puri. gr. iij.
M. F. Pulv. subtiliss. divid. in vj. dof. æq.
Sumat unam omni semiborâ ex Vini rhenani
unc. β. donec dolor mitescit; dein detur u-
na tantum, mane & vespere, per bimos dies.

SECT. 1336. N. 1.

Antacida

Vid. §. 66. N. 5. §. 76. & §. 1324.

SECT. 1336. N. 2.

Diluentia.

Vid. §. 54. N. 4.

(221)

SECT. 1336. N. 3.

Discutientia hic bona.

℞. Flor. Chamamel.

Sambuc.

Melilot.

Lavand. ana unc. ij.

Croci. drach. j.

Cum Lacte dulc. decoct. in Cataplasma ad-
misce

Sapon. Venet. drach. ij.

Micæ Panis albi. q. s.

SECT. 1336.

℞. Sp. flor. Rorismar. q. s.

Applicetur cum lintea.

℞. Ol. Amygdal. dulc.

infusi Hyperici.

Violar.

Rosar. ana unc. ℥.

M. F. Linimentum.

℞. Unguent. Rosar.

Popul.

Nutrit. ana unc. ℥.

M.

Dd 3

N

IN MORBIS INFANTI

SECT. 1342.

℞. *Mell.*
Vini Gall.
Hydromell. ana unc. ℥.
M.

Una dosis.

℞. *Syrup. Cichor. cum Rheo. drach. iij.*
Sapon. Venet. drach. ℥.
Aq. stillat. Melissæ. unc. ℥.
M.

Una dosis.

SECT. 1343.

℞. *Cinnam.*
Maceris.
Nucis myrist.
Masticb.
Olibani. ana drach. ij.
Sp. Vini Theriacal. unc. iv.
F. Tinctura;

Dein

℞. Vell. Ovi. N. j.

Tinctura præscriptæ. unc. ℞.

Aq. stillat. Rosar. drach. ij.

Excepta pauxillò micæ panis stomacho applicentur.

℞. Flaved. cortic. Citrei rasi. unc. ℞.

Nucis myrist. drach. ij.

Vini Hispan. drach. iij.

M. conterendò simul in mortariò.

Et micâ panis excepta applica ut prius.

SECT. 1346.

℞. Cassiæ rec. extract. drach. ℞.

Rhei. gr. iij.

Syrup. Cichor. cum Rheò. drach. ij.

M.

Pro unâ dosi.

℞. Mammæ Calabrin. drach. ii.

Syrup. Rosar. solut. drach. j.

Aq. stillat. flor. Sambuci. drach. iv.

M.

Pro unâ dosi.

℞.

℞. *Mell. albi.* drach. iij.

Syrup. Rosar. solut. cum Sennâ. drach.

Aq. stillat. Cichor. drach. iv.

M.

Pro unâ dosi.

℞. *Rhei elect.* gr. vj.

Agaric. elect. gr. ij.

Syrup. Violar. drach. ij.

Exactè contritis admisceto

Aq. stil'at. Meliss. drach. ij.

Pro unâ dosi.

℞. *Sapon. Venet.* parum in globulum vel
num formati.

℞. *Globulum exiguum* vel *Conulam*, factu
ex Saccharô coniformi.

℞. *Mel* ad duritiem coctum & in Supp
torium exiguum formatum.

℞. *Sebi Candelarum parum*; forma in f
ciem debitam.

Cardiaca hęc bona:

℞. *Mell. drach. j.*

Vini Hispan. drach. ij.

Vitell. Ovi. drach. ij.

M. F. Haustus.

℞. *Aq. stillat. Cinnam. drach. ij.*

Elixir. propr. cum sale Tartar. pp. gutt. vj.

Syrup. Kermes. drach. j.

M. F. Haustus.

SECT. 1347.

℞. *Seri Lact. rec. drach. vj.*

Mellis. drach. j.

M. F. Haustus.

℞. *Seri Lact. rec. unc. ij.*

Sapon. Venet. drach. jß.

Mell. drach. ij.

M. F. Clyfma.

S E C T. 1348.

R_o. Ol. Lini. drach. j.
Syrup. Albææ. drach. ij.
 M.

Pro una dosi.

R_o. Ol. Oliver.
Syrup. capillar. Vener. ana drach. ij.
 M.

Pronna dosi.

R_o. Ol. Amygdal. dulc. rec. drach. iij.
Syrup. Glycyrrhiz. drach. ij.
Pro una dosi.

R_o. Olei Lini. unc. ß.
Vitell. Ovi. drach. ij.
Mell. Mercuriat. unc. ß.
Seri Lactis recent. unc. j.
 M. F. Clyfma,
Applicandum semel quotidiana, donec lubricita
apparet.

R_o. Unguent. Albææ compos. unc. j.
Olei sem. Lini. unc. ß.
 M. F. Linimentum,
Quô Abdomen innungatur mane & vesperti.

SECT. 1350.

R₃. Lapid. Cancror.

Osteocoll.

Creta.

Mandibul. Lucii piscis.

Ostracoderm. Ostreor. ana drach. ij.

M. F. Pulv.

Dosis, gr. vij. bis vel ter 3x die.

R₃. Aq. stillatis. flor. Rhœad.

Fœniculi. ana unc. ij.

Lapid. Cancror. drach. ij.

Sapon. Venet. gr. vij.

Syrup. Albæa. unc. ʒ.

M.

Libat drach. ij. omni horâ, si non dormit.

S E C T. 1356.

℞. Sapon. Venet. drach. ij.
 Vitell. Ovor. drach. iv.
 Lapid. Cancror. drach. iij.
 Rhei. drach. ℥.

Bene perendō Misce cum

Aq. stillat. Mentb. unc. iv.

Syrup. Altheæ unc. j℥.

Capiat unc. ℥. omni horâ, donec sedentur
 symptomata.

℞. Sapon. Venet. drach. ℥.

Sal. Gemm. gr. iij.

Mell. Ambrosat. unc. ℥.

Aq. stillatit. Fœniculi. unc. j℥.

M. F. Clysmā.

℞. Fellis Bubuli. drach. ℥.

Mell. Mercurial. unc. ℥.

Aq. stillatit. Mentb. unc. j℥.

M. F. Clysmā.

(229)

Oleosa interna.

Vid. §. 1348.

Oleosa externa hic.

Ung. Martiat.
Nervin.

Olea infusa Absinthii.
Anethi.
Chamæmeli.
Rutæ.

Olea pressa Lauri.
Macis.
Nucis myristicæ.
Palmæ.

SECT. 1369.

R̃. Gummi. Opopanax. drach. j.
Vitell. Ovor. drach. ij.
M. S. A. dein adde
Sapon. Venet. drach. j.
Syrup. Artemisf. unc. jss.
Aq. stillat. Fœniculi. unc. iij.
Capiat drach. j. omni quadriboriò, antè vel
àkerò die, cum regimine.

Ec 3

R̃.

R_o. Mercur. nigri.

Agarici trochisc. ana drach. j.

Sacchari puri. drach. jss.

M. F. Pulv. dividendus in x. partes.

Capiat unam mane & vespere, vacuò stoma-
chò.

R_o. Sal. Card. bened. drach. ij.

Syrup. 5. rad. aperient. unc. j.

Aq. stillat. Fumar. unc. iv.

M.

Capiat drach. iij. omni triboriò.

R_o. Semin. Absinth. vulg.

Santonie.

Tanacet. ana drach. ij.

Mell. unc. ij.

M.

Sumat drach. ij. omni mane.

SECT. 1370.

℞. *Unguent. Agripp.*

Arthanit. ana unc. j.

M. F. *Linimentum;*

Cujus pauxillō inungatur subinde locus Umbilici.

℞. *Fellis Taurini.*

Aloës pur. ana drach. j.

Unguent. Alibææ. unc. j.

M.

In similes usus.

℞. *Ol. Tanacet.*

Castorei. ana unc. ℥.

Unguent. Nervin. unc. j.

M.

In eundem effectum.

in quibus observandum, an nimis turbet alvum; id quippe accidit sæpe: ne in Dysenteriam prolabatur Infans, ex usu nimio, cavendum tunc erit.

SECT. 1371.

R_o. Mell. *unc. ij.*

Sal. Gemm. drach. jß.

Aq. still. Cichor. unc. iv.

M. F. Potus,

Cujus unc. ß. bibat omni horâ diei.

R_o. Corn. Cerv. ustum, *ad scrup. j.*

*Capiat quater de die, quô tempore vacuus est
stomachus, ex*

Syrup. Rosar. pallid. drach. ij.

R_o. Corallin. marin. drach. ij.

Limatur. Martis. drach. ß.

M. F. Pulv. dividendus in dof. xvj.

In usum eundem.

R_o. Semin. Santonici.

Rutæ.

Tanacetis.

Abstinibis. ana drach. j.

Sacchari. drach. iij.

M. F. Pulv. dividendus in dof. xvj.

In usus eosdem.

℞. *Hydromell. rec.* ℥ij.

Semin. Santonic.

Tanacet. ana unc. j.

F. S. A. Vin. Medicatum; cui dein puro
admisceto

Mellis albi. unc. ij.

Capiat unc. j. mane, vacuò stomachò.

℞. *Mercur. nigr.* gr. viij.

Vitriol. Martis parum calcinati. gr. ij.

M. F. Pulvis, dividendus in ij. dof.

*Capiat unam mane, alteram vespèri, inani
stomachò.*

℞. *Mercur. dulc.* gr. vij.

Diagryd. gr. v.

M. F. Pulv.

Mane hauriendus ex Hydromelle.

℞. *Tartar. vitriolat.* gr. iv.

Vitriol. Martis. gr. iij.

M. F. Pulv. tenuissimus, divide in
dof. iij.

*Capiat unam mane, circa meridiem, vespèri,
vacuò stomachò.*

℞. *Vitriol. comm.* gr. ij.

Syrup. Violar. drach. iv.

M.

o unâ dosi, mane, jejunò stomachò assumenda.

SECT. 1372.

℞. *Diagryd.* gr. iv.
 Mercur. dulc. gr. vj.
 M. F. Pulv. tenuis.
Pro una dose.

℞. *Rad. Jalapp.*
 Mercur. nigri. gr. xij.
 M. F. Pulv.
Ut prius.

℞. *Agaric.* gr. viij.
 Mercur. nigri. gr. xij.
 M. F. Pulv.
Ut prius.

℞. *Alöes.* gr. iij.
 Resin. Jalapp. gr. j.
 Vitriol. Maris. gr. ij.
 M. F. Pulv.
Ut prius.

SECT. 1373.

l. Lini. unc. iij.
F. Clyfina.

Tell. unc. ij.
q. still. Cicbor. unc. ij.
F. Clyfter.

coct. Tanacet. unc. iij.
loes. gr. vj.
M. F. Enema

triol. Martis. gr. xv.
q. stillat. Cicbor. unc. iv.
M. F. Lavamentum dictum.

ell. cocti ad spiffitudinem debitam. unc. iv.
oes. unc. β.
trioli Martis. drach. ij.
M. S. A. F. parva Suppositoria,
anda post alvum exoneratam.

Unguenta externa.

. §. 1370.

(236)

SECT. 1377.

℞. Nitri. gr. xx.
Sp. Sal. gutt. v.
Syrup. Violar. unc. j.
Aq. stillat. flor. Sambuc. unc. iij.
M.

His foveantur Gingivæ.

℞. Cremor. Lactis rec.
Vitell. Over. ana unc. j.
Syrup. Violar. drach. vj.
Aq. stillat. Rosar. unc. iij.
M.

In eisdem usus.

℞. Flor. recent. Rosar.
Sambuci. ana pug. β.
Includantur linteo, appenso, ut in fundo
maneant, plumbō, tum immittantur vi-
tro longo, cylindrico, affundatur Lac re-
cens, ponantur in digestionē; Cremor si
pernatus adhibeatur inflammatis ad gingivæ

SECT. 1378.

*R_o. Spirit. Corn. Cerv. gutt. iij.
Bibai ex Syrup. Kermes. drach. ij. ter de die*

IN VARIOLIS.

SECT. 1392.

*R_o. Antimon. diaphoret. una cum suo Nitrō
fixante conservati. drach. vj.*

Mercur. dulc. drach. β.

Sal. Polychrest. veri. drach. j.

Diu terendō F. Pulv. tenuissimus, dividendus in xxiv. dof. æquales.

Capiat unam tertiā quaque horā; superbibendō, post singulas, Seri Lact. rec. unc. iv.

R_o. Flor. Sulphur. drach. j.

Cinnabar. Antimon. scrup. j.

Stibii diaphoret. nitrati.

Salis polychrest. ana drach. jβ.

M. F. Pulv. subtilissimus, dividendus & Sumendus ut prius. •

S E C T. 1394. N. 2.

℞. *Flor. Malva.**Alibea.**Taraxaci.**Verbasçi.**Lychnid. saponar. ana unc. ℥.**Farin. Lini. drach. ij.*Cōq. cum aq. ad *unc. xij.*F. *Clysmā.**Injiciendum duodecimā quaque horā.**Panni lanei eōdem Decoctō madidi, expressi-
que iterum, calidi applicentur corpori infe-
riori, pedibus, poplitibus, inguinibus, cru-
ribus, femoribus.**Eōdem os, nares, fauces, colluantur, hume-
scentur, foveantur.*

S E C T. 1394. N. 3.

℞. *Flor. Papaver. errat.**recentiss. Sambuci. ana unc. j.**Avena integræ. unc. ℥.*Cum aq. decoct. *unc. xx.* admisce*Nitri stibiati, b. e. ab Antimon. diapho-
reticō lavandō, & crystallisandō, sepa-
rati. unc. ℥.**Succi Citrei recent. unc. j.**Syrup. Violar. unc. j℥.**Bibat quantum lubet.*

S E C T.

(239)

SECT. 1394. N. 4.

Vid. 28. N. 1.

SECT. 1399. N. 1.

Vid. 28. N. 1.

SECT. 1399. N. 2.

Vid. 1394. N. 3.

SECT. 1399. N. 3.

. *Succi recens expressi Cicborei.*

Laſſica.

Taraxaci.

Fumarie. ana unc. ij.

Radic. Scorzonet.

unc. iv.

Nitri puri. drach. jß.

M.

bat unc. j. omni horâ diei.

R.

(140)

℞. Radic. Sarsaparill.
 Chinæ.
 Gramin. ana unc. ij.
 Scorzonæ. unc. viij.
 Flor. Sambuci. unc. j.
 Cum aq. decoct. spat. 1. horæ, Pint. vj. et-
 hibe.
 Bibat unc. v. omni horâ.

SECT. 1399. N. 4.

℞. Emplastr. de Melilotò.
 Galbani.
 Sagapeni. ana unc. j.
 M.
 Extensa ad alutam applica cavis pedum.
 ℞. Fermenti acidi Panis. unc. vj.
 Rutæ. m. j.
 Semin. Sinapi contusi. drach. vj.
 Salis. drach. iv.
 Aceti. drach. iv.
 M.
 Applica ad cava pedum & poplitum noctes et
 que dies.

Sec

SECT. 1399. N. 6.

R_o. Syrup. Papav. albi. unc. j.
F. Haustus.

R_o. Laudani puri. gr. j. .
F. Pilula.

R_o. Laudani puri. gr. j.
Aq. stillat. Melissæ. unc. ℥.
M. F. Haustus.

SECT. 1402.

Vid. scripta ad 1394. & 1399. N. 6.

(142)

AD CALCULUM.

SECT. 1425.

Olera hęc bona.

Borrago.
Chærophylla. •
Chondrilla.
Lactuca.
Petrofelinum.
Radices Dauci.
Raporum.
Sisari.

Sonchus.
Scorzonera.
Taraxacum.
Tragopogon.

*Hęc , horumve quædam , cum Jure carniæ
cocta pro Viçtu optima.*

Serum Lactis.	} animalium solò gramine pastorum.
Lac	
Lac ebutyratum.	

*Plurimum valet usus horum tamdiu continua-
tus , donec alvus fit , manetque , aliquam-
diu laxa ; licet debilitas inde quædam succes-
serit : hęc quippe felix sæpe solvit vel in-
veteratum malum.*

SECT.

S E C T. 1416.

R^o. *Fol. Malvæ.**Alibæ.**Ibisci.**Mercurialis.**Parietariæ.**Brancæ Ursinæ.**Atriplicis. ana R^{ss} iv.*

Ex eodem Decocto fiant Clysmata, & cicutæ
 potulenta affidua; nam, laxant, aperiunt,
 molliunt, pellunt.

Decoctum oleosum ad lubricandum.

R^o. *Amgdal. dativ. N^o xxx.**Pistachior. N^o xx.**Semin. Papav. contus. unc. iij.*

Excorticata, & contusa, decoque cum *Aq.*
vulgaris q. s. spatio $\frac{1}{2}$ horæ, tum fere tota
 diu contritis simul S. A. adde

*Sapon. Venet. drach. iv.**Glycirrhiz. unc. ij.*

Ebulliant denuo parum, dein Decocti ℥iij.
 exhibe.

Bibat unc. viij. quater de die, vacuò stoma-
chò, & dein parum leniter deambulet.

Opiatum, Anodynum, Aperiens.

℞. Syrup. ʒ. rad. aperient. unc. jß.
 Laudani puri. gr. ij.
 Nitri puri. gr. xx.
 Aq. stillat. Petroselin. unc. vj.
 M.
 Bibat unc. ß. omni horâ.

Propellens Diureticum.

℞. Cicer. rubr. contus. unc. ij.
 Semin. Petroselin. unc. j.
 Rad. Gramin.
 Petroselin. ana unc. iv.
 Fol. Agrimon.
 Virg. aureæ.
 Veronic. maris. ana m. ß.
 Glycyrrhiz. unc. j.
 Cum aq. decoct. spatio $\frac{1}{2}$ horæ t̄biiij. admisce
 Nitri. drach. ij.
 Bibat unc. ij. omni horâ.

IN LUE VENEREA.

SECT. 1458.

Balneum.℞. *Fol. ret. Ruta.**Scordii.**Alliariæ.**Malvæ. ana m. ij.*

Cum aq. decoct. & expressis admisce ad ℥ij.

*Sapon. Venet. drach. j.**Sp. Vin. comm. drach. vj.*

In hoc tepidò *Virga*, & *Scrotum*, immergan-
tur ter quaterve de die, spatio $\frac{1}{2}$ horæ: dein
panni lanei præscripto Decocto immersi, &
expressi, omni applicentur *Pubi*, *Scroto*,
Perinæo.

Fiant ex iisdem *Injectiones*.℞. *Mell. Rosar. unc. j.**Aloës puriss. gr. x.**Sal. Ammon. gr. iv.**Aq. stillat. Fœnicul. unc. vj.**M. pro Injectione.*

(247)

R. Terebinth. vulg. unc. j.
Rbei-barb. drach. iv.
Glycirrhiz. sicca. q. s. ut F. massa ad for-
mandas Pilul.
Capiat j. omni horâ. gr. iv.

SECT. 1460.

R. Flor. Samb.
Melilot.
Chamemel.
Papav. errat.
Alibæ. ana unc. iij.
Cum *Lacte ebutyato coctis admisce*
Farin. Lini. unc. j.
Ol. Lini. unc. ß.
Sp. Vini Theriacal. unc. j.
F. Cataplasma.

SECT.

SECT. 1461.

Dissipans.

℞. *Flor. Sulph. unc. ij.*
Mercur. nigr. drach. ij.
Sacchar. Saturni. drach. iij.
Emplastr. de Melilotô.
Cuminô.
Galbanô.
Ammoniacô.
Sagapenô. ana unc. ß.
M. F. S. A. Emplastr.
Cum alutâ applicandum.

℞. *Flor. Sulph. drach. iv.*
Sacchari Saturni. drach. j.
Picis Satoriae. unc. ij.
M.

In eodemo usus.

Suppurans.

℞. *Ficus molles, maturas, ad ℥ss.*
Mell. recent. unc. ij.
Galbani in vitellô Ovi soluti. unc. j.
F. S. A. cum aq. coquendô Cataplasma

℞. Pulv. fol. ficcator. Scordii. unc. ij.

Vitrioli albi. drach. ij.

Aloës. drach. j.

M. F. Pulv.

Aperto Ulceri, deterſo prius, inſpergendus ad
depurandum.

SECT. 1462.

℞. Emplaſtr. de Melilotô.

Diapomphol. ana q. ſ.

℞. Emplaſtr. Vigon. cum Mercur. duplic. q. ſ.

Extenſ. ad alutam exhibe.

• SECT. 1463.

℞. Mercur. ſublimati. drach. j.

Aq. Calcis vivæ. unc. ij.

M.

Hâc Aquâ tangantur leniſſimè unâ vel alterâ
vice.

Dein fiat auctâ copiâ Aq. Calcis ſenſim le-
nior.

SECT. 1466.

℞. Fol. recent. Scordii.
 Absinth.
 Alliar.
 Ruta.
 Rorismar. ana m. ij.
Flor. recent. Tanacet.
 Centaur. min.
 Card. bened. ana m. jß.
Rad. Imperator.
 Hellebori nigri. ana unc. j.
Cum aq. decoct. hñv. admisce
 Sapon. Venet. unc. jß.
Hoc Fomentis pudenda depurentur.

℞. Mell. Rosar. unc. iv.
 Mercur. sublim. corrosiv. drach. ß.
 Aq. stillat. Ruta. unc. x.
 M.
In eundem usum.

SECT. 1468.

R. Rad. Gramin.

China.

Sarsaparill. ana unc. ij.

Hord. mundati. drach. vj.

Glycyrrhiz unc. jß.

Cum aq. decoct. spatio 2. horar. ðij. exhibe.

Bibat de hoc Decocto unc. iv. omni horâ diei.

SECT. 1469.

℞. Mercur. dulc. triti. gr. ix.

ana dosis.

SECT. 1473.

℞. Fol. Sennæ. unc. j.

Agarici. drach. iv.

Semin. Caribami. drach. ij.

Rad. Jalapp. drach. j.

Cum aq. decoct.

unc. xij. injice pro Clysmate.

R_o. Diagryd. gr. xv.
Syrup. Rosar. solut. cum Senná. drach. vj.
M.

Pro uná dosi.

R_o. Diascord. Sylvii. gr. xxiv.
F. una dosis pro sudorifero.

S E C T. 1474.

R_o. Laudan. puri. gr. iij.
Corall. rubr. drach. j.
Sacchari perlati. drach. ij.
M. F. Pulv. tenuissimus divid. in vj. dos.
æquales.
Capiat unam omni $\frac{1}{2}$ horæ, donec sedatur dolor
Alvi & Diarrhœa.

Veh.

R_o. Diascord. Sylvii. drach. j.
Syrup. Diacod. drach. ij.
Aq. stillat. Cortic. Citrei. unc. iv.
M.
Capiat unc. β. omni $\frac{1}{4}$ horæ, donec sedentur
modo dicta.

R_o.

(253)

riac. Andromach. nus. ij.
am ad alutam applica Abdomini in p-
eundem.

SECT. 1475.

Vid. 1426.

N. R. A C H I T I D E.

SECT. 1489.

Cibus optimus.

panis bene fermentatus, biscoctus, cum
3 paucò Crocò, Nuce myristicà, Car-
io, Cinnamomò, femine Celeri, at-
nilibus gratissimis, & roborantibus, a-
bus.

laro Columbarum, Gallinaceorum,
lorum, Ovilla, Hœdina, Vitulina,
rior, leniter assa, minutim incisa; dein
flò Pane biscoctò, Sale, & paucò Pe-
ni, Thymi, Nucis myristicæ, aut si-
l, parata.

Hh 3

3. O-

3. Oryza, Miliū, Hordeum, *cu
quā, & Uvis passis, cocta; dein cum p
b Vini, & leniorum aromatum, com*

Potus optimus.

Vinum Gallicum maturum, rubrum
stringens, *ter quaterve de die ad u
exhibitum.*

Vinum Hippocraticum *ita datum ad u
eodem tempore.*

Cerevisiæ { Munna Brunsvicensis.
recen- { Ale Britannorum.
tes, ut { Cerevisia Batava, *quæ xij.
uorum pretiō venalis.*

*Hisce æstivi tempore æqua portio Aquæ i
tæ medicatæ admisceri potest, imprimū
rō Acidularum Spadanarum.*

R. Folior. recent. in umbrâ ficcatorum,
Filicis maris. lbij.

Majorana.

Melisse.

Mentha. ana m. ij.

Flor. recent. in umbrâ ficcatorum,

Meliloti.

Trifolii odorati.

Sambuci.

Rosarum. ana unc. ij.

Terantur in Pulverem tenuem, misceantur
duplo tanto *Palea Hordei*, atque dein his
linteo immixtis fiant *Lectuli & Pulvinaria*,
quibus incumbant, quique ab humidô
ritè defendantur, & sæpe exsiccentur.

R. Benzoini.

Mastiche.

Olibani.

Succini.

Turis. ana unc. j.

M. F. Pulv.

De hoc Pulvere inspersum parum pruna fa-
met, super hoc fumô Panni lani detenti,
fricandis partibus adhibentur.

R_o. Radix. Ipecacuanha. scrup. j.

Vini albi Gallici. unc. j.

Sacchari. drach. ij.

Infusa totam noctem, depurata exhibe.

*Hoc repetatur quartâ quâque die, in v
quintam.*

R_o. Rhei selecti. unt. ß.

Myrobalani Citrini sine nucleis. drach

Agarici trochiscati. scrup. ij.

*Infundantur frigida cum Cerevisia fort
ßiv.*

*Post xxiv. horas paratus erit potus, qu
tatur pro familiari quotidiano, spatiò iv. s.
manarum.*

*Si vero nimis inde purgetur, equâ copiâ
revisia alterius dilui poterit, aut etiam
jore, si usus indicat.*

*terbæ roborantes, ficcantes, excitantes;
antiscorbuticæ, Rachitidi sanandæ
propriæ.*

Agrimonia.

Betonica.

Capparidis cortex ex radice.

Ceterach.

Cichoreum.

Cuscuta.

Diapensia.

Endivia.

Filix mas.

Hepatica.

Lingua cervina.

Melissa.

Myrobalani pruna.

Osmunda Regalis.

Polypodium.

Quercus folia, glandesque.

Rhabarbarum.

Rubi folia & radix.

Ruta muraria.

Scabiosa.

Tamarisci cortex, flores, folia.

Trichomanes.

Veronica.

Ex his *Cerevisia*, *Vina*, *Infusa*, medicata
parari queunt, maximò cum fructu, aut
& *Condita*, & similia componi. ex. gr.

R. Agrimonia.

Ceterach.

Filicis radic.

Lingua Cervina.

Polypodii radic.

Rutæ muraria. ana unc. ij.

Minutim scissa, mista, linteo immissa, in-
fundantur frigida, cum ℥xij *Cerevisia*.

Utatur pro potu communi.

Vel.

R. Folior. & Flor. Betonica. unc. iij.

Cortic. radic. Capparidis.

Tamarisci.

Rubi sylvestris.

Trichomanis. ana unc. ij.

Limatura Martis. unc. ℞.

Cum *Vini* ℥viiij. in frigore infusa adhibean-
tur, ter de die, ad unc. j.

R.

R. Entis Veneris Boylei. gr. ij.
Exhibe vespere, ex Vinô Canariensi, quotidie,
spatiô iij. sepsimanarum.

R. Linaturæ Martis. unc. j.
Aceti stillatit. accerrimi. unc. x.
Sacchari. unc. iij.

In phialâ altâ ebulliant leniter spatiô xxvj.
horarum ; filtratus liquor servetur vase
clauso.

Dentur gutt. vj. bis quotidie, horis medicis,
ex pauxillô Vini Hispanici.

F I N I S.



INDEX MORBORUM.

A.

A bdominis vulnera.	Pag. 79.
Abſceſſus.	90.
Angina aquoſa.	136.
— ſcirrhoſa.	136.
— — inflammatoria.	137.
Anxietas febrilis.	122.
Apoplexia.	175.
Aphthæ.	167.

C.

C alculus.	242.
Cancer.	110.
Canina rabies.	183.
Capitis Vulnera.	76.
Combustio.	105.
Contuſa.	81.
Convulſiones.	74.

D.

INDEX MORBORUM.

D.

Dolores.

Pag. 74.

F.

F ebres in genere.	113.
— intermittentes.	130.
Febrile Frigus.	120.
Febrilis Anxietas.	122.
— Sitis.	126.
— Nausea.	128.
— Debilitas.	130.
Fibra debilis & laxa.	1.
— rigida & elastica.	8.
Fistulæ.	93.

G.

G angræna.	95.
Gravidarum morbi.	216.

H.

H æmorrhagia.	73.
Hepatitis.	152.
Hydrops.	204.
	L.

I N D E X

I.

I cterus multiplex.	Pag. 152.
I nfantum morbi.	222.
I nflammationes.	85.
————— Ventriculi.	165.
————— Intestinatorum.	166.

L.

L ues Venerea.	245.
-----------------------	------

M.

M ania.	181.
M orbi Fibrae debilis & laxæ.	1.
————— rigida & elastica.	8.
————— Viscerum fortium & rigidorum.	14.
————— Spontanei ex Acido.	20.
————— a glutinoso spontaneo.	26.
————— ex Alcalino spontaneo.	46.
————— ab excessu motus circulatorii so-	
lo.	53.
————— ex defectu Circulationis ex Ple-	
thora.	ibid
————— Ossium.	112.
————— Virginum.	213.
————— Gravidarum.	216.
————— Puerperii.	219.
————— Infantum.	222.
	N.

MORBORUM.

N.

Nausea febrilis.
Nephritis.

Pag. 128.
172.

O.

Obstusiones.
Offium morbi.

54.
112.

P.

Paralyfis.
Partus difficilis.
Peripneumonia vera.
—— ——— notha.
Phthisis Pulmonalis.
Pléthora.
Pleuritis.
Podagra.
Puerperii morbi.

178.
218.
130.
148.
195.
53.
149.
212.
219.

R.

Rabies Canina.
Rachitis.

183.
253.

S.

INDEX MORBORUM.

S.

S cirrhus.	Pag. 106.
Scorbutus.	184.
Sitis febrilis.	126.
Sphacelus.	103.

T.

T horacis vulnera.	79.
---------------------------	-----

V.

V ariolæ.	237.
Ventriculi inflammatio.	165.
Virginum morbi.	213.
Viscera fortia nimis & rigida.	14.
Vulnera.	55.
———— Capitis.	76.
———— Thoracis.	79.
———— Abdominis.	79.

IN.

INDICATIONUM ET FORMULARUM,

Hoc opusculô comprehensarum,

I N D E X,

*Cujus Numeri Paginas
designant.*

A.

Abstergentia quæ, & quænam horum
materies. 20.

Abstergens, *in Vulneribus*, medicamen-
tum. 69.

Abstersiva, *in Anxietate febrili*, quænam
sint. 125.

Acida salina fermentata. 28.

———— igne producta. 29.

———— nativa. 28.

Acidi *Absorbentia* quæ, & quænam horum
materies. 24.

———— *Diluentia* quænam. *ib.* sed vide 17.

———— *Immutantia* quæ, & quænam horum
materies. 25. 26.

Kk

Aci-

I N D E X

Acidi *obtundentia* quæ, & quænam
horum materies.

	aromata oleosa.	} 24.
	Gelatinosa.	
	oleosa.	

Acido-austera Fossilia. 7.

————— Vegetabilia. 3. &c.

Adstringentia, in *Hæmorrhagiâ*, quæ *cruorem*
coagulant. 73.

————— *vasa*
contrahunt. *ib.*

Adstringens Liquor, in *Narium hæmorrhagiâ*. 161.

————— Pulvis, ad *Amputationes.* 104.

Alcalina salina fixa. 29.

————— volatilia. *ib.*

Alimenta & potulenta *fibræ forti constituen-*
de elementa apta continentia. 1. ad 3.

————— *antacida ex Animalibus* desum-
ta. 20. & 23.

————— *Vegetabilibus* desum-
ta. 21. ad 23.

Alcahest Glauberi, in *Podagrâ*. 212.

Alvi emollientia. 58.

————— Laxantia. *ib.*

Alvum, in *læsero inflammatoriâ*, subducentia
emolliendô leniter vi antiphlogisticâ. 162.
163.

Animalia *antacida* pro alimentis. 20. & 23

————— *succos acescentes habentia*, ruminan-
tia & non ruminantia, quænam & quibus
conducant. 48. 49. Ani-

I N D E X.

- Animalia *fuscos alcaloscentes habentia.* 49.
 ——— *stimulantia.* 38.
 Anodyna quæ, & quænam horum materies. 60.
 ——— *in Scirrhô non movendô.* 108. ad 110.
 Antacida. 20. ad 26.
 ——— *pro infantibus, medicamenta.* 227.
 ——— *Puerperis ex lacte laborantibus.*
 220. & vide 219. tum 46. 47. & 24. ad 26.
 Anthelmintica, *vide Vermes necantia.*
 Antinephritica vera. 173. 174.
 Antiscorbutica acriora. 189. &c.
 ——— ——— calida. 193. sed vide 189. &c.
 ——— ——— frigidiuscula. 192. 193.
 ——— ——— modicè adstringentia. 192.
 ——— ——— *Rachitidis sananda* propria. 257.
 ——— ——— specifica leniora. 186. ad 188.
 Antispasmodica, *in Vulneribus*, quæ, & quæ-
 nam horum materies. 74. 75.
 Aperientia deterfiva, *ad Ulcus apertum Pul-*
monis. 141. ad 145.
 ——— diluentia, *in Cancro*, blanda. 111.
 ——— emollientia, *ad Calculum*, la-
 xantia, pellentia. 243.
 ——— *in Febr-* { Salina. }
bus intermittenti- { Alcalica. }
bns; { Aromatica. } 130.
 { Mineralia. } 131.
 { Diluentia. }
 { Oleosa blanda. }
- Apophlegmatifantia, *in Apoplexiâ*, pressione
 in Cerebrum minuentia. 175.
 K k 2 Aqua

I N D E X.

Aqua, *in Glutinoso spontaneo*, aromatica, stimulans. 42.

Aquosa emollientia. 12. ad 14.

———— mollia. *ib.*

Aromata, *in Glutinoso spontaneo*, cibis potibusque condiendis apta. 26. 27.

Aromatica acria, *in Plethorâ*, pro condimentis ciborum & potuum. 53.

———— stimulantia varia. 30. ad 38.

Attenuantia, *in Obstructione*, mercurialia. 54. 55.

———— digerentia *in Scorbuto lento*. 185. 186.

Attrahentia quæ, & quænam horum materies. 55.

B.

Balneum *ad Glutinosâ*. 44.

———— *in Gonorrhœâ venereâ* pro partibus virilibus. 245.

Balsami vulnerarii, *ad Vulnera pura*, blandi. 65. ad 67.

———— artificiales compositi. 66. 67.

———— simplices. 66.

———— nativi. 65. 66.

Balsamica, *in Phthisi*, lenissima. 196. 197.

Balsamus *Arcei* instar. 66.

———— *Lucatelli* instar. 67.

Bal-

I N D E X.

Balsamus, *in Apoplexiâ lentâ*, naribus & temporibus affricandus. 177.

Bilioſa ſtimulantia. 43. 44.

Bolus purgans *antiphlogiſticus* impetum cruoris minuens. 86.

————— *in Anxietate febrili*, purgans.

124.

————— *in Lue venereâ*, ſudoriferus ad ſalivationis impetum minuendum. 252.

C.

Cancrorum fluviatilium juſ. 16.

Cardiacus Potus calidus, *in Gangrenâ ex gelu*, refocillans. 102.

Carnem generantia *in Vulneribûs*. 70. 71.

Cataplaſma, *in Abſceſſu*, emortua reſolvens tegumenta. 90. ad 92.

————— maturans. 90. 91.

————— *in Anginâ inflammatoriâ*, laxans, emolliens &c. 138.

————— *in Aphthiſis*, laxans, emolliens.

169.

————— *ad Bubones venereos*, ſuppurans. 248.

————— *in Combuſtione*, reſolvens. 105.

————— *ad Contuſa*, laxans, penetrans, reſolvens. 83.

————— *Eſcharam gangrenofam* emolliens, & corruptioni reſiſtens. 101.

————— *in Gangræna*, emolliens, diaphoreticum, anodynum. 101.

I N D E X.

- Cataplasma**, *in Gangrenâ*, putredinem incipientem corrigens. 100.
 ————— putrefactionis introitum in venas impediens. 97.
 ————— *Hydrocele*, discutiens valide. 211.
 ————— *Inflatione membri virilis*, discutiens, anodynum, &c. 247.
 ————— Narcoticum, demulcens. 65.
 ————— *pro Puerperis ex lacte laborantibus*, discutiens. 221.
 ————— *ad Scirrhum*, emolliens, resolvens. 107.
Cautica *Abcessus* aperientia. 92.
 ————— *in Anginâ scirrhosâ*. 136.
 ————— *ad Cancros venereos*. 249.
 ————— *in Sphacelô*, acria. 103.
Cerevisia medicata *Antiscorbutica*. 191.
 ————— *in Glutinoso spontaneô*, stimulus. 43.
 ————— *Hydrope*, lymphæ fluorem concilians. 205.
 ————— *Rachitide*, purgans, roborans. 256.
 ————— ————— excitans, roborans, siccans, ex quibus fiat. 258.
Cibi acres, *in defectu circulationis & plethorâ*. 53. sed vide 28. ad 30.
Cibus & Potus, videatur *Victus*.
Cicatrifiantia. 72.
Clystima, *in Anginâ inflammatoriâ*, nutriens. 139.
 ————— ————— ————— purgans. 137.
 Clyst.

I N D E X.

- Clyfina, *in Aphibis*, laxans, emolliens, detergens, &c. 169.
- *Apoplexiâ ex causâ lentâ*, acre. 178.
- *ad Calculum*, aperiens, laxans, molliens, pellens, ex quibus fiat. 243.
- *in Febris*, motum temperans, refrigerans. 117. 118.
- *Infantibus*, intestina lubricans. 226.
- ———— ———— à Lactis aciditate laborantibus. 228.
- ———— ———— Meconii duritiem emolliens. 225.
- ———— *Lue venereâ*, salivationis impetum minuens. 251.
- ———— *Peripneumoniâ notâ*. 148.
- ———— *Rabie caninâ*, refrigerans. 183.
- ———— *Variolis*, laxans. 238.
- ———— *Ventriculi inflammatione*, leniens, emolliens, &c. 166.
- *Vermes* expellens. 235.
- *in Vulneribus Abdominis*. 80.
- Clyster *vide* Clyfina.
- Collutorium, *in Aphibis*, laxans, detergens, &c. 169.
- ———— *deciduis*, demulcens. 170.
- ———— *Apoplexiâ*, pressionem in Cerebrum minuens. 175.
- ———— *pro Infantibus in dentitione*, emolliens. 236.
- Col-

I N D E X.

- Collutorium, *ad Scorbutum*, in calidis. 193.
 _____ in frigidis. 194.
 Condimenta, in *Glutinoso spontaneo*, Cibi &
 Potus, aromatica. 26. 27.
 Condimenta, in *Pletborâ*, Ciborum & Po-
 tum, acria aromatica. 53.
 Condimentorum, in *Gangrenâ*, putredinem
 incipientem corrigentium, materies. 98.
 99.
 Conditum, in *Febrili languore*, aromaticum
 &c. excitans. 119.
 _____ *Fibrâ laxa*, adstringens. 6.
 _____ *Glutinoso spontaneo*, stimulans.
 40. _____ *Hydrope*, lymphæ fluorem
 concilians. 205.
 _____ *Maniâ*, à debilitate corporis,
 roborans, cardiacum. 181. 182.
 _____ Narcoticum. 62.
 _____ in *Phthisi pulmonali*, incrassans,
 stipticum &c. 195.
 _____ *ad Vermes*, nidum destruens. 230.
 _____ *Ulcus apertum Pulmonis*, a-
 periens, detergens. 145.
 Conserva, in *Phthisi pulmonali*, refrigerans
 stiptica, &c. 196.
 Confusa quæ digerunt, quænam. 76.
 Corrodens, in *Vulnere*, Elixir. 70.
 Corrodentia, in *Vulnere*, fortiora. 69.
 _____ fortissima. *ib.*
 _____ mitissima. *ib.*

I N D E X.

Corrosiva in *Hæmorrhagiâ*. 73.
 Cortices aromatici *stimulantes*. 37.
 Corticis Peruviani, in *Febris intermit-
 tibus*, præparationes variæ. 134. 135.
 Cremor Panis, *pro debilibus*, quomodo fit. 2.
 Cruorem coagulatum, extravasatum, in *Con-
 vulsionibus ex vulnere*, diluens. Injunctio
 75. 76.

D.

Debilibus quoniam lacte, & quomodo, uten-
 dum. 1.

Decocta *Vulneraria*. & Potus. 55. ad 58.

Decoctum, in *Abscessus maturatione*, motum
 fluidi vitalis moderans. 91. sed vide 89.

———— *Alcalinò Spontaneò*, leniens,
 acescens. 50. 51.

———— in *Anxietate febrili*, sudorife-
 rum. 124.

———— *Apthis deciduis*, corroborans
 parum. 170.

———— *post Apthas*, corroborans. 171.

———— in *Calculosis*, diureticum pro-
 pellens. 244.

———— lubricans vias, or-
 leosum. 243.

———— in *Cancro*, aperiens, diluens
 blandum. 111.

———— *ad Contusa*, purgans forte, nec
 inflammans. 81.

———— in *Fibrâ debili & laxâ*, adstrin-
 gens. 5.

L1

De.

I N D E X.

Decoctum, in *Fibrâ rigidâ*, dieteticum, 9.
 ————— pharmaceuti-
 cum, emolliens. 11.
 ————— in *Febre intermittente*, adstrin-
 gens. 135.
 ————— sudori-
 ferum. 133.
 ————— *Frigore febrili*, sumendum.
 121.
 ————— *Glutinosô spontaneô*, stimulan.
 39.
 ————— humectans. 16.
 ————— in *Hydrope*, lymphæ fluorem
 concilians. 206.
 ————— in *lêterô*, leniter vi antiphlogisti-
 câ alvum emolliendô subducens. 163.
 ————— *Inflammatione*, tenue, aro-
 maticum, calidè potandum. 89.
 ————— diluens & re-
 frigerans. 87.
 ————— purgans, e-
 vacuans, revellens. 86.
 ————— *Intestinorum*,
 balsamicum, detergens. 167.
 ————— *Lue venerâ*, ante salivatio-
 nem hauriendum. 251.
 ————— *Nephritide*, antiphlogisticum,
 leniens. 172.
 ————— *Offium morbis*, Guajaci, ab-
 stergens, penetrans. &c. 112.
 ————— *Panis in debilibus*, 2. 3.

De-

I N D E X.

Decoctum Panis, *in Fibrâ rigidâ*, leniens,
humectans. 8, sed vide. 2. 3.

———— *in Peripneumoniâ notâ*, leniter
aperiens, &c. 149.

———— *in Peripneumoniâ verâ, per diure-*
sin solvendâ, diureticum. 140.

———— ————— *verâ, sputôsa-*
nandâ, emolliens. 139.

———— ————— *suppu-*
ratâ, emolliens & levissimè aperiens. 146.
& 144.

———— *post Peripneumoniam veram sup-*
puratam, vergente pure ad Hepar, ape-
riens forte &c. 147.

———— *in Phthisi pulmonali*, refrigerans
stipticum. 196.

———— ————— *Plouritide*, imminente *Gan-*
grâ, antisepticum aperiens, &c. 151.

———— ————— laxans, resolvens,
&c. 150.

———— *pro Puerperis doleantibus à labore*,
cardiacum. 219.

———— *in Scirrhô non movendô*, anody-
num. 108.

———— *Scorbuto acri*, lene, antisep-
ticum. 194.

———— ————— *Variolis*, ad stimulum vario-
losum expellendum. 238.

———— *Visceribus fortioribus & rigi-*
gidis, resolvens. 19.

———— *ad Ulcus Pulmonis apertum*,
L 1 2 de-

I N D E X.

deterfivum, aperiens. 143. 144.
 Decoctum, in *Vomicâ Pulmonis*, balsami-
 cum, vulnerarium. 199.
 _____ in *Vulneribus*, adstringens. 58.
 _____ aperiens. 57.
 _____ attenuans. 55.
 _____ emendans acidî.
 57. _____ alca-
 li. *ib.* _____ glutî-
 nosi. *ib.* _____ oleo-
 fi. *ib.* _____ excitans. 56.
 _____ inspissans. *ib.*
 _____ laxans. 58.
 _____ mitigans. 56.
 _____ singulari virtute
 emendans. 57. _____ *Capitis*, attenu-
 ans, diluens, aquosum. 78.
 Derivantia quænam sint. 55:
 Deterfiva, in *Fistulis*, 93. 94.
 _____ ad *Ulcus Pulmonis apertum*, a
 perientia. 141. &c.
 Diætâ. videatur *Victus*.
 Diaphoretica. vide *Sudorifera*.
 Digerentia, ad *Contusa*, quænam. 76.
 Digestiva, in *Fistulis*, liquefacta. 93.
 Digestivum, in *Vulneribus*, 68.

I N D E X.

Diluentia. 17.

———— in *Cancro*, aperientia, blanda. 111.

———— pro *Puerperis ex lacte laborantibus*.

220. & vide 15. 16.

Diuretica quæ, & horum quænam materies. 84.

———— in *Anxietate febrili*, bona. 125.

Dolorem tollentia. 53.

E.

E *emmenagoga*. 58. 59.

Elementa, *fibræ forti constituendæ* aptæ,
quænam materiâ contineantur. 1. ad 3.

Elixir, in *Vulneribus*, corrodens. 70.

Emetica. vide Vomitoria.

Emmenagoga. 214. tum Gummi. 213.

Emollientia quænam sint. 17.

———— *Alvi*. 58.

———— aquosa. 12. ad 14.

———— ad *Calculus*, aperientia, laxan-
tia, pellentia. 243.

———— *Gangrenosam escbaram*. 101.

———— subfarinosa. 12. ad 14.

———— suboleosa. *ib.*

Emplastrum, ad *Bubones venereos*, dissipans.
248.

———— Cicatrifans. 72.

———— ad *Contusa*, digerens. 76.

———— laxans, penetrans,
resolvens. 83. L13 Em-

I N D E X.

- Emplastrum, Defensivum rubrum.** 68.
 ————— *in Luc venered*, ad Diarrhoeam
 in salivatione mercuriali sistendam. 253.
 ————— *in Nauseâ febrili ex liquidò ner-*
voso turbato, stomachicum. 129.
 ————— *ad Paralyfin*, acce aromaticum.
 179. 180.
 ————— *in Pleuritide.* 150.
 ————— *ad Scirrhum*, emolliens, re-
 solvens. 107.
 ————— *in Scirrhô non movendò*, satur-
 ninum, mercuriale, blandum. 109. 110.
 ————— *ad Testes venereos tumidos.* 249.
 ————— *in Variolis suppurandis*, cavis
 pedum applicandum. 240.
 ————— *Virginum morbis*, movens.
 214.
 ————— *Vulneribus*, retinendis bal-
 samis aptum. 68.
 ————— ————— *tenax.* 71. 72.
Emulsio, antipblogistica, diluens & refrige-
 rans simul. 88.
 ————— *in Alkali spontaneò*, acescens, leni-
 ens. 51.
 ————— *in Fibrâ rigidâ*, emolliens. 11.
 ————— *Frigore febrili*, sumenda. 121.
 ————— *Gonorrhœâ venereâ*, refrigerans.
 246.
 ————— *Narcotica fortior.* 64.
 ————— ————— *mitissima.* 61.
 ————— ————— *paulo magis soporata. ib.*
Emul-

I N D E X.

Emulſio, *in Pleuritiâ*, laxans, reſolvens;
151.

Enema. *vide* Clyſma.

Ens Veneris Boylei *in Rachitide*. 259.

Epispastica quid ſint, & quænam. 87.

———— *in Variolis ſuppurandis*, cavis pe-
dum applicanda. 240.

Epithema *ad Febres intermittentes*. 136.

———— *in Gangrænâ*, vires excitans, ubi
acidum frigidum. 96.

———— ————— ſuſcitans, ubi
alcaleſcentia calida *ib.*

———— *pro Infantibus recens natis*, ad Sa-
burram pituitoſam expellendam. 223.

———— Narcoticum *in Vulnere*. 64.

———— *in Nauſea febrili*, ex liquido ner-
voſo turbato. 129.

Epulotica. 72.

Eſcharam gangrænoſam emollientia. 101.

Exſiccans Unguentum. 70.

Exſiccantia *in Vulneribus*. 70.

Extractum, *in Fibrâ laxâ*, adſtringens. 6.

———— *Glutinoſo ſpontaneo*, ſtimu-
lans. 39.

F.

Farinoſa mollia. 10.

Ferociæ Animalium quorundam cauſa. 2.

Fibre ſorti conſtituende elementa apta qua-
nam materiâ contineantur. 1. ad 3.

Flo-

I N D E X.

- Flores aromatici stimulantés. 34.
 Fomentum, *in Cancrô apertô*, lene, satur-
 ninum. 111.
 ————— *ad Goutta*, digerens. 76.
 ————— laxans, penetrans,
 resolvens. 82.
 ————— *in Febribus*, ad acre irritans
externum, mucosum, oleosum blandum,
 anodynum, leniter aperiens. 113.
 ————— *Gangrenâ*, putrefacti introi-
 tum in Venas impediens. 97.
 ————— putredinem inci-
 pientem corrigens. 100.
 ————— *Gonorrhœâ venericâ mulierum*,
 detergens. 250.
 ————— *Hydrocele*, dissecans. 211.
 ————— *Pleuritide*, laxans, resol-
 vens. 149.
 ————— *Scirrbo non movendô*, anody-
 num. 109.
 ————— *Variolis*, ad stimulum vario-
 losum expellendum. 238.
 ————— *Vulneribus Abdominis*, inte-
 stina exeuntia fovens. 79. 80.
 ————— Narcoticum, de-
 mulcens. 65.
 Fetus, *in Combustione*, resolvens. 105.
 ————— *ad Scirrbum*, resolvens, emolliens.
 166.
 ————— *in Virginum morbis*, excitans, 214.
 Fossilia, acidô-austera. 7.
Fe-

I N D E X

- Formulæ *adstringentium*. 5. ad 8.
 ——— *ant-alkalinorum*. 50. ad 52.
 ——— *humectantium*. 15. 16.
 ——— *narcoticorum*. 60. ad 65. 145.
 ——— *purgantium antiphlogisticorum*, 85:
 86. 122. ad 124. 137. 184.
 ——— *resolventium*. 17. 18. 19.
 ——— *stimulantium*. 39. ad 45.
 ——— *vomitiorum*. 116. 117. 122. 131.
 208. 209.
 Fructus horæi, *ad Fibram rigidam hume-*
 ctandam, leniendam. 8. 9.
 Fumus aromaticus, *in Hydrocele, discutiens*.
 212.
 ——— *in Paralyfi*, quò panni,
 pro frictionibus, suffumigandi. 179.
 ——— *ad Rachitidem*, quo pan-
 ni, pro frictionibus, suffumigandi. 255.

G.

- Gangrænosam escharam emollientia. 101.
 Gargarisma, *in Anginâ inflammatoriâ*,
 attenuans, nitrosum. 138.
 ——— ——— ——— ———
 laxans, pingue. *ib.*
 ——— ——— *Aphthis*, laxans, deter-
 gens, &c. 169.
 ——— ——— ——— *deciduis*, de-
 mulcens. 170.
 ——— ——— *Apoplexiâ*, pressionem
 in Cerebrum minuens. 175.
 Mm Ge-

I N D E X.

Gelatina, *Fractum* subacidorum, nitroforum, demulcentium, aquosorum, quænam. 126.

———— Panis *in debilibus*. 2.

Gummi *cicatrisantia*. 72.

———— *in Ulcere Pulmonis aperto*, deterfi-
va, aperientia. 143.

———— *in Virginum morbis*, purgantia
dicta uterina. 213.

Guttulæ narcoticæ pro Haustu. 62. 63.

———— *in Gravidis*, ad paroxysmum hy-
stERICUM. 217.

———— *in Visceribus fortioribus & rigidis*,
resolventes. 18.

H.

Hauustus, *in Anginâ inflammatoriâ*, pur-
gans. 137.

———— *Antiphlogisticus*, purgans, eva-
cuans, revellens. 85. 86.

———— *in Anxietate febrili*, purgans.
123.

———— *post Aphthas*, purgans corrobo-
rans. 171.

———— *ad Contusa*, purgans, fortis nec
inflammans. 81. 82.

———— *pro Infantibus recens natis*, in-
testini gluten expellens. 222.

Hau-

I N D E X.

Hauftus, *pro Infantibus recens natis*, intestina
lubricans. 226.

_____ meconii
duritiem emolliens. 225.

_____ meco-
nium propellens, cardiacus. *ib.*

_____ meco-
nium expellens, purgans. 223. 224.

_____ *in Lue veneréâ*, purgans ad sali-
vationis minuendum impetum. 252.

_____ *Narcoticus* mitissimus. 60.

_____ paulo magis hypnoticus.
61. & 241.

_____ plus soporatus
26. 63.

_____ *in Nauseâ febrili ex liquidâ nervosâ*
turbatâ. 129.

_____ *Rachitide*, emeticus. 256.

_____ *Scorbutô incipiente*, purgans.
184.

_____ *Variolis suppurandis*, narcoticus.
241.

_____ Vermes necans. 233.

_____ *in Ulcere Hepatis*, depurans. 164.

_____ *Pulmonis apertô*, vesper-
tinus, leniter anodynus. 145. 146.

_____ *Vulneribus Capitis*, ad resorben-
dum in Venas purgans. 77. 78.

Helmontianus pulvis *biliosus*, stimulant. 44.

Herbæ *alcalescentes*, condimentis servientes.
46. 47.

I N D E X,

Herbæ alcalæscētes, edules. 46. 47.
 ————— venenatæ. *ib.*
 ————— *Rachitidi* sanandæ propriæ. 257.
 ————— *ad Viscidum febrile*, lactescentes,
 amaræ, frigidæ. 120.
 ————— reliquæ videantur sub titulo, Vege-
 tabilia.
 Humectantia quæ, & horum materies. 15.
 Hydragoga, in *Hydrope*, fortia. 209.
 Hydrogala, in *Phthisi pulmonali*. 198.
 Hypnotica. 60. ad 65. & 145.

I.

Infusio biliosa *Pedra de'l Porco* lapidis. 44.
 Infusum, in *Fibrâ laxâ*, adstringens. 5.
 ————— *Scorbutô acri*, lene, antisepticum &c. 195.
 ————— in *Vomicâ pulmonali*, vulnerarium, balsamicum. 202.
 Injectio, in *Convulsione*, extravasatum cruorem & coagulatum diluens. 75. 76.
 ————— — *Fistula parâ*, consolidans. 94.
 ————— — *Fistulis*, digestiva. 93.
 ————— ————— deterfiva. 93. 94.
 ————— *ad Gonorrhœam veneream*. 245.
 Insecta acria *stimulantia*. 38.
 Julapium, in *Gangrenâ ex causâ calidâ*, spiritus excitans. 95.
 ————— *pro Gravidis*, in languore, cardiacum. 217.

Ju-

I N D E X.

Julapium, *in Siti febrili*, gratissimum. 126. 127.
 Julapiorum quædam aliæ species, sub titulo
Palmæ, reperiuntur.

Jus Cancror. fluviatilium, *ad humectandum*,
 leniendum, emolliendum. &c. 16.

— Carnium humectans, leniens, emolliens,
 resolvens. 15.

Jusculum carnis, *in Intestinorum inflamma-
 tione*, medicamentosum pro victu. 166.

Jura Carnium *pro Debilibus*, qualia, & quo-
 modo præparanda. 1. 2.

L.

Lac, *in Debilibus*, quale conducat. 1.

Lacte, *in Debilibus*, utendi modus. *ib.*

Lacticia, *in Phthisi pulmonali*, 198.

Lactescencia, *ad viscidum febrile*, amara,
 frigida. 120.

Laxantia, aperientia, emollientia, pellen-
 tia, ad Calculum. 243.

Lectuli, *in Rachitide*, ex aromatibus. 255.

Lenientia quænam sint. 17.

Linimentum, *in Cancro aperto*, saturninum
 lene. 112.

— *pro Gravidis, ad varices, hæ-
 morrhoides*, &c. 217.

— *in Intermittentibus*, ad spinam
 dorfi inungendam. 135.

— *pro Infantibus*, intestina lubri-
 cans. 226.

— *ad Papillas dolentes lactantium.*

I N D E X.

Linimentum, *ad Paralyfin*, nervinum dictum. 180.

————— *in Partu difficili*, emolliens. 218.

————— *Pleuritide*, laxans, resolvens, &c. 140.

————— *Scirrbo non movendò*, anodynum. 109.

————— *ad Vermes*, nidum destruens. 231.

————— *in Virginum morbis*, stimulant. vide 215. & 216.

Linctus, *in Peripneumoniâ*, sputò suppressò. 148.

Liquor, *ad Cancros venereos*, causticus. 249.

————— *in Gangrenâ*, parte incisâ, calidus corruptioni resistens. 100.

————— *Hæmorrhagiâ narium*, stipticus. 161.

————— *Paralyfi*, penetrans, stimulant, ad perfricandas partes. 179.

————— *Podagrâ*, vinosus, salinus. 212.

Lixivium, *in Sphacelò*, acre. 103.

Lumbrici, vide Vermes.

M.

Martis solutio in Rachitide. 259.

Massa balsamica, *in Vomica pulmonis* sanguinem condiens. 201.

Masticatoria, *in Apoplexiâ*, ad pressionem in Cerebrum minuendam. 175. Ma-

I N D E X.

- Materies condimentorum, in *Gangrenâ*, putredinem incipientem corrigentium. 98. 99.
- Marurantia in Pus. 90. 91.
- Mercurialia, in *Obstructione*, attenuantia. 54. 55. & 207.
- in *Scirrô non movendô*, blanda. 110.
- Mercurii dulcis apta dosi, ad *salivationem*, 251.
- Mistura, in *Alcali spontaneò*, saponacea, abstergens, acida, suboleosa. 51. 52.
- *antiphlogistica*, diluens & refrigerans simul. 88.
- in *Calculis*, opiata, aperiens. 244.
- *Febribus à nimio calore aëris*, subacida, nitrosa. 114.
- *intermittentibus*, sudorifera, rarò fallens. 133.
- *Frigore febrili*, sumenda. 121.
- *Gangrenâ à causâ frigidâ*, spiritus excitans, acida. 96.
- cardiaco-calida. 102.
- *pro Gravidis*, cardiaca, aromatica. 217.
- in *fluxu uterino*, adstringens. 218.
- in *Hydrope*, cardiaca, lymphæ fluorem concilians. 207.
- *lævis*, antiphlogistica & laxans. 163.

Mi-

I N D E X.

Mistura, *pro Infantibus*, à lactis aciditate labo-
rantibus. 223.

———— *pro Infantibus*, antacida. 227.

———— *in languore febrili*, acris, excitans.
118.

———— *Lue veneréâ*, anodyna, ad di-
arrhoeam in salivatione mercuriali sisten-
dam. 252.

———— *Narcotica*, calida. 63.

———— ————— frigida. *ib.*

———— *in Nauseâ febrili ex liquidò nervo-
sò turbatò*, austera, anodyna. 128.

———— *pro Puerperis dolentibus a labore*,
cardiaca & anodyna. 219.

———— *ad Vermes*, nidum destruens. 229.
230.

———— *in Visceribus fortioribus & rigidis*,
resolvens. 18.

———— *Vomicâ pulmonis*, sanguinem
muniens contra purulentiam. 199.

Morum sedantia, *in Scirrhô*. 108. ad 110.

Mulsa, *in Phthisi pulmonali*, balsamica. 197.

N.

Narcotica quanam sint, & horum varie
formulæ. 60. ad 65. & 145.

———— fortiora. 61. ad 65.

———— mitissima. 60. 61.

———— *in Variolis suppurantibus*, ves-
pertina, ubi nimio impetu fuerit morbus.
Na-

I N D E X.

Nutritum, *in Cancro aperto*. 112.

———— Scirrhus non movendus. 109.

Nutrimenta, *videatur* Victus.

O.

Olea stimulatitia *Aromatica*, acria, destillata. 30.

———— per retortam, ambusta. 31.

———— fa. *ib.*

expres-

———— *ib.*

nativa.

———— Alvi emollientia. 58.

———— ad *Vulnera*, balsamica. 66.

Oleosa externa, *pro Infantibus*, à lactis ac-
ciditate laborantibus. 229.

———— interna, *pro Infantibus*, à lactis aci-
ditate laborantibus. *ib.* sed vide 226.

Olera, *in Calculo*; optima, humida, blan-
da. 242.

———— mollissima. 9. 10.

Oleum, *ad Phibisin pulmonalem*, expressura
ex balsamicis lenissimis. 196.

Opiata, *in Variolis*, vespertina, ubi nimio
impetu fuerit morbus. 241.

———— *in Ulcere pulmonis aperto*, vesperti-
na lenia. 145.

Ossa denudata, ab aëre, pure, &c. arcens
Tinctura. 77.

N n

Ovi

I N D E X.

Ovi albumine, *in debilibus*, utendi modus.
I.

P.

Panis, *in debilibus*, Cremor. 2.
 _____ Decoctum. *ib.*
 _____ gratissi-
 mum. 3.
 _____ Gelatina. 2.
 Paregorica mirissima. 60. 61.
 Partes animalium, *aromatica*, acres, stimu-
 lantes. 38.
 _____ *emollientes*, oleosæ, blan-
 dæ. 13.
 _____ *Antacida*. 24.
 Pedra de'l porco lapidis infusum. 44.
 Pellentia, *ad Calculum*, *emollientia*, *aperi-*
entia, *laxantia*. 243.
 Peruviani corticis, *in Intermittentibus*, præ-
 parationes variæ. 134. 135.
 Pilulæ, *in Fibrilaxâ*, adstringentes. 8.
 _____ *Glutinosâ spontaneâ*, *biliosæ*, sti-
 mulantes. 44.
 _____ *in Gæsterhæa veneræ*, *balsamicæ*.
 247.
 _____ purgantes.
 246.
 _____ *Hydrope*, purgantes fortiter. 210.
 _____ *narcoticæ*. 62.
 _____ *in Phthisi pulmonali*, *balsamicæ*,
 lenes. 197. Pi-

I N D E X.

Pilulæ, *in Scorbutô incipiente*, purgantes.

184.

———— *Visceribus fortioribus rigidis*, re-
solventes. 19.

———— *ad Ulcus apertum Pulmonis*, ape-
rientes deterfivæ. 144.

———— ————— ————— ves-
pertina leniter anodynæ. 145.

———— *in Vomica pulmonali*, balsamicæ,
sanguinem munientes à purulentiâ. 200.
201.

Plantæ, *vide* Vegetabilia.

Potulenta, *ad Calculum*, laxantia, aperien-
tia, pellentia, &c. ex quibus fiant. 243.

———— *pro Debilibus*, 1. ad 3.

———— & Alimenta, *Fibræ fortis constituen-*
dæ, elementa apta continentia. 1. 2. 3.

———— *in Fibrâ rigidi*, lenientia, humec-
tantia. 8. ad 11.

———— *in Rachitide*, pro diætâ. 254.

———— *in Scirrô*, ad diætâ, 108.

Potus, *in Alkali spontaneô*, acidus, abstergens,
saponaceus. 52.

———— *in Anxietate febrili*, purgans. 122.
123.

———— *in Febris*, à nimio calore aëris, a-
quosus, subacidus, leniter nitrosus. 114.

———— *in Frigore febrili*, fumendus. 120.

———— *Gangrenâ ex causâ calidâ*, spiritus
excitans. 95.

I N D E X.

- Potus, *in Gangrenâ ex gelu*, cardiacus, calidus, refocillans. 102.
- *pro Gravidis languentibus*, cardiacus. 217.
- *in Hydropse*, cardiacus, acido-gratus, leniter aromaticus. 206.
- *Nauseâ febrili ab acri putri &c.* 128. 129. tum vide 122. ad 127.
- *Pleuritide*, refrigerans, resolvens &c. 151.
- *Peripneumoniâ verâ spontè resoluendâ*, lenis. 139.
- — — *sputô suppressô*, leniter resolvens, antipyreticus. 147.
- — — *in ulcus abeunte*, tussim movens. 141.
- *Podagrâ*, vinosus, salinus. 212.
- *Rachitide*, pro diætâ. 254.
- *Scorbutô acri*, lenis, antisepticus, &c. 195.
- *Siti febrili*, commodissimus. 126. 127.
- *Variolis suppurandis*, antipyreticus, aperiens &c. 239. & 240.
- *Ventriculi inflammatione*, leniens, &c. 165.
- *ad Vermes*, destruens nidum. 230. necandos. 232.
- *in Vomica pulmonis*, vulnerarius, balsamicus lenis. 202.

I N D E X.

- Potus, *Vulnerarii*, & Decocta. 55. ad 58.
 — in *Vulneribus*, adstringens. 58.
 — aperiens. 57.
 — attenuans. 55.
 — emendans acidi. 57.
 — alcali. *ib.*
 — glutinosi.
 — *ib.*
 — oleosi. *ib.*
 — singulari
 virtute. 57. 58.
 — excitans. 56.
 — inspissans. *ib.*
 — laxans. 58.
 — mitigans. 56.
 Propellentia quæ sint, & qualis horum ma-
 teries. 55, vide Stimulantia.
 Pulvinaria, in *Rachitide*, ex aromatibus.
 255.
 Pulvis, ad *Amputaciones*, adstringens. 104.
 — narcoticus, car-
 diacus, ante operationem fumendus. 103.
 — antiphlogisticus, refrigerans, resol-
 vens. 88.
 — in *Anxietate febrili*, purgans. 123.
 — ad *Bubones venereos apertos*, depu-
 rans. 249.
 — in *Cancrô*, aperiens, blandus. III.
 — purgans. 110. III.
 — ad *Contusa*, purgans fortiter, nec
 inflammans. 81.

I N D E X.

Pulvis, *de Febris*, ab *utris calore nimio*,
subacids, nitrosus. 114.

————— ab *aere humidò*, tem-
perans, aromaticus. 115.

————— *intermittentibus*, ad-
stringens. 135.

————— *in Febre laxâ*, adstringens. 7.

————— *in Glutinosò spontaneò*, stimulant. 43.

————— *in Gonorrhœâ venerâ*, purgans. 246.

————— *Helmintiis*, biliosus, stimulant.

44
————— *in Hydrocele*, formâ fumi vel vapo-
ris sicci, discutient. 212.

————— ex *sate marinò*, discu-
tient. 211.

————— *in Hydropse*, emeticus. 208.

————— purgans. 207.

————— *pro Infantibus*, antacidus. 227.

————— *in Inflammatione*, refrigerans, resol-
vens. 88.

————— *in Languore febrili*, excitans, acris,
aromaticus, &c. 119.

————— *in Lite venerâ*, ubi *diarrhoea ex fa-*
livatione, adstringens, anodynes. 252.

————— ad *Salvationem*
excitandam. 251.

————— *in Paralyti*, aromaticus, ad pannos
pro frictionibus suffragandos. 179.

————— *in Peripneumoniâ*, *sputa suppressa*,
leniter resolvendò antipyreticus. 147. 148.

————— *in Phthisi pulmonali*, antacidus. 198.
Pul-

I N D E X.

- Pulvis**, *præ Puorperis dolantibus à labere*, antacidus, &c. 220
- *in Rachitide*, ad pannos pro frictionibus suffumigandos. 255.
- *in Scirrhô non movendô*, anodynus. 108.
- *in Scorbutô incipiente*, purgans. 184.
- *in Variolis*, ad stimulum variolosum expellendum. 237.
- *Vermes* expellens. 234.
- — necans. 232.
- — & purgans. 233.
- *in Visceribus fortioribus & rigidis*, resolvens. 19.
- *in Ulcere Pulmonis apertô*, leniter anodynus vespertinus. 145.
- — — — — aperiens, deterfivus. 144.
- *in Vulncribus*, narcoticus. 62.
- Purgantia**, *in Annuitate febrili*, commoda. 122. ad 124.
- *in Apoplexiâ sanguinolentâ instanti* antiphlogistica. 178. sed vide 85. 86. tum 81.
- — — — — ad lentorem minuendum. 176.
- *in Cancrâ*. 110. 111.
- *ad Contusa*, fortia nec inflammationia. 81. 82.
- *in Febre intermittente*. 132.
- *in Inflammatione*, antiphlogistica, evacuantia, revellentia. 85. 86.

Pur-

I N D E X.

Purgantia, *in Nauscâ febrili*, a *lentâ* &c: *materia*. 128. sed vide. 123.

———— *in Scorbuto incipiente*. 184.

———— *in Vulneribus Capitis*, ad refo-
bendum in Venas. 77. 78.

Putredinem, *in Gangrenâ*, incipientem con-
dimentorum corrigentium materies. 98:
99. 100. 101.

Putrefactum, *in Gangrenâ*, à venis arcens. 97.

R.

Radices *stimulantes* aromaticæ: 34. ad 36.
Resolventia quæ, & qualis horum ma-
teries. 17. 18.

———— interna 34. sed vide 15: ad
20.

Roborantia quæ, & qualia. 23. tum 1. ad 8.

Rob *Fructuum* subacidorum, nitroforum,
demulcentium, aperientium, quænam.
126.

S.

Sal volatile ficcum, alcalinum, aromati-
cum, *antacidum*, artificiale. 26.

———— oleosum *antiscorbuticum*. 191:

● ————— *in Glutinoso spontaneò*,
stimulans. 42.

Salia, *in Febris intercurrentibus*, aperien-
tia, *alcalina* & *composita*. 130. & 131.

Sa-

I N D E X

- Salina stimulantia acida, fermentata.* 28.
 _____ igne producta. 29.
 _____ nativa. 28.
 _____ *alkalina, fixa.* 29.
 _____ *volatilia.* *ib.*
 _____ *composita.* 30.
Saponacea stimulantia. 44. *sed vide* 18.
Sapones, in Obstructione, attenuantes, na-
tivi, ex oleo & alcali, quinam. 54.
 _____ *com-*
 _____ *positi, ex oleo & alcali, quinam.* *ib.* *fu-*
 _____ *luginosi volatiles.* *ib.*
Saponum artificialium & nativorum mate-
ries. 54.
Sarcotica. 70. 71.
Saturnina, in Scirrbo non movendo, blanda.
 109. 110.
Sedantia, in Scirrbo, motum. 108. 109. 110.
Semina aromatica stimulantia. 36. 37.
Spiritus, in Gangrenâ, excitantia, vario in
casu, varia. 95. 96. 97.
Spiritus antiscorbuticus. 190.
 _____ *C. C. pro Infantibus, in convulsionib.*
 _____ *bus.* 237.
 _____ *in Glutinosâ spontaneâ, stimulans.* 41.
 _____ *ad Papillas dolentes.* 221.
Stimulantes Cortices aromatici. 37.
 _____ *Flores* _____ 34.
 _____ *Partes animalium, aromaticæ;*
 _____ *âcres.* 38.

I N D E X.

Stimulantes Plantæ acres, aromaticæ diſtillatæ;
quænam. 32. 33.

Radices aromaticæ. 34. ad 36.

Spiritus inflammabiles fermentati. 32.

Succi aromatici. 38.

Stimulantia quæ, & quænam horum materies. 28. ad 44.

acida ſalina, fermentata. 28.

igne producta. 29.

nativa. *ib.*

alcalina ſalina fixa. 29.

volatilia. *ib.*

Animalia. 38.

bilioſa. 43. 44.

compoſita. 39. ad 44.

ſalina. 30.

Inſecta acria. 38.

Olea acria aromatica vel ambuſta. 30. 31.

expreſſa.

31.

nativa. *ib.*

per retor-

tam deſtillata. *ib.*

Salina quælibet. 28. ad 30.

Sapoſaces. 44. ſed vide 18.

ſimplicia. 28. ad 38.

Vegetabilia. 32. ad 38.

ſtipſici liquores, in *hametragia Narium*,
varii. 161.

Subo-

I N D E X.

- Subfarinosa *emollientia*. 12. ad 14.
 ————— *mollia ib.*
 Suboleosa *emollientia. ib.*
 ————— *mollia. ib.*
 ————— *nio exprefsi, ex Plantis antifeorbuticis le-*
 ————— *ribus & acrioribus, formula. 190.*
Succi Fructuum horæorum, ad Fibræ ni-
gidam, aquâ diluendi, quales. 8. 9.
Succi ftimulantes, acres, aromatici. 38.
Sudorifera quæ funt, & quænam horum ma-
teries. 84.
 ————— *in Anxiétate febrili, quænam com-*
 ————— *moda. 124.*
Sudoriferum Antipyreticæ rarò fallens. 133.
Suppofitoria, pro Infantibus, ad Meconium
expellendum 224.
Syrupi emollientes, molles. 13. 14.
 ————— *Fructuum fubacidorum, nitroforum,*
 ————— *quinam. 126.*

T.

- T**epefactoria *in Pleuritide. 150.*
 Tinctura, *in Glutinofô fponfancô, ftimu-*
 ————— *lans. 40.*
 ————— *in Hydrope, purgans fortiter.*
 ————— *210.*
 ————— *Cupri, in Hydrope, diuretica*
 ————— *& folvens. 208.*
 ————— *Martis, in Rachitide, robo-*
 ————— *rans. 259.*

I N D E X.

Tinctura Mastiches, in *Ossium denudatione*,
aërem, pus, &c. arcens. 77.

V.

Vapor, in *Anginâ inflammatoriâ*, haurien-
dus. 137.

_____ in *Apoplexiâ ex causâ lentâ*, Nares
stimulans. 177.

_____ in *Hydrocele*, aromaticus, siccus,
discutiens. 212.

_____ in *Peripneumoniâ*, suppressô sputô,
emolliens. 147. sed vide. 146.

Vapores, ad *rigiditatem*, emollientes, ex
quibusnam fiant. 14.

_____ in *Virginum morbis*, uterini. 216.

_____ in *Ulcere apertô Pulmonis*, emol-
lientes. 146.

Vegetabilia, *acido-austera*. 3. ad 5.

_____ *alcalescentia*, condimentis ser-
vientia. 46.

_____ _____
_____ edulia. *ib.*

_____ _____
_____ venenata. *ib.*

_____ *Album*, leniter vi antiphlogisti-
câ emolliendô subducentia. 162.

_____ *antacida*. 21. ad 23.

_____ antiphlogistica, emollientia le-
nia, in *Nephritide*, bona. 173.

_____ *antiscorbutica* acriora. 189.

Ve-

I N D E X.

Vegetabilia, *antiscorbutica*, calida. 193. *sed vide.* 189.

_____ frigidiuscula.

_____ 192.
_____ modicè adstringentia. 192.

_____ *Rachitidi sananda* propria. 257.

_____ specificè leniora. 186. ad 188.

_____ *farinosa*, mollia. 10.
_____ lenia, *antiphlogistica*, emollientia.

_____ 173.
_____ *mollissima*, Olera dicta. 9. 10.
_____ *mollia* farinosa. 10.
_____ *Rachitidi sananda* propria. 257.
_____ *ad Viscidum febrile*, lactescencia, amara, frigida. 120.

Vermes *necantia* medicamenta. 232. 233.

_____ *expellentia* medicamenta. 234. 235.

Vermium *nidum* destruentia media. 229. ad 231.

Vesicatoria. 45.

Viētus, *prò Aphthosis* optimus, quinam. 168.
sed vide. 8. &c.

_____ *ad Apoplexiam sanguinolentam* & medicamina. 178. *sed vide* 164. ad 166.

_____ *in Calculosis.* 242.

_____ *pro debilibus.* 1. ad 3.

_____ *in Fibrâ rigidâ.* 8. ad 11.

_____ *in Gangranosâ temperie acidâ*, vires

O o 3

fuf-

I N D E X.

- fuscitans. 96. sed vide 20. ad 23.
 Victus in *Gangranosâ temperie alcalinâ* vires
 fuscitans. 96. sed vide 50. ad 52.
 — in *Hepatis ulcere*. 164. 165.
 — *Intestinorum Inflammatione*. 166.
 — *Peripneumoniâ in abscessum vergen-*
te. 140. sed vide 8. ad 11.
 — *Phtisi pulmonali*. 198.
 — *Rachitide*. 253. 254.
 — *pro Scirrhis*. 107. 108.
 — in *Ulcere Hepatis*. 164. 165.
 Vinorum, in *debilibus à fibrâ laxâ*, genera,
 quæ. 3.
 Vinum Medicatum *ant-acidum* 20.
 — — *antiscorbuticum*. 191.
 — — in *Fibrâ laxâ*, adstringens.
 6. 7.
 — — *Glutinosò spontaneò*, sti-
 mulans. 43.
 — — *Gravidarum morbis*, a-
 romaticum. 216.
 — — *Hydrope*, lymphæ fluo-
 rem concilians. 204. 205.
 — — — — — roborans.
 210.
 — — — — — in *Maniâ à debilitate*
corporis, cardiacum, roborans 182.
 — — — — — *Rachitide*, roborans,
 &c. 258.
 — — — — — ad *Vermes* necandos.
 233.

I N D E X.

- Vires, in *Gangrenâ*, fuscitantia. 95. 96.
 Unguenta *cicatrisantia*. 72.
 ————— *emollientia* 14.
 ————— *escharam gangrenosam* emollientia. 101.
 ————— *ad Febrim excitans, acre, stimulan-
 lans externum*, lenta, oleosa &c. 113.
 ————— *molliâ emollientia*. 14.
 ————— *Vermes expellentia externa*. 235.
vide 231.
 Unguentum aureum. 71.
 ————— *Basilicon*. *ib.*
 ————— *ad Contusa*, digerens. 76.
 ————— *exsiccans*. 70.
 ————— *in Scirrhô non movendô*, anody-
 num, saturninum, blandum, ad litum. 109.
 ————— *Tetrapharmacum*. 71.
 Vomitoria, in *Anxietate febrili*, commoda.
 122.
 ————— *Apoplexiâ*, lentorem attenu-
 antia. 176.
 ————— *Febre intermittente*. 131. 132.
 ————— *Febris ex copiâ ciborum*,
 lenia. 116. 117.
 ————— *Hydrope*. 208. 209.
 ————— *Nauseâ febrili â lentâ & a. ma-
 teriâ*. 122.
 Vomitorium in *Rachitide*. 256.

F I N I S.

*Hi Libri Medici, ad supplendam pag.
hic notati, Prodiere & prostant ap.*
IS. SEVERINUM.

ALPINUS (Prosper), de præsagienda Vita & Morte Aegrotantium. Libri septem. In quibus ars tota **HIPPOCRATICA** prædicendi in ægrotis varios morborum eventus, cum ex Vett. Medicorum dogmatis, tum ex longa accurataque observatione, nova methodo elucescit. Cum præfatione Viri Clar. H. BOERHAAVE. in 4.

COCKBURN (Guilielmi) Virulentæ Gonorrhææ symptomata, natura, causæ, & curationes, explicata & demonstrata. 8.

La FORCE de L'HOMME. Monstrant d'une manière très exacte les mouvements merveilleux, l'usage singulier, & les souplesses des principales parties du corps humain, représentée en LXXI. Tailles douces très belles & dessinées par Romein de Hooge. En grand pap. in 4.

GEBRI, regis Arabum, Chymia, cum vera delineatione Vasorum & Fornacum. Acc. Testamentum Ejusdem, ac Aurei trium verborum libelli. &c. cum fig. 8.

NEEDHAM (Gualt.) observationes Anatomicæ; demonstratæ in Collegio regio *Cantabrigiæ*, & figuris æneis elegantioribus illustratæ. 12.

THOMSON (Alex.) Dissertationes Medicæ. I. de Motu, quo renituntur Canales in fluida corporis Animalis. II. de Aquarum mineralium examine & Origine. III. de Martis & Aquarum mineralium, de Mercurii, Opii, operationibus Medicinalibus. de Morbis Animi. 8.











